

Author Index Volume 35 (2006)

The issue number is given in front of the page numbers.

- Abbate, R., see Mannini, L. (1,2) 175–181
Acosta, I., see Pérez, S.M. (1,2) 311–316
Ahmadizad, S., M.S. El-Sayed and D.P.M. MacLaren, Responses of platelet activation and function to a single bout of resistance exercise and recovery (1,2) 159–168
Ahmadizad, S., M.S. El-Sayed and D.P.M. MacLaren, Effects of water intake on the responses of haemorheological variables to resistance exercise (1,2) 317–327
Alexy, T., see Pais, E. (1,2) 139–142
Almási, A., see Székely, E. (3) 387–396
Aloulou, I., E. Varlet-Marie, J. Mercier and J.-F. Brun, The hemorheological aspects of the metabolic syndrome are a combination of separate effects of insulin resistance, hyperinsulinemia and adiposity (1,2) 113–119
Aloulou, I., E. Varlet-Marie, J. Mercier and J.-F. Brun, Hemorheological disturbances correlate with the lipid profile but not with the NCEP-ATPIII score of the metabolic syndrome (1,2) 207–212
Aloulou, I., E. Varlet-Marie, J. Mercier and J.-F. Brun, Hemorheologic effects of low intensity endurance training in sedentary patients suffering from the metabolic syndrome (1,2) 333–339
Aloulou, I., see Manetta, J. (1,2) 239–244
Amodeo, G., see Lo Presti, R. (1,2) 199–201
Amodeo, G., see Lo Presti, R. (3) 375–377
Andrikovics, H., see Pongrácz, E. (1,2) 75–82
Antonova, N. and P. Riha, Studies of electrorheological properties of blood (1,2) 19–29
Antonova, N., see Savov, Y. (1,2) 129–133
Antonova, N., see Velcheva, I. (1,2) 155–157
Antonova, N., see Velcheva, I. (1,2) 195–198
Antonucci, E., see Mannini, L. (1,2) 175–181
Arslan, M., see Aydoğan, S. (1,2) 297–300
Arslan, M., see Yerer, M.B. (1,2) 213–216
Athanassiu, G., A. Moutzouri, A. Kourakli and N. Zoumbos, Effect of hydroxyurea on the deformability of the red blood cell membrane in patients with sickle cell anemia (1,2) 291–295
Audibert, G., see Caron, A. (4) 447–458
Aydoğan, S., M.B. Yerer, F.M. Çomu, M. Arslan, I. Güneş-Ekinci, Y. Unal and O. Kurtipek, The influence of sevoflurane anesthesia on the rat red blood cell deformability (1,2) 297–300
Aydoğan, S., see Yerer, M.B. (1,2) 143–147
Aydoğan, S., see Yerer, M.B. (1,2) 213–216
Barrow, M.S., see Williams, P.R. (1,2) 123–127
Baskurt, O.K., O. Yalcin, F. Gungor and H.J. Meiselman, Hemorheological parameters as determinants of myocardial tissue hematocrit values (1,2) 45–50
Baskurt, O.K., see Meiselman, H.J. (1,2) 37–43

- Baskurt, O.K., see Toptas, B. (3) 349–357
 Baykal, A., see Toptas, B. (3) 349–357
 Bazzoni, G., see Contini, M.C. (4) 431–439
 Bernal, C.A., see Contini, M.C. (4) 431–439
 Bernát, I.S., see Pongrácz, E. (1,2) 75– 82
 Bianciardi, G., I. Tanganelli, D. Totagiancaspro, M. Brogi, A. Carducci and M.M. De Santi, Fractal analysis of monocytes in diabetes (1,2) 269–272
 Blázovics, A., see Székely, E. (3) 387–396
 Bogar, L., I. Juricskay, G. Kesmarky, G. Feher, P. Kenyeres and K. Toth, Gender differences in hemorheological parameters of coronary artery disease patients (1,2) 99–103
 Boisseau, M.R., Fahraeus Lecture 2005: Hemorheology and vascular diseases: Red cell should rub up to the wall, leucocytes should cope with it (1,2) 11– 16
 Bollini, A., see Cinara, L. (3) 367–373
 Bolokadze, N., I. Lobjanidze, N. Momtslidze, R. Shakarishvili and G. Mchedlishvili, Comparison of erythrocyte aggregability changes during ischemic and hemorrhagic stroke (1,2) 265–267
 Bor, M., see Székely, E. (3) 387–396
 Boschi, L., see Travagli, V. (1,2) 283–289
 Braz Nogueira, J.M., see Carvalho, F.A. (1,2) 341–347
 Brogi, M., see Bianciardi, G. (1,2) 269–272
 Brun, J.-F., see Aloulou, I. (1,2) 113–119
 Brun, J.-F., see Aloulou, I. (1,2) 207–212
 Brun, J.-F., see Aloulou, I. (1,2) 333–339
 Brun, J.-F., see Manetta, J. (1,2) 239–244
 Brun, J.-F., see Varlet-Marie, E. (1,2) 329–332
 Bunnag, S., see Patumraj, S. (4) 481–489
 Buyukkocak, U., see Caglayan, O. (4) 459–462
 Cabrales, P., see Martini, J. (1,2) 51– 57
 Caglayan, O., U. Buyukkocak, F.K. Kara and O. Sert, The decrease in erythrocyte sedimentation rate related to general anesthesia (4) 459–462
 Caimi, G., see Di Massimo, C. (1,2) 231–237
 Caimi, G., see Lo Presti, R. (1,2) 199–201
 Caimi, G., see Lo Presti, R. (1,2) 227–230
 Caimi, G., see Lo Presti, R. (3) 375–377
 Caimi, G., see Lo Presti, R. (4) 527–528
 Canino, B., see Lo Presti, R. (1,2) 199–201
 Canino, B., see Lo Presti, R. (1,2) 227–230
 Canino, B., see Lo Presti, R. (4) 527–528
 Carducci, A., see Bianciardi, G. (1,2) 269–272
 Carnovale, C.E., see Contini, M.C. (4) 431–439
 Carollo, C., see Lo Presti, R. (1,2) 199–201
 Caron, A., M. Hacquard, G. Audibert, G. Cauchois, C. Vigneron, J.-F. Stoltz, D. Longrois and P. Menu, Hydroxyethylstarch 200 and 240 differently affect aortic distensibility but not viscosity and blood pressure upon acute isovolumic hemodilution (4) 447–458
 Carpentier, B., see Martini, J. (1,2) 51– 57
 Carvalho, F.A., A.V. Maria, J.M. Braz Nogueira, J. Guerra, J. Martins-Silva and C. Saldanha, The relation between the erythrocyte nitric oxide and hemorheological parameters (1,2) 341–347
 Catania, A., see Lo Presti, R. (1,2) 227–230
 Cattaneo, L., see Cortinovis, A. (1,2) 183–192

- Cauchois, G., see Caron, A. (4) 447–458
 Cavalli, R., see Cortinovis, A. (1,2) 183–192
 Chatsuwan, T., see Prabjone, R. (3) 359–366
 Chávez Negrete, A., see Martini, J. (1,2) 51–57
 Cherkassov, V., see Startseva, J. (1,2) 305–306
 Cicco, G., M. Vetrugno, M.T. Rotelli, G. Sborgia, M. Pennetta, P.P. Vico, V. Memeo, L. Nitti and C. Sborgia, Red blood cell (RBC) surface acetylcholinesterase showing a hemorheological pattern during glaucoma treatment (1,2) 149–154
 Cicha, I., A. Yilmaz, Y. Suzuki, N. Maeda, W.G. Daniel, M. Goppelt-Struebe and C.D. Garlichs, Connective tissue growth factor is released from platelets under high shear stress and is differentially expressed in endothelium along atherosclerotic plaques (1,2) 203–206
 Cinara, L., A. Bollini, M. del C. Gayol and G.N. Hernández, *In vitro* effect of insulin on rats erythrocytes rheological behaviour (3) 367–373
 Clausen, T., see Nemeth, N. (1,2) 59–65
 Çomu, F.M., see Aydoğan, S. (1,2) 297–300
 Çomu, F.M., see Yerer, M.B. (1,2) 213–216
 Contini, M.C., S. Mahieu, G. Bazzoni, C.A. Bernal and C.E. Carnovale, Study of hemorheological parameters following partial hepatectomy in rats with chronic aluminium intoxication (4) 431–439
 Corbacelli, C., see Di Massimo, C. (1,2) 231–237
 Corti, M., see Cortinovis, A. (1,2) 183–192
 Cortinovis, A., A. Crippa, R. Cavalli, M. Corti and L. Cattaneo, Capillary blood viscosity in microcirculation (1,2) 183–192
 Crippa, A., see Cortinovis, A. (1,2) 183–192
 Csornai, M., see Pongrácz, E. (1,2) 75–82
 Czopf, L., see Koltai, K. (4) 517–525
 Damianov, P., see Velcheva, I. (1,2) 195–198
 D'Amico, T., see Lo Presti, R. (1,2) 227–230
 D'Amico, T., see Lo Presti, R. (3) 375–377
 D'Amico, T., see Lo Presti, R. (4) 527–528
 Daniel, W.G., see Cicha, I. (1,2) 203–206
 D'Arrigo, M., see Riquelme, B. (1,2) 277–281
 De Amicis, D., see Di Massimo, C. (1,2) 231–237
 De Santi, M.M., see Bianciardi, G. (1,2) 269–272
 Di Massimo, C., R. Lo Presti, C. Corbacelli, A. Pompei, P. Scarpelli, D. De Amicis, G. Caimi and M.G. Tozzi Ciancarelli, Impairment of plasma nitric oxide availability in senescent healthy individuals: Apparent involvement of extracellular superoxide dismutase activity (1,2) 231–237
 Di Stolfo, G., see Gori, T. (1,2) 169–173
 Di Stolfo, G., see Gori, T. (4) 509–515
 Dimitrov, N., see Velcheva, I. (1,2) 155–157
 Dimitrov, N., see Velcheva, I. (1,2) 195–198
 Dimitrova, V., see Velcheva, I. (1,2) 155–157
 Dragoni, S., see Gori, T. (1,2) 169–173
 Dragoni, S., see Gori, T. (4) 509–515
 El-Sayed, M.S., see Ahmadizad, S. (1,2) 159–168
 El-Sayed, M.S., see Ahmadizad, S. (1,2) 317–327
 Ercan, M., D. Konukoglu and T. Erdem Yeşim, Association of plasma viscosity with cardiovascular risk factors in obesity: An old marker, a new insight (4) 441–446

- Erdem Yeşim, T., see Ercan, M. (4) 441–446
- Evans, A., see Williams, P.R. (1,2) 123–127
- Feher, G., K. Koltai, G. Kesmarky, L. Szapary, I. Juricskay and K. Toth, Hemorheological parameters and aging (1,2) 89– 98
- Feher, G., see Bogar, L. (1,2) 99–103
- Fehér, G., see Késmárky, G. (1,2) 67– 73
- Feher, G., see Koltai, K. (4) 517–525
- Filippini, F., see Riquelme, B. (1,2) 277–281
- Forconi, S., Foreword – Welcome address 13th Conference of the European Society for Clinical Hemorheology (E.S.C.H.), Siena, Italy June 26th–29th, 2005 (1,2) 1– 3
- Forconi, S., Fahraeus medal presentation 2005 (1,2) 5– 5
- Forconi, S., Laudatio for the Fahraeus Lecture 2005: Fahraeus Awardee – Professor Michel René Boisseau, MD (1,2) 7– 9
- Forconi, S., see Gori, T. (1,2) 31– 34
- Forconi, S., see Gori, T. (1,2) 169–173
- Forconi, S., see Gori, T. (4) 509–515
- Forconi, S., see Travagli, V. (1,2) 283–289
- Foresto, P., see Riquelme, B. (1,2) 277–281
- Fornal, M., M. Lekka, G. Pyka-Fościak, K. Lebed, T. Grodzicki, B. Wizner and J. Styczeń, Erythrocyte stiffness in diabetes mellitus studied with atomic force microscope (1,2) 273–276
- Fujita, S., see Kobayashi, T. (1,2) 257–259
- Furka, I., see Nemeth, N. (1,2) 59– 65
- Futrakul, N., see Patumraj, S. (4) 481–489
- Garlich, C.D., see Cicha, I. (1,2) 203–206
- Gayol, M. del C., see Cinara, L. (3) 367–373
- Gensini, G.F., see Mannini, L. (1,2) 175–181
- Giglioli, C., see Mannini, L. (1,2) 175–181
- Gluhcheva, Y., see Savov, Y. (1,2) 129–133
- Gonçalves, S., A.V. Maria, A.S. Silva, J. Martins-Silva and C. Saldanha, Phytosterols in milk as a depressor of plasma cholesterol levels: Experimental evidence with hypercholesterolemic Portuguese subjects (1,2) 251–255
- Goppelt-Struebe, M., see Cicha, I. (1,2) 203–206
- Gori, A.M., see Mannini, L. (1,2) 175–181
- Gori, T., G. Di Stolfo, S. Sicuro, S. Dragoni, M. Lisi, J.D. Parker and S. Forconi, Correlation analysis between different parameters of conduit artery and microvascular vasodilation (4) 509–515
- Gori, T., G. Di Stolfo, S. Sicuro, S. Dragoni, J.D. Parker and S. Forconi, The effect of ischemia and reperfusion on microvascular function: A human *in vivo* comparative study with conduit arteries (1,2) 169–173
- Gori, T., M. Lisi and S. Forconi, Ischemia and reperfusion: The endothelial perspective. A radical view (1,2) 31– 34
- Grodzicki, T., see Fornal, M. (1,2) 273–276
- Guerra, J., see Carvalho, F.A. (1,2) 341–347
- Güneş-Ekinci, I., see Aydoğan, S. (1,2) 297–300
- Güneş-Ekinci, I., see Yerer, M.B. (1,2) 213–216
- Gungor, F., see Baskurt, O.K. (1,2) 45– 50
- Hacquard, M., see Caron, A. (4) 447–458
- Hanisch, F., see Nemeth, N. (1,2) 59– 65

- Harman-Boehm, I., see Zilberman-Kravits, D. (4) 463–471
 Hawkins, K., see Williams, P.R. (1,2) 123–127
 Henze, D., see Nemeth, N. (1,2) 59– 65
 Hernández, G.N., see Cinara, L. (3) 367–373
 Hoffmann, E., see Lo Presti, R. (1,2) 227–230
 Hoffmann, E., see Lo Presti, R. (3) 375–377
 Holsworth, Jr., R.E., see Pais, E. (1,2) 139–142
 Holz, C., see Nemeth, N. (1,2) 59– 65
 Horigome, H., see Katayama, Y. (4) 499–508
 Horváth, B., see Késmárky, G. (1,2) 67– 73
- Imre, S., see Kovács, Á. (1,2) 83– 88
 Incalcaterra, E., see Lo Presti, R. (1,2) 227–230
 Intaglietta, M., see Martini, J. (1,2) 51– 57
 Isbir, M., see Toptas, B. (3) 349–357
 Ivanov, I., see Savov, Y. (1,2) 129–133
 Ivanov, I., see Velcheva, I. (1,2) 155–157
 Ivanov, I., see Velcheva, I. (1,2) 195–198
 Ivanova, L., see Konstantinova, E. (1,2) 135–138
- Jariyapongskul, A., see Patumraj, S. (4) 481–489
 Jung, F., see Matschke, K. (1,2) 105–111
 Juricskay, I., see Bogar, L. (1,2) 99–103
 Juricskay, I., see Feher, G. (1,2) 89– 98
- Kara, F.K., see Caglayan, O. (4) 459–462
 Katayama, Y., H. Horigome, T. Murakami, M. Takahashi-Igari, D. Miyata and K. Tanaka, Evaluation of blood rheology in patients with cyanotic congenital heart disease using a microchannel array flow analyzer (4) 499–508
 Kenyeres, P., see Bogar, L. (1,2) 99–103
- Késmárky, G., G. Fehér, K. Koltai, B. Horváth and K. Tóth, Viscosity, hemostasis and inflammation in atherosclerotic heart diseases (1,2) 67– 73
 Kesmarky, G., see Bogar, L. (1,2) 99–103
 Kesmarky, G., see Feher, G. (1,2) 89– 98
 Kesmarky, G., see Koltai, K. (4) 517–525
 Keszhelyi, Z., see Koltai, K. (4) 517–525
 Khodabandehlou, T., see Wautier, M.-P. (3) 379–386
 Knaut, M., see Matschke, K. (1,2) 105–111
- Kobayashi, T., M. Nakamura, M. Sakuma, N. Yamada, M. Sakon, S. Fujita and N. Seo, Incidence of pulmonary thromboembolism (PTE) and new guidelines for PTE prophylaxis in Japan (1,2) 257–259
- Koltai, K., G. Feher, G. Kesmarky, Z. Keszhelyi, L. Czopf and K. Toth, The effect of blood glucose levels on hemorheological parameters, platelet activation and aggregation in oral glucose tolerance tests (4) 517–525
 Koltai, K., see Feher, G. (1,2) 89– 98
 Koltai, K., see Késmárky, G. (1,2) 67– 73
 Kon, K., see Startseva, J. (1,2) 305–306
- Konstantinova, E., L. Ivanova, T. Tolstaya and E. Mironova, Rheological properties of blood and parameters of platelets aggregation in arterial hypertension (1,2) 135–138

- Konukoglu, D., see Ercan, M. (4) 441–446
 Kościelak, J., see Musielak, M. (1,2) 301–303
 Kourakli, A., see Athanassiou, G. (1,2) 291–295
 Kovács, Á., Z. Szikszaí, É. Várady and S. Imre, Study on the hemorheological parameters of oldest-old residents in the East-Hungarian city, Debrecen (1,2) 83– 88
 Kowal, P., see Marcinkowska-Gapińska, A. (4) 473–479
 Koyama, T., A. Taka and H. Togashi, Cardiovascular effects produced by a traditional fungal medicine, *Fuscoporia obliqua* extract, and microvessels in the left ventricular wall of stroke-prone spontaneously hypertensive rat (SHRSP) (4) 491–498
 Kupesiz, A., see Toptas, B. (3) 349–357
 Kurtipek, O., see Aydogan, S. (1,2) 297–300
 Kurtipek, O., see Yerer, M.B. (1,2) 213–216
- Le Dévéhat, C., see Wautier, M.-P. (3) 379–386
 Lebed, K., see Fornal, M. (1,2) 273–276
 Lekka, M., see Fornal, M. (1,2) 273–276
 Lisi, M., see Gori, T. (1,2) 31– 34
 Lisi, M., see Gori, T. (4) 509–515
 Lo Presti, R., T. D'Amico, M. Montana, B. Canino, A. Romano and G. Caimi, Platelet activation markers in long-term follow-up of young subjects with acute myocardial infarction (4) 527–528
 Lo Presti, R., M. Montana, E. Hoffmann, T. D'Amico, G. Amodeo and G. Caimi, Elastase in young subjects with acute myocardial infarction: Evaluation at the initial stage and after 12 months (3) 375–377
- Lo Presti, R., M.G. Tozzi Ciancarelli, B. Canino, C. Carollo, D. Lucido, G. Amodeo, A. Romano and G. Caimi, Polymorphonuclear leukocyte membrane fluidity and cytosolic Ca^{2+} concentration in subjects with vascular atherosclerotic disease subdivided according to its extent (1,2) 199–201
- Lo Presti, R., M.G. Tozzi Ciancarelli, E. Hoffmann, E. Incalcaterra, B. Canino, M. Montana, T. D'Amico, A. Catania and G. Caimi, Persistence of the altered polymorphonuclear leukocyte rheological and metabolic variables after 12 months in juvenile myocardial infarction (1,2) 227–230
 Lo Presti, R., see Di Massimo, C. (1,2) 231–237
 Lobjanidze, I., see Bolokadze, N. (1,2) 265–267
 Longrois, D., see Caron, A. (4) 447–458
 Lucido, D., see Lo Presti, R. (1,2) 199–201
 Lysov, A., see Startseva, J. (1,2) 305–306
- MacLaren, D.P.M., see Ahmadizad, S. (1,2) 159–168
 MacLaren, D.P.M., see Ahmadizad, S. (1,2) 317–327
 Maeda, N., see Cicha, I. (1,2) 203–206
 Mahieu, S., see Contini, M.C. (4) 431–439
 Manetta, J., I. Aloulou, E. Varlet-Marie, J. Mercier and J.-F. Brun, Partially opposite hemorheological effects of aging and training at middle age (1,2) 239–244
 Mannini, L., R. Marcucci, R. Paniccia, E. Antonucci, C. Giglioli, S. Valente, A.M. Gori, D. Prisco, G.F. Gensini and R. Abbate, Erythrocyte deformability and white blood cell count are associated with aspirin resistance in high-risk vascular patients (1,2) 175–181
 Mantskava, M., N. Momtslidze, N. Pargalava and G. Mcchedlishvili, Hemorheological disorders in patients with type 1 or 2 diabetes mellitus and foot gangrene (1,2) 307–310
 Mantskava, M., see Momtslidze, N. (1,2) 261–264

- Marcinkowska-Gapińska, A. and P. Kowal, Blood fluidity and thermography in patients with diabetes mellitus and coronary artery disease in comparison to healthy subjects (4) 473–479
- Marcucci, R., see Mannini, L. (1,2) 175–181
- Maria, A.V., see Carvalho, F.A. (1,2) 341–347
- Maria, A.V., see Gonçalves, S. (1,2) 251–255
- Martini, J., B. Carpentier, A. Chávez Negrete, P. Cabrales, A.G. Tsai and M. Intaglietta, Beneficial effects due to increasing blood and plasma viscosity (1,2) 51– 57
- Martins-Silva, J., see Carvalho, F.A. (1,2) 341–347
- Martins-Silva, J., see Gonçalves, S. (1,2) 251–255
- Martins-Silva, J., see Silva, A.S. (1,2) 245–250
- Matschke, K., S.M. Tugtekin, M. Knaut, C. Mrowietz, J.-W. Park and F. Jung, Influence of extra corporeal circulation on myocardial oxygen tension: Results of an animal model (1,2) 105–111
- Mchedlishvili, G., see Bolokadze, N. (1,2) 265–267
- Mchedlishvili, G., see Mantskava, M. (1,2) 307–310
- Mchedlishvili, G., see Momtselidze, N. (1,2) 261–264
- Mchedlishvili, G., see Sordia, T. (1,2) 223–226
- Mchedlishvili, G., see Tatarishvili, J. (1,2) 217–221
- Meiselman, H.J. and O.K. Baskurt, Hemorheology and hemodynamics: Dove andare? (1,2) 37– 43
- Meiselman, H.J., see Baskurt, O.K. (1,2) 45– 50
- Meiselman, H.J., see Pais, E. (1,2) 139–142
- Memeo, V., see Cicco, G. (1,2) 149–154
- Menu, P., see Caron, A. (4) 447–458
- Menzel, M., see Nemeth, N. (1,2) 59– 65
- Mercier, J., see Aloulou, I. (1,2) 113–119
- Mercier, J., see Aloulou, I. (1,2) 207–212
- Mercier, J., see Aloulou, I. (1,2) 333–339
- Mercier, J., see Manetta, J. (1,2) 239–244
- Mercier, J., see Varlet-Marie, E. (1,2) 329–332
- Meyerstein, N., see Zilberman-Kravits, D. (4) 463–471
- Miko, I., see Nemeth, N. (1,2) 59– 65
- Milani, A., see Pérez, S.M. (1,2) 311–316
- Mironova, E., see Konstantinova, E. (1,2) 135–138
- Miyata, D., see Katayama, Y. (4) 499–508
- Momtselidze, N., M. Mantskava and G. Mchedlishvili, Hemorheological disorders during ischemic brain infarcts in patients with and without diabetes mellitus (1,2) 261–264
- Momtselidze, N., see Bolokadze, N. (1,2) 265–267
- Momtselidze, N., see Mantskava, M. (1,2) 307–310
- Montana, M., see Lo Presti, R. (1,2) 227–230
- Montana, M., see Lo Presti, R. (3) 375–377
- Montana, M., see Lo Presti, R. (4) 527–528
- Moutzouri, A., see Athanassiou, G. (1,2) 291–295
- Mrowietz, C., see Matschke, K. (1,2) 105–111
- Murakami, T., see Katayama, Y. (4) 499–508
- Musielak, M. and J. Kościelak, Different RBC aggregating properties of the $A\alpha_2B\beta_2\gamma_A\alpha_2$ and $A\alpha_2B\beta_2\gamma_A\gamma'$ subpopulations of human fibrinogen (1,2) 301–303
- Nagy, Z., see Pongrácz, E. (1,2) 75– 82
- Nakamura, M., see Kobayashi, T. (1,2) 257–259

- Nemeth, N., J. Soukup, M. Menzel, D. Henze, T. Clausen, A. Rieger, C. Holz, A. Scharf, F. Hanisch, I. Furka and I. Miko, Local and systemic hemorheological effects of cerebral hyper- and hypoperfusion in a porcine model (1,2) 59– 65
 Nitti, L., see Cicco, G. (1,2) 149–154
- Pais, E., T. Alexy, R.E. Holsworth, Jr. and H.J. Meiselman, Effects of nattokinase, a pro-fibrinolytic enzyme, on red blood cell aggregation and whole blood viscosity (1,2) 139–142
 Paniccia, R., see Mannini, L.
 Pargalava, N., see Mantskava, M.
 Park, J.-W., see Matschke, K.
 Parker, J.D., see Gori, T.
 Parker, J.D., see Gori, T.
 Patumraj, S., N. Wongeakin, P. Sridulyakul, A. Jariyapongskul, N. Futrakul and S. Bunnag, Combined effects of curcumin and vitamin C to protect endothelial dysfunction in the iris tissue of STZ-induced diabetic rats (4) 481–489
 Patumraj, S., see Prabjone, R.
 Pennetta, M., see Cicco, G.
 Pérez, S.M., B. Riquelme, I. Acosta, J. Valverde and A. Milani, Erythrocytes dynamic viscoelasticity in β -thalassaemia minor (1,2) 311–316
 Pompei, A., see Di Massimo, C.
 Pongrácz, E., H. Andrikovics, M. Csornai, I.S. Bernát and Z. Nagy, Contribution of the -455G/A polymorphism at β -fibrinogen gene and of the Leiden mutation to hemorheological parameters in ischemic stroke patients (1,2) 231–237
- Prabjone, R., D. Thong-Ngam, N. Wisedopas, T. Chatswan and S. Patumraj, Anti-inflammatory effects of *Aloe vera* on leukocyte–endothelium interaction in the gastric microcirculation of *Helicobacter pylori*-infected rats (1,2) 75– 82
 Prisco, D., see Mannini, L.
 Pyka-Fościak, G., see Fornal, M.
- Rieger, A., see Nemeth, N. (1,2) 59– 65
 Riha, P., see Antonova, N. (1,2) 19– 29
 Riquelme, B., P. Foresto, M. D'Arrigo, F. Filippini and J. Valverde, Laser diffractometry technique: Clinical applications to vascular pathologies (1,2) 277–281
 Riquelme, B., see Pérez, S.M.
 Romano, A., see Lo Presti, R.
 Romano, A., see Lo Presti, R.
 Rotelli, M.T., see Cicco, G. (1,2) 273–276
- Sainova, I., see Savov, Y. (1,2) 129–133
 Sakon, M., see Kobayashi, T. (1,2) 257–259
 Sakuma, M., see Kobayashi, T. (1,2) 257–259
 Saldanha, C., see Carvalho, F.A. (1,2) 341–347
 Saldanha, C., see Gonçalves, S. (1,2) 251–255
 Saldanha, C., see Silva, A.S. (1,2) 245–250
 Savov, Y., N. Antonova, E. Zvetkova, Y. Gluhcheva, I. Ivanov and I. Sainova, Whole blood viscosity and erythrocyte hematometric indices in chronic heroin addicts (1,2) 129–133
 Sborgia, C., see Cicco, G. (1,2) 149–154
 Sborgia, G., see Cicco, G. (1,2) 149–154
 Scarpelli, P., see Di Massimo, C. (1,2) 231–237
 Scharf, A., see Nemeth, N. (1,2) 59– 65

- Seo, N., see Kobayashi, T. (1,2) 257–259
 Sert, O., see Caglayan, O. (4) 459–462
 Shakarishvili, R., see Bolokadze, N. (1,2) 265–267
 Shuster, T., see Zilberman-Kravits, D. (4) 463–471
 Sicuro, S., see Gori, T. (1,2) 169–173
 Sicuro, S., see Gori, T. (4) 509–515
 Silva, A.S., C. Saldanha and J. Martins-Silva, Effects of low-fat milk enriched with phytosterols on plasma cholesterol concentrations and hemorheological parameters of Wistar rats (1,2) 245–250
 Silva, A.S., see Gonçalves, S. (1,2) 251–255
 Simpkin, H., see Williams, P.R. (1,2) 123–127
 Sordia, T., J. Tatarishvili and G. Mchedlishvili, Hemorheological disorders in the microcirculation during septic shock in rats (1,2) 223–226
 Sordia, T., see Tatarishvili, J. (1,2) 217–221
 Soukup, J., see Nemeth, N. (1,2) 59– 65
 Sridulyakul, P., see Patumraj, S. (4) 481–489
 Startseva, J., N. Sulimova, V. Cherkassov, K. Kon and A. Lysov, The diagnosis of transcapillary flow disturbances in the lungs of lung cancer (1,2) 305–306
 Stoltz, J.-F., see Caron, A. (4) 447–458
 Styczeń, J., see Fornal, M. (1,2) 273–276
 Sulimova, N., see Startseva, J. (1,2) 305–306
 Suzuki, Y., see Cicha, I. (1,2) 203–206
 Szapary, L., see Feher, G. (1,2) 89– 98
 Székely, E., M. Bor, G. Tasnádi, K. Várnai, A. Almási and A. Blázovics, Hemorheological status and redox homeostasis of phlebotomised porphyria cutanea tarda patients with diabetes mellitus and in moderate alcohol consumer (3) 387–396
 Szikszai, Z., see Kovács, Á. (1,2) 83– 88
 Taka, A., see Koyama, T. (4) 491–498
 Takahashi-Igari, M., see Katayama, Y. (4) 499–508
 Tanaka, K., see Katayama, Y. (4) 499–508
 Tanganeli, I., see Bianciardi, G. (1,2) 269–272
 Tasnádi, G., see Székely, E. (3) 387–396
 Tatarishvili, J., T. Sordia and G. Mchedlishvili, Comparison of blood rheological changes in the microcirculation during experimental hemorrhagic and traumatic shock (1,2) 217–221
 Tatarishvili, J., see Sordia, T. (1,2) 223–226
 Thong-Ngam, D., see Prabjone, R. (3) 359–366
 Titianova, E., see Velcheva, I. (1,2) 195–198
 Togashi, H., see Koyama, T. (4) 491–498
 Tolstaya, T., see Konstantinova, E. (1,2) 135–138
 Toptas, B., A. Baykal, A. Yesilipek, M. Isbir, A. Kupesiz, O. Yalcin and O.K. Baskurt, L-carnitine deficiency and red blood cell mechanical impairment in β -thalassemia major (3) 349–357
 Totagiancaspro, D., see Bianciardi, G. (1,2) 269–272
 Toth, K., see Bogar, L. (1,2) 99–103
 Toth, K., see Feher, G. (1,2) 89– 98
 Tóth, K., see Késmárky, G. (1,2) 67– 73
 Toth, K., see Kolta, K. (4) 517–525
 Tozzi Ciancarelli, M.G., see Di Massimo, C. (1,2) 231–237
 Tozzi Ciancarelli, M.G., see Lo Presti, R. (1,2) 199–201
 Tozzi Ciancarelli, M.G., see Lo Presti, R. (1,2) 227–230

- Travagli, V., I. Zanardi, L. Boschi, V. Turchetti and S. Forconi, Evaluation of a torsional-vibrating technique for the hemorheological characterization (1,2) 283–289
- Tsai, A.G., see Martini, J. (1,2) 51–57
- Tugtekin, S.M., see Matschke, K. (1,2) 105–111
- Turchetti, V., see Travagli, V. (1,2) 283–289
- Unal, Y., see Aydoğan, S. (1,2) 297–300
- Unal, Y., see Yerer, M.B. (1,2) 213–216
- Valente, S., see Mannini, L. (1,2) 175–181
- Valverde, J., see Pérez, S.M. (1,2) 311–316
- Valverde, J., see Riquelme, B. (1,2) 277–281
- Várady, É., see Kovács, Á. (1,2) 83–88
- Varlet-Marie, E., J. Mercier and J.-F. Brun, Is plasma viscosity a predictor of overtraining in athletes? (1,2) 329–332
- Varlet-Marie, E., see Aloulou, I. (1,2) 113–119
- Varlet-Marie, E., see Aloulou, I. (1,2) 207–212
- Varlet-Marie, E., see Aloulou, I. (1,2) 333–339
- Varlet-Marie, E., see Manetta, J. (1,2) 239–244
- Várnai, K., see Székely, E. (3) 387–396
- Velcheva, I., N. Antonova, V. Dimitrova, N. Dimitrov and I. Ivanov, Plasma lipids and blood viscosity in patients with cerebrovascular disease (1,2) 155–157
- Velcheva, I., N. Antonova, E. Titianova, P. Damianov, N. Dimitrov and I. Ivanov, Hemorheological parameters in correlation with the risk factors for carotid atherosclerosis (1,2) 195–198
- Vetrugno, M., see Cicco, G. (1,2) 149–154
- Vico, P.P., see Cicco, G. (1,2) 149–154
- Vigneron, C., see Caron, A. (4) 447–458
- Wautier, J.-L., see Wautier, M.-P. (3) 379–386
- Wautier, M.-P., T. Khodabandehlou, C. Le Dévéhat and J.-L. Wautier, Modulation of RAGE expression influences the adhesion of red blood cells from diabetic patients (3) 379–386
- Williams, P.R., K. Hawkins, C. Wright, A. Evans, H. Simpkin, M.S. Barrow and R.L. Williams, Rheometrical and computational studies of blood viscoelasticity during coagulation (1,2) 123–127
- Williams, R.L., see Williams, P.R. (1,2) 123–127
- Wisedopas, N., see Prabjone, R. (3) 359–366
- Wizner, B., see Fornal, M. (1,2) 273–276
- Wongeakin, N., see Patumraj, S. (4) 481–489
- Wright, C., see Williams, P.R. (1,2) 123–127
- Yalcin, O., see Baskurt, O.K. (1,2) 45–50
- Yalcin, O., see Toptas, B. (3) 349–357
- Yamada, N., see Kobayashi, T. (1,2) 257–259
- Yerer, M.B. and S. Aydoğan, The importance of circadian rhythm alterations in erythrocyte deformability (1,2) 143–147
- Yerer, M.B., S. Aydoğan, F.M. Çomu, M. Arslan, I. Güneş-Ekinci, O. Kurtipek and Y. Unal, The red blood cell deformability alterations under desfluran anesthesia in rats (1,2) 213–216
- Yerer, M.B., see Aydoğan, S. (1,2) 297–300
- Yesilipek, A., see Toptas, B. (3) 349–357
- Yilmaz, A., see Cicha, I. (1,2) 203–206

- Zanardi, I., see Travagli, V. (1,2) 283–289
Zilberman-Kravits, D., I. Harman-Boehm, T. Shuster and N. Meyerstein, Increased red cell aggregation is correlated with HbA_{1C} and lipid levels in type 1 but not type 2 diabetes (4) 463–471
Zoumbos, N., see Athanassiou, G. (1,2) 291–295
Zvetkova, E., see Savov, Y. (1,2) 129–133