

## Author Index Volume 54 (2013)

Acampa, M., see Bianciardi, G.	109–113
Alis, R., see Vayá, A.	287–296
Alis, R., see Vayá, A.	333–339
Alonso, R., see Vayá, A.	287–296
Amann-Vesti, B.R., see Koster, M.	325–332
Andresen, M., see Ruiz, C.	33–38
Aufradet, E., G. DeSouza, V. Bourgeaux, A. Bessaad, Y. Champion, E. Canet-Soulas, V. Pialoux, E.N. Chirico, A.-M. Chevrier, Y. Godfrin and C. Martin, Hypoxia/reoxygenation stress increases markers of vaso-occlusive crisis in sickle SAD mice	297–312
Backer, D.D., see Salgado, D.R.	87–98
Basat, O., see Ucak, S.	15–22
Baskurt, O.K. and H.J. Meiselman, Data reduction methods for ektacytometry in clinical hemorheology	99–107
Baskurt, O.K., see Ulker, P.	357–369
Bautista, D., see Vayá, A.	287–296
Bessaad, A., see Aufradet, E.	297–312
Biagi, F., see Bianciardi, G.	109–113
Bianciardi, G., M. Acampa, I. Lamberti, S. Sartini, M. Servi, F. Biagi, V. Bocchi, J. Hayek and M. Pastorelli, Microvascular abnormalities in Rett syndrome	109–113
Bocchi, V., see Bianciardi, G.	109–113
Bourgeaux, V., see Aufradet, E.	297–312
Braune, S., M. von Ruesten-Lange, C. Mrowietz, K. Lützwow, T. Roch, A.T. Neffe, A. Lendlein and F. Jung, Dynamic <i>in vitro</i> hemocompatibility testing of poly(ether imide) membranes functionalized with linear, methylated oligoglycerol and oligo(ethylene glycol)	235–248
Brose, S., see Weiss, A.	249–258
Bruhn, A., see Ruiz, C.	33–38
Caimi, G., C. Carollo, E. Hopps, M. Montana and R.L. Presti, Protein oxidation in chronic kidney disease	409–413
Caimi, G., see Lo Presti, R.	39–49
Calvo, J., see Vayá, A.	333–339
Champion, Y., see Aufradet, E.	297–312
Canet-Soulas, E., see Aufradet, E.	297–312
Canino, B., see Lo Presti, R.	39–49
Carollo, C., see Caimi, G.	409–413
Çetinkaya, E., see Ucak, S.	15–22
Chevrier, A.-M., see Aufradet, E.	297–312
Chirico, E.N., see Aufradet, E.	297–312
Colantuoni, A., see Lapi, D.	415–429
Consani, C., see Rossi, M.	381–391
Creteur, J., see Salgado, D.R.	87–98

- De la Fuente, J.M., see Ricart, J.M. 51–57
- Debreczeni, B., Z. Veresh, E. Gara, A. Marki, A. Racz, R. Matics, J. Hamar and A. Koller, Hydrogen peroxide via thromboxane A<sub>2</sub> receptors mediates myogenic response of small skeletal muscle veins in rats 393–407
- DeSouza, G., see Aufradet, E. 297–312
- Donadello, K., see Salgado, D.R. 87–98
- Elmas, E., see Kaiser, R. 59–73
- España, F., see Ricart, J.M. 51–57
- Fasano, A., J. Pavlova and A. Sequeira, A synthetic model for blood coagulation including blood slip at the vessel wall 1–14
- Favory, R., see Salgado, D.R. 87–98
- Ferrari, M., see Quitter, F. 75–85
- Figulla, H.R., see Quitter, F. 75–85
- Franke, R.P., T. Scharnweber, R. Fuhrmann, C. Mrowietz and F. Jung, Effect of radiographic contrast media (Iodixanol, Iopromide) on the spectrin/actin-network of the membranous cytoskeleton of erythrocytes 273–285
- Franzoni, F., see Rossi, M. 381–391
- Fuhrmann, R., see Franke, R.P. 273–285
- Gao, M., see Wei, X. 259–271
- Gara, E., see Debreczeni, B. 393–407
- Gassner, H.G., see Haubner, F. 371–379
- Giampietro, O., see Rossi, M. 381–391
- Glück, M., see Wiewiora, M. 313–323
- Godfrin, Y., see Aufradet, E. 297–312
- Gräber, S., see Kaiser, R. 59–73
- Grotemeyer, K., see Kaiser, R. 59–73
- Gunduz, F., see Ulker, P. 357–369
- Hafner, J., see Koster, M. 325–332
- Hamar, J., see Debreczeni, B. 393–407
- Haubner, F., E. Ohmann, F. Pohl, L. Prantl, J. Strutz and H.G. Gassner, Effects of radiation on the expression of adhesion molecules and cytokines in a static model of human dermal microvascular endothelial cells 371–379
- Hayek, J., see Bianciardi, G. 109–113
- Hernandez, G., see Ruiz, C. 33–38
- Hernández, J.-L., see Vayá, A. 333–339
- Hopps, E., see Caimi, G. 409–413
- Husmann, M., see Koster, M. 325–332
- Ince, C., see Ruiz, C. 33–38
- Jacomella, V., see Koster, M. 325–332
- Jeanneret, C., see Koster, M. 325–332
- Jung, C., see Quitter, F. 75–85
- Jung, F., see Braune, S. 235–248
- Jung, F., see Franke, R.P. 273–285
- Kaiser, R., K. Grotemeyer, T. Kälisch, S. Gräber, H. Wilkens and E. Elmas, Decreased TSP-1 following percutaneous coronary intervention is associated with major adverse cardiac events in ST-elevation myocardial infarction 59–73
- Kälisch, T., see Kaiser, R. 59–73
- Kearney-Schwartz, A., see Paternotte, E. 223–234
- Kerdjoudj, H., see Paternotte, E. 223–234
- Kokten, T., see Paternotte, E. 223–234
- Koller, A., see Debreczeni, B. 393–407

- Koster, M., B.R. Amann-Vesti, M. Husmann, V. Jacomella, T.O. Meier, C. Jeanneret, J. Hafner and C. Thalhammer, Non-invasive pressure measurement of the great saphenous vein in healthy controls and patients with venous insufficiency 325–332
- Laiz, B., see Vayá, A. 287–296
- Lamberti, I., see Bianciardi, G. 109–113
- Lapi, D., T. Mastantuono, D. Sapio, M. Paterni and A. Colantuoni, Pial microvascular responses induced by transient bilateral common carotid artery occlusion in Zucker rats 415–429
- Lendlein, A., see Braune, S. 235–248
- Li, B. and R. Xiu, Angiogenesis: From molecular mechanisms to translational implications 345–355
- Li, X., see Wei, X. 259–271
- Li, X., see Wei, X. 259–271
- Li, Y., see Wei, X. 259–271
- Lo Presti, R., B. Canino, M. Montana and G. Caimi, Lipid peroxidation and nitric oxide metabolites in sedentary subjects and sportsmen before and after a cardiopulmonary test 39–49
- Lützwow, K., see Braune, S. 235–248
- Marki, A., see Debreczeni, B. 393–407
- Martin, C., see Aufradet, E. 297–312
- Mastantuono, T., see Lapi, D. 415–429
- Matics, R., see Debreczeni, B. 393–407
- Matschke, K., see Weiss, A. 249–258
- Matteucci, E., see Rossi, M. 381–391
- Meier, T.O., see Koster, M. 325–332
- Meiselman, H.J., IN MEMORIAM—OGUZ K. BASKURT 341–343
- Meiselman, H.J., see Baskurt, O.K. 99–107
- Meiselman, H.J., see Ulker, P. 357–369
- Menu, P., see Paternotte, E. 223–234
- Micó, L., see Vayá, A. 333–339
- Montana, M., see Caimi, G. 409–413
- Montana, M., see Lo Presti, R. 39–49
- Mrowietz, C., see Braune, S. 235–248
- Mrowietz, C., see Franke, R.P. 273–285
- Navarro, S., see Ricart, J.M. 51–57
- Neffe, A.T., see Braune, S. 235–248
- Ohmann, E., see Haubner, F. 371–379
- Olatunji, L.A., I.P. Oyeyipo and T.O. Usman, Effect of a high-fructose diet on glucose tolerance, plasma lipid and hemorheological parameters during oral contraceptive administration in female rats 23–31
- Ortiz, J.A., see Salgado, D.R. 87–98
- Oyeyipo, I.P., see Olatunji, L.A. 23–31
- Pastorelli, M., see Bianciardi, G. 109–113
- Paterni, M., see Lapi, D. 415–429
- Paternotte, E., H. Kerdjoudj, T. Kokten, J.-F. Stoltz, A. Kearney-Schwartz, J.-C. Voegel and P. Menu, Endothelialized and preconditioned natural umbilical arteries with long term patency open the route for future human uses 223–234
- Pavlova, J., see Fasano, A. 1–14
- Pérez, R., see Vayá, A. 287–296
- Pernow, J., see Quitter, F. 75–85
- Pesce, M., see Rossi, M. 381–391
- Pialoux, V., see Aufradet, E. 297–312
- Piecuch, J., see Wiewiora, M. 313–323
- Ploetze, K., see Weiss, A. 249–258

- Pohl, F., see Haubner, F. 371–379
- Prantl, L., see Haubner, F. 371–379
- Presti, R.L., see Caimi, G. 409–413
- Quitter, F., H.R. Figulla, M. Ferrari, J. Pernow and C. Jung, Increased arginase levels in heart failure represent a therapeutic target to rescue microvascular perfusion 75–85
- Racz, A., see Debreczeni, B. 393–407
- Ricart, J.M., F. España, S. Navarro, J. Todolí, J.M. De la Fuente and A. Vayá, Mean platelet volume does not seem to relate to thrombosis or posterior uveitis in Behçet's disease 51–57
- Ricart, J.M., see Vayá, A. 333–339
- Rocco, J.R., see Salgado, D.R. 87–98
- Roch, T., see Braune, S. 235–248
- Romagnoli, M., see Vayá, A. 287–296
- Romagnoli, M., see Vayá, A. 333–339
- Rossi, M., E. Matteucci, M. Pesce, C. Consani, F. Franzoni, G. Santoro and O. Giampietro, Peripheral microvascular dysfunction as an independent predictor of atherosclerotic damage in type 1 diabetes patients: A preliminary study 381–391
- Ruiz, C., G. Hernandez, M. Andresen, C. Ince and A. Bruhn, Mini-report: Microcirculatory flow abnormalities in a patient with severe hyperviscosity syndrome 33–38
- Salgado, D.R., R. Favory, J.R. Rocco, E. Silva, J.A. Ortiz, K. Donadello, J. Creteur, J.-L. Vincent and D.D. Backer, Microcirculatory effects of angiotensin II inhibitors in patients with severe heart failure 87–98
- Santoro, G., see Rossi, M. 381–391
- Sapio, D., see Lapi, D. 415–429
- Sartini, S., see Bianciardi, G. 109–113
- Scharnweber, T., see Franke, R.P. 273–285
- Sequeira, A., see Fasano, A. 1–14
- Servi, M., see Bianciardi, G. 109–113
- Silva, E., see Salgado, D.R. 87–98
- Slowinska-Lozynska, L., see Wiewiora, M. 313–323
- Sosada, K., see Wiewiora, M. 313–323
- Stoltz, J.-F., see Paternotte, E. 223–234
- Strutz, J., see Haubner, F. 371–379
- Thalhammer, C., see Koster, M. 325–332
- Todolí, J., see Ricart, J.M. 51–57
- Ucak, S., O. Basat and E. Çetinkaya, Plasma viscosity in patients with metabolic syndrome 15–22
- Ulker, P., F. Gunduz, H.J. Meiselman and O.K. Baskurt, Nitric oxide generated by red blood cells following exposure to shear stress dilates isolated small mesenteric arteries under hypoxic conditions 357–369
- Usman, T.O., see Olatunji, L.A. 23–31
- Vayá, A., R. Alis, J.-L. Hernández, J. Calvo, L. Micó, M. Romagnoli and J.M. Ricart, RDW in patients with systemic lupus erythematosus. Influence of anaemia and inflammatory markers 333–339
- Vayá, A., R. Alis, M. Romagnoli, R. Pérez, D. Bautista, R. Alonso and B. Laiz, Rheological blood behavior is not only influenced by cardiovascular risk factors but also by aging itself. Research into 927 healthy Spanish Mediterranean subjects 287–296
- Vayá, A., see Ricart, J.M. 51–57
- Veresh, Z., see Debreczeni, B. 393–407
- Vincent, J.-L., see Salgado, D.R. 87–98
- Voegel, J.-C., see Paternotte, E. 223–234
- von Ruesten-Lange, M., see Braune, S. 235–248
- Wang, H., see Wei, X. 259–271

- Wang, X., see Wei, X. 259–271
- Wei, X., Y. Li, S. Zhang, X. Li, H. Wang, X. Yong, X. Wang, X. Li and M. Gao, Evaluation of microvascularization in focal salivary gland lesions by contrast-enhanced ultrasonography (CEUS) and Color Doppler sonography 259–271
- Weiss, A., S. Brose, K. Ploetze and K. Matschke, Half-dose enoxaparin vs. full-dose enoxaparin for postoperative bridging therapy in patients after cardiac surgery: Which dose regimen should be preferred? 249–258
- Wiewiora, M., J. Piecuch, M. Glück, L. Slowinska-Lozynska and K. Sosada, Shear stress and flow dynamics of the femoral vein among obese patients who qualify for bariatric surgery 313–323
- Wilkens, H., see Kaiser, R. 59–73
- Xiu, R., see Li, B. 345–355
- Yong, X., see Wei, X. 259–271
- Zhang, S., see Wei, X. 259–271