

CLINICAL HEMORHEOLOGY, Vol. 6, pp. 641-645, 1986
0271-5198/86 \$3.00 + .00 Printed in the USA.
Copyright (c) 1986 Pergamon Journals Ltd. All rights reserved.

CLINICAL HEMORHEOLOGY - LITERATURE SURVEY

Editor: E. Ernst

AARTS, P.A., BANGA, J.D., VAN HOUWELINGEN, H.C., HEETHAAR, R.M. and SIXMA J.J. Increased red blood cell deformability due to isoxsuprine administration decreases platelet adherence in a perfusion chamber: a double-blind cross-over study in patients with intermittent claudication. Blood 67: 1474-1481, 1986.

Address for reprints: Department of Medical Physics, University of Hospital Utrecht, The Netherlands.

BRYSZEWSKA, M., WATALA, C. and TORZECKA, W. Changes in fluidity and composition of erythrocyte membranes and in composition of plasma lipids in type I diabetes. Br. J. Haematol. 62: 111-116, 1986.

Address for reprints: Department of Biophysics, University of Lodz, Poland.

CHALLONER, T., BRIGGS, C., RAMPLING, M.W. and THOMAS, D.J. A study of the haematological and haemorheological consequences of venesection. Br. J. Haematol. 62: 671-678, 1986.

Address for reprints: Department of Neurology, St. Mary's Hospital, London, England.

CIUFFETTI, G., PARNETTI, L., MERCURI, M. and SENIN, U. Haemorheological markers in 89 patients with stage II peripheral vascular disease (PVD). Angiology 37: 460-466, 1986.

Address for reprints: 2nd Clinical Medica, University of Perugia, Italy.

DAVIES, P.F., REMUZZI, A., GORDON, E.J., DEWEY, C.F. Jr. and GIMBRONE, M.A. Jr. Turbulent fluid shear stress induces vascular endothelial cell turnover in vitro. Pro. Natl. Acad. Sci. USA 83: 2114-2117, 1986.

Address for reprints: Department of Pathology, Brigham and Women's Hospital, Harvard Medical School Boston, MA 02115, USA.

ERNST, E., WEIHMAIR, T., SCHMID, M., BAUMANN, M. and MATRAI, A. Cardiovascular risk factors and hemorheology. Physical fitness, stress and obesity. Atherosclerosis 59: 263-269, 1986.

Address for reprints: Clinic for Physical Medicine, University of Munich, FRG.

GILES, W.B. and TRUDINGER, B.J. Umbilical cord whole blood viscosity and the umbilical artery flow velocity time waveforms: a correlation. Br. J. Obstet. Gynaecol. 93: 466-470, 1986.

Address for reprints: Department of Obstetrics and Gynaecology, Westmead Hospital, N.S.W., Australia.

GOLDSMITH, H.L. The Microcirculatory Society, Eugene M. Landis Award lecture. The microrheology of human blood. Microvasc. Res. 31: 121-142, 1986.

Address for reprints: McGill University Medical Clinic, Montreal General Hospital, Quebec, Canada.

HEILMANN, L. Die Veränderungen der Fließeigenschaften des Blutes während der Schwangerschaft (Changes in flow properties of the blood in pregnancy). Zentralbl. Gynäkol. 108: 393-402, 1986.

Address for reprints: Zentrum für Frauenheilkunde, GHS Essen, FRG.

HOLLOWAY, G.M., O'REAR, E.A. and FUNG, B.M. Plasma-mediated alterations of erythrocyte deformability by perfluorochemical blood substitutes. Blood 67: 173-176, 1986.

Address for reprints: Department of Chemical Engineering, University of Oklahoma, Norman, USA.

HRELIA, S., LERCKER, G., BIAGI, P.L., BORDONI, A., STEFANINI, F., ZUNARELLI, P. and ROSSI, C.A. Effect of ethanol intake on human erythrocyte membrane fluidity and lipid composition. Biochem. Int. 12: 741-750, 1986.

Address for reprints: Istituto di Chimica Biologica, Bologna, Italy.

HUDAK, M.L., KOEHLER, R.C., ROSENBERG, A.A., TRAYSTMAN, R.J. and JONES, M.D. Effect of hematocrit on cerebral blood flow. Am. J. Physiol. (Heart Circ. Physiol.) 20: H63-H70, 1986.

Address for reprints: Eudowood Neonatal Pulmonary Division, Dept. Pediatrics, The Johns Hopkins Hospital, Baltimore, Maryland 21205, USA.

JOUPILA, P., KIRKINEN, P. and PUUKKA, R. Correlation between umbilical vein blood flow and umbilical blood viscosity in normal and complicated pregnancies. Arch. Gynecol. 237: 191-197, 1986.

Address for reprints: Department of Obstetrics and Gynecology, University of Oulu, Finland.

KAMADA, T., YAMASHITA, T., BABA, Y., KAI, M., SETOYAMA, S., CHUMANN, Y. and OTUSUJI, S. Dietary sardine oil increases erythrocyte membrane fluidity in diabetic patients. Diabetes 35: 604-611, 1986.

Address for reprints: Department of Clinical Laboratory, Kagoshima University Hospital, Faculty of Medicine, Japan.

KUCERA, W., MEIER, W. and LERCHE, D. Einfluß thermisch induzierter Veränderungen mechanischer Membraneigenschaften auf die Filtrierbarkeit menschlicher Erythrozyten (Influence of heat-induced changes in the mechanical properties of the membrane on the filterability of human erythrocytes). Biomed. Biochim. Acta 45: 353-358, 1986.

Address for reprints: Humboldt-Universität zu Berlin, Bereich Medizin (Charité), GDR.

LINDERKAMP, O., GUENTNER, M., HILTL, W. and VARGAS, V.M. Erythrocyte deformability in the fetus, preterm and term neonate. Pediatr. Res. 20: 93-96, 1986.

Address for reprints: Department of Pediatrics, University of Heidelberg, FRG.

LINDERKAMP, O., NASH, G.B., WU, P.Y. and MEISELMAN, H.J. Deformability and intrinsic material properties of neonatal red blood cells. Blood 67: 1244-1250, 1986.

Address for reprints: Department of Pediatrics, University of Heidelberg, FRG.

LOWE, G.D.O. Blood rheology in arterial disease. Clin. Sci. 71: 137-146, 1986.

Address for reprints: University Department of Medicine, Royal Infirmary, Glasgow, U.K.

MAEDA, N. and SHIGA, T. Opposite effect of albumin on the erythrocyte aggregation induced by immunoglobulin G and fibrinogen. Biochim. Biophys. Acta 855: 127-135, 1986.

Address for reprints: Department of Physiology, School of Medicine, Ehime University, Japan.

MARTIN, D.G., CONVERTINO, V.A., GOLDWATER, D., FERGUSON, E.W. and SCHOOMAKER, E.B. Plasma viscosity elevations with simulated weightlessness. Aviat. Space Environ. Med. 57: 426-431, 1986.

Address for reprints: Department of Physiology, Uniformed Services University of the Health Sciences, Bethesda, Maryland 20814, USA.

MARUMOTO, Y. (Hemorheology in pregnancy and fetal growth.) Nippon Sanka Fujinka Gakkai Zashi 38: 210-214, 1986.

Address for reprints: Department of Obstetrics and Gynecology, Tokyo University Branch Hospital, Japan.

MCMILLAN, D.E., MITCHELL, T.P. and UTTERBACK, N.G. Deformational strain energy and erythrocyte shape. J. Biomech. 19: 275-286, 1986.

Address for reprints: Sansum Medical Research Foundation, Santa Barbara, CA, USA.

MEADE, T.W., BROZOVIC, M., CHAKRABARTI, R.R., HAINES, A.P., IMESON, J.D., MELLOWS, S., MILLER, G.J., NORTH, W.R.S., STIRLING, Y. and THOMPSON, S.G. Haemostatic function and ischaemic heart disease: principal results of the Northwick Park Heart Study. Lancet 533-537, 1986.

Address for reprints: MRC Epidemiology and Medical Care Unit, Northwick Park Hospital, Watford Road, Hoarow, Middlesex HA1 3UJ, England.

MEGERMANN, J., HASSON, J.E., WARNOCK, D.F., L'ITALIEN, G.H. and ABBOTT, W.M. Noninvasive measurements of nonlinear arterial elasticity. Am. J. Physiol. 250: H181-H188, 1986.

Address for reprints: Department of Surgery, Massachusetts General Hospital, Boston 02114, USA.

NASH, G.B., JOHNSON, C.S. and MEISELMAN H.J. Influence of oxygen tension on the viscoelastic behavior of red blood cells in sickle cell disease. Blood 67: 110-118, 1986.

Address for reprints: Department of Physiology and Biophysics, USC School of Medicine 90033, USA.

NASH, G.B., TRAN-SON-TAY, R. and MEISELMAN, H.J. Influence of preparative procedures on the membrane viscoelasticity of human red cell ghosts. Biochim. Biophys. Acta 855: 105-114, 1986.

Address for reprints: Department of Physiology and Biophysics. University of Southern California School of Medicine, Los Angeles 90033, USA.

ORR, J.E., LOWE, G.D., NIMMO, W.S., WATSON, R. and FORBES, C.D. A haemorheological study of lignocaine. Br. J. Anaesth. 58: 306-309, 1986.

Address for reprints: Department of Anaesthetics. Western Infirmary, Glasgow, England.

PEDUZZI, M., DEBBIA, A., GUERRIERI, F. and BOLZANI, R. Abnormal blood rheology in retinal vein occlusion. A preliminary report. Graefes Arch. Clin. Exp. Ophthalmol. 224: 83-85, 1986.

Address for reprints: Department of Ophthalmology, University of Modena, Italy.

POLA, P., FLORE, R. and TONDI, P. Blood and plasma viscosity in experimentally induced hyper- and hypo-fibrinogenaemia. Int. J. Tiss. React. VIII (4): 333-336, 1986.

Address for reprints: Department of Angiology, Catholic University of Sacred Heart, Rome, Italy.

POPP-SNIJDERS, C., SCHOUTEN, J.A., VAN BLITTERSWIJK, W.J. and VAN DER VEEN, E.A. Changes in membrane lipid composition of human erythrocytes after dietary supplementation of (n-3) polyunsaturated fatty acids. maintenance of membrane fluidity. Biochim. Biophys. Acta 854: 31-37, 1986.

Address for reprints: Department of Endocrinology, Free University Hospital, Amsterdam, The Netherlands.

POPP-SNIJDERS, C., SCHOUTEN, J.A., VAN DER MEER, J. and VAN DER VEEN, E.A. Fatty fish-induced changes in membrane lipid composition and viscosity of human erythrocyte suspensions. Scand. J. Clin. Lab. Invest. 46: 253-258, 1986.

Address for reprints: Department of Endocrinology, Free University Hospital, Amsterdam, The Netherlands.

REINHART, W.H. and CHIEN, S. Red cell rheology in stomatocyte-echinocyte transformation: roles of cell geometry and cell shape. Blood 67: 1110-1118, 1986.

Address for reprints: Department of Physiology, Columbia University, College of Physicians and Surgeons, New York 10032, USA.

ROGAUSCH, H. and DISTLER, E. Erythrocyte rheology in cholesterol-fed rabbits. Int. J. Microcirc. Clin. Exp. 5: 27-36, 1986.

Address for reprints: Inst. of Physiology of the University, Marburg, FRG.

SCHMID-SCHÖNBEIN, H., HEIDTMANN, H. and GREBE, R. Spectrin, red cell shape and deformability. I. Membrane curvature in genetic spectrin deficiency. Blut 52: 131-147, 1986.

Address for reprints: Abteilung Physiologie, RWTH Klinikum, Aachen, FRG.

SCHMID-SCHÖNBEIN, H., HEIDTMANN, H. and GREBE, R. Spectrin, red cell shape and deformability. II. The antagonistic action of spectrin and sialic acid residues in determining membrane curvature in genetic spectrin deficiency in mice. Blut 52: 149-164, 1986.

Address for reprints: Abteilung Physiologie, RWTH Klinikum, Aachen, FRG.

STOLTZ, J.F. Approche biophysique de l'interaction cellulaire: role des parametres rheologiques (Biophysical approach to cell interaction: role of rheologic parameters). Nouv. Rev. Fr. Hematol. 28: 36-43, 1986.

Address for reprints: INSERM U 284, Vandoeuvre les Nancy, France.

STUART, J. Rheological importance of acute-phase reactants. Nouv. Rev. Fr. Hematol. 28: 33-36, 1986.

Address for reprints: Department of Haematology, Medical School, University of Birmingham, Great Britain.

TAMAO, Y., HARA, H., UMEZU, K., ITO, J., DOI, A., SUDO, A., HIRATA, T., MINEO, K. and TOBE, A. (Effects of 4-(o-benzylphenoxy)-N-methylbutylamine hydrochloride (MCI-2016, bifemelane hydrochloride) on coagulation, fibrinolysis, hemolysis, hemorrheological properties and platelet aggregation.) Nippon Yakurigaku Zasshi 87: 161-167, 1986.

Address for reprints: Biosciences Laboratory, Mitsubishi Chemical Industries, Limited, Yokohama, Japan.

TAYLOR, L.M. Jr. and PORTER, J.M. Drug treatment of claudication: vasodilators, hemorrheologic agents and antiserotonin drugs. J. Vasc. Surg. 3: 374-381, 1986.

Address for reprints: Division of Vascular Surgery, Oregon Health Sciences University, Portland 97201, USA.

VAN DE PETTE, J.E.W., GUTHRIE, D.L. and PEARSON, T.C. Whole blood viscosity in polycythaemia: the effect of iron deficiency at a range of haemoglobin and packed cell volumes. Brit. J. Haemat. 63: 369-375, 1986.

Address for reprints: Department of Haematology, St. Thomas' Hospital, Lambeth Palace Road, London SE1 7EH, England.

WAUGH, R.E. Effects of 2,3-diphosphoglycerate on the mechanical properties of erythrocyte membrane. Blood 68: 231-238, 1986.

Address for reprints: Department of Radiation Biology and Biophysics, School of Medicine and Dentistry, University of Rochester, New York 14642, USA.