

Author Index Volume 60 (2015)

Abdo, I., see George, R.B.	389–395
Alemdaroglu, U., see Kilic-Toprak, E.	191–199
Aliev, O.I., see Maslov, M.Y.	405–411
Alini, M., see Seelbach, R.J.	25–37
Alis, R., see Vayá, A.	327–334
Amato, C., see Caimi, G.	309–316
Ann, S.H., see Shin, E.-S.	163–169
Apelt, N., see Goedeke, J.	335–346
Aqil, A., V.T. Tchemtchoua, A. Colige, G. Atanasova, Y. Poumay and C. Jérôme, Preparation and characterizations of EGDE crosslinked chitosan electrospun membranes	39–50
Aschwanden, M., see Broz, P.	263–271
Atanasova, G., see Aqil, A.	39–50
Aybek, H., see Tancer-Elci, H.	273–282
Badiei, N., A.M. Sowden, D.J. Curtis, M.R. Brown, M.J. Lawrence, A.I. Campbell, A. Sabra, P.A. Evans, J.W. Weisel, I.N. Chernysh, C. Nagaswami, P.R. Williams and K. Hawkins, Effects of unidirectional flow shear stresses on the formation, fractal microstructure and rigidity of incipient whole blood clots and fibrin gels	451–464
Baldino, N., see Mazzulla, S.	375–388
Ballester, C., see Martínez-Sales, V.	283–290
Barbieri, D., see Geven, M.A.	3–11
Bautista, D., see Vayá, A.	327–334
Bellotti, G., see Carallo, C.	297–307
Benz, D., see Broz, P.	263–271
Bergmann, R., see Richter, T.	253–262
Bilecen, D., see Broz, P.	263–271
Blanquer, S.B.G., see Narra, N.	99–108
Bloch, W., see Grau, M.	215–229
Bor-Kucukatay, M., see Isik-Balci, Y.	179–189
Bor-Kucukatay, M., see Kilic-Toprak, E.	191–199
Bor-Kucukatay, M., see Tancer-Elci, H.	273–282
Brachmann, J., see Shin, E.-S.	163–169
Brown, M.R., see Badiei, N.	451–464
Broz, P., M. Aschwanden, S. Partovi, A.-C. Schulte, D. Benz, M. Takes, U.A. Walker, D. Bilecen, K.A. Jaeger, S. Imfeld and D. Staub, Assessment of cutaneous microcirculation in unaffected skin regions by transcutaneous oxygen saturation monitoring and Laser Doppler flowmetry in systemic sclerosis	263–271
Caimi, G., F. Ferrara, M. Montana, I. Muratori, C. Amato, B. Canino, R. Lo Presti and E. Hopps, Behaviour of the plasma concentration of gelatinases and their tissue inhibitors in subjects with venous leg ulcers	309–316
Campbell, A.I., see Badiei, N.	451–464
Canino, B., see Caimi, G.	309–316

- Cankar, K., see Finzgar, M. 423–435
- Carallo, C., A. Loprete, G. Mazza, G. Bellotti, M. de Siena, P. Serrao, E.S. Vuoto, M.S. de Franceschi, C. Irace and A. Gnasso, Biphasic hemodynamic effects of LDL-apheresis in common carotid artery 297–307
- Carallo, C., see Tripolino, C. 291–296
- Carnovale, C.E., see Dominighini, A. 317–325
- Chanda, M., D. Nantakomol, D. Suksom and A. Palaswan, Cell-derived microparticles after exercise in individuals with G6PD Viangchan 241–251
- Charlot, K., X. Waltz, M. Hedreville, S. Sinnapah, N. Lemonne, M. Etienne-Julian, V. Soter, O. Hue, M.-D. Hardy-Dessources and P. Connes, Impaired oxygen uptake efficiency slope and off-transient kinetics of pulmonary oxygen uptake in sickle cell anemia are associated with hemorheological abnormalities 413–421
- Chernysh, I.N., see Badiei, N. 451–464
- Chernysheva, G.A., see Maslov, M.Y. 405–411
- Colige, A., see Aqil, A. 39–50
- Connes, P., see Charlot, K. 413–421
- Contreras, T., see Martínez-Sales, V. 283–290
- Costabile, A., see Mazzulla, S. 375–388
- Croisier, F., see Riva, R. 65–75
- Crosetti, D., see Dominighini, A. 317–325
- Csorba, R., see von Tempelhoff, G.-F. 123–131
- Curtis, D.J., see Badiei, N. 451–464
- D'Este, M., see Seelbach, R.J. 25–37
- Dąbrowski, Z., see Marchewka, A. 363–373
- de Bruijn, J.D., see Geven, M.A. 3–11
- de Cindio, B., see Mazzulla, S. 375–388
- de Franceschi, M.S., see Carallo, C. 297–307
- De Franceschi, M.S., see Tripolino, C. 291–296
- de Siena, M., see Carallo, C. 297–307
- DesRoches, J., see George, R.B. 389–395
- Devor, S.T., see Smith, M.M. 347–362
- Dominighini, A., M. Ferrero, D. Crosetti, M.T. Ronco, J. González, L. Uri, M. Wagner, A. Gurni, C.E. Carnovale and A. Luquita, Effects of proanthocyanidin enriched extract from *Ligaria cuneifolia* on plasma cholesterol and hemorheological parameters. *In vivo* and *In vitro* studies 317–325
- Eglin, D., see Seelbach, R.J. 25–37
- Eglin, D., see ter Boo, G.A. 89–98
- Etienne-Julian, M., see Charlot, K. 413–421
- Evans, P.A., see Badiei, N. 451–464
- Fang, L., C. Wischke, K. Kratz and A. Lendlein, Influence of film thickness on the crystalline morphology of a copolyesterurethane comprising crystallizable poly(ϵ -caprolactone) soft segments 77–87
- Fang, L., see Yan, W. 109–120
- Ferrara, F., see Caimi, G. 309–316
- Ferrero, M., see Dominighini, A. 317–325
- Filar-Mierzwa, K., see Marchewka, A. 363–373
- Finzgar, M., Z. Melik and K. Cankar, Effect of transcutaneous application of gaseous carbon dioxide on cutaneous microcirculation 423–435
- Franke, R.P., see Krüger, A. 153–161
- Friederichs, P., see Grau, M. 215–229
- Fuhrmann, R., see Krüger, A. 153–161

- Gabriele, D., see Mazzulla, S. 375–388
- George, R.B., J. DesRoches, I. Abdo and C. Lehmann, Maternal microcirculation and sidestream dark field imaging: A prospective assessment of the association between labour pain and analgesia on the microcirculation of pregnant women 389–395
- Geven, M.A., D. Barbieri, H. Yuan, J.D. de Bruijn and D.W. Grijpma, Preparation and mechanical properties of photo-crosslinked poly(trimethylene carbonate) and nano-hydroxyapatite composites 3–11
- Gnasso, A., see Carallo, C. 297–307
- Gnasso, A., see Tripolino, C. 291–296
- Goedeke, J., N. Apelt and M. Kamler, The cooling tube: A novel small animal model of systemic hypothermia in awake Syrian Golden Hamsters (*mesocricetus auratus*) 335–346
- Gonzálvez, J., see Dominighini, A. 317–325
- Grau, M., P. Friederichs, S. Krehan, C. Koliamitra, F. Suhr and W. Bloch, Decrease in red blood cell deformability is associated with a reduction in RBC-NOS activation during storage 215–229
- Grijpma, D.W., see Geven, M.A. 3–11
- Grijpma, D.W., see Narra, N. 99–108
- Grijpma, D.W., see ter Boo, G.A. 89–98
- Gurni, A., see Dominighini, A. 317–325
- Haimi, S.P., see Narra, N. 99–108
- Hamlin, R.L., see Smith, M.M. 347–362
- Hardy-Dessources, M.-D., see Charlot, K. 413–421
- Hawkins, K., see Badiei, N. 451–464
- Hedreville, M., see Charlot, K. 413–421
- Hernández-Mijares, A., see Vayá, A. 327–334
- Heuchel, M., see Yan, W. 109–120
- Hines, P., see White, J. 201–213
- Hopps, E., see Caimi, G. 309–316
- Hue, O., see Charlot, K. 413–421
- Hyttinen, J., see Narra, N. 99–108
- Imfeld, S., see Broz, P. 263–271
- Irace, C., see Carallo, C. 297–307
- Irace, C., see Tripolino, C. 291–296
- Isik-Balci, Y., H. Tancer-Elci, M. Bor-Kucukatay, O. Kilic-Erkek, E. Kilic-Toprak, H. Senol and S. Rota, Investigation of hemorheological parameters at the diagnosis and follow up of children with iron deficiency anemia and mixed anemia 179–189
- Isik-Balci, Y., see Tancer-Elci, H. 273–282
- Jaeger, K.A., see Broz, P. 263–271
- Jérôme, C., see Aqil, A. 39–50
- Jérôme, C., see Lendlein, A. 1–2
- Jérôme, C., see Riva, R. 65–75
- Jing, Y., see Wu, Q. 231–240
- Julich-Gruner, K.K., T. Roch, N. Ma, A.T. Neffe and A. Lendlein, Synthesis and characterization of star-shaped oligo(ethylene glycol) with tyrosine derived moieties under variation of their molecular weight 13–23
- Jung, F., see Krüger, A. 153–161
- Jung, F., see Shin, E.-S. 163–169
- Kamler, M., see Goedeke, J. 335–346
- Kilic-Erkek, O., see Isik-Balci, Y. 179–189
- Kilic-Erkek, O., see Kilic-Toprak, E. 191–199
- Kilic-Erkek, O., see Tancer-Elci, H. 273–282

- Kilic-Toprak, E., A. Yapici, O. Kilic-Erkek, Y. Koklu, V. Tekin, U. Alemdaroglu and M. Bor-Kucukatay, Acute effects of Yo-Yo intermittent recovery test level 1 (Yo-YoIR1) on hemorheological parameters in female volleyball players 191–199
- Kilic-Toprak, E., see Isik-Balci, Y. 179–189
- Kilic-Toprak, E., see Tancer-Elci, H. 273–282
- Koch, T., see Richter, T. 253–262
- Koklu, Y., see Kilic-Toprak, E. 191–199
- Koliamatra, C., see Grau, M. 215–229
- Kolosova, N.G., see Maslov, M.Y. 405–411
- Kózka, M., see Słoczyńska, K. 171–178
- Kratz, K., see Fang, L. 77–87
- Kratz, K., see Roch, T. 51–63
- Kratz, K., see Yan, W. 109–120
- Krehan, S., see Grau, M. 215–229
- Krüger, A., R. Fuhrmann, F. Jung and R.P. Franke, Influence of the coating with extracellular matrix and the number of cell passages on the endothelialization of a polystyrene surface 153–161
- Laiz, B., see Vayá, A. 327–334
- Lam, Y.-Y., see Shin, E.-S. 163–169
- Lancelot, M., see White, J. 201–213
- Lawrence, M.J., see Badiei, N. 451–464
- Lecomte, P., see Riva, R. 65–75
- Lehmann, C., see George, R.B. 389–395
- Lemonne, N., see Charlot, K. 413–421
- Lendlein, A., A.T. Neffe and C. Jérôme, Advanced Functional Polymers in Medicine (AFPM) 1–2
- Lendlein, A., see Fang, L. 77–87
- Lendlein, A., see Julich-Gruner, K.K. 13–23
- Lendlein, A., see Roch, T. 51–63
- Lendlein, A., see Yan, W. 109–120
- Li, B., see Wu, Q. 231–240
- Li, H., see Wu, Q. 231–240
- Liu, M., see Wu, Q. 231–240
- Lo Presti, R., see Caimi, G. 309–316
- Loprete, A., see Carallo, C. 297–307
- Lucas, A.R., see Smith, M.M. 347–362
- Luquita, A., see Dominighini, A. 317–325
- Ma, N., see Julich-Gruner, K.K. 13–23
- Ma, N., see Roch, T. 51–63
- Marchewka, A., K. Filar-Mierzwa, Z. Dąbrowski and A. Teleglów, Effects of rhythmic exercise performed to music on the rheological properties of blood in women over 60 years of age 363–373
- Marona, H., see Słoczyńska, K. 171–178
- Martínez-Sales, V., V. Vila, J.M. Ricart, A. Vayá, J. Todolí, C. Núñez, T. Contreras, C. Ballester and E. Reganon, Increased circulating endothelial cells and microparticles in patients with psoriasis 283–290
- Maslov, M.Y., G.A. Chernysheva, V.I. Smol'jakova, O.I. Aliev, N.G. Kolosova and M.B. Plotnikov, Hemorheological parameters and their correlations in OXYS rats: A new model of hyperviscosity syndrome 405–411
- Mata, A., see Seelbach, R.J. 25–37
- Mazza, G., see Carallo, C. 297–307

- Mazzulla, S., A. Schella, D. Gabriele, N. Baldino, S. Sesti, E. Perrotta, A. Costabile and B. de Cindio, Oxidation of human red blood cells by a free radical initiator: Effects on rheological properties 375–388
- Melik, Z., see Finzgar, M. 423–435
- Montana, M., see Caimi, G. 309–316
- Moriarty, T.F., see ter Boo, G.A. 89–98
- Mueller, M.P., see Richter, T. 253–262
- Muratori, I., see Caimi, G. 309–316
- Nagaswami, C., see Badie, N. 451–464
- Nantakomol, D., see Chanda, M. 241–251
- Napoleão, P., see Teixeira, P. 397–404
- Narra, N., S.B.G. Blanquer, S.P. Haimi, D.W. Grijpma and J. Hyttinen, μ CT based assessment of mechanical deformation of designed PTMC scaffolds 99–108
- Neffe, A.T., see Julich-Gruner, K.K. 13–23
- Neffe, A.T., see Lendlein, A. 1–2
- Núñez, C., see Martínez-Sales, V. 283–290
- Palaswan, A., see Chanda, M. 241–251
- Park, J.-W., see Shin, E.-S. 163–169
- Partovi, S., see Broz, P. 263–271
- Perrotta, E., see Mazzulla, S. 375–388
- Pietzsch, J., see Richter, T. 253–262
- Plotnikov, M.B., see Maslov, M.Y. 405–411
- Poumay, Y., see Aqil, A. 39–50
- Rath, W., see von Tempelhoff, G.-F. 123–131
- Reganon, E., see Martínez-Sales, V. 283–290
- Reinhart, S.A., T. Schulzki and W.H. Reinhart, Albumin reverses the echinocytic shape transformation of stored erythrocytes 437–449
- Reinhart, W.H., see Reinhart, S.A. 437–449
- Reviakine, I., New horizons in platelet research: Understanding and harnessing platelet functional diversity 133–152
- Ricart, J.M., see Martínez-Sales, V. 283–290
- Richards, R.G., see ter Boo, G.A. 89–98
- Richter, T., R. Bergmann, J. Pietzsch, M.P. Mueller and T. Koch, Effects of pulmonary acid aspiration on the regional pulmonary blood flow within the first hour after injury: An observational study in rats 253–262
- Riva, R., S. Schmeits, F. Croisier, P. Lecomte and C. Jérôme, Poly(ethylene glycol) grafted polylactide based copolymers for the preparation of PLA-based nanocarriers and hybrid hydrogels 65–75
- Rivera, L., see Vayá, A. 327–334
- Roch, T., N. Ma, K. Kratz and A. Lendlein, Cell-based detection of microbial biomaterial contaminations 51–63
- Roch, T., see Julich-Gruner, K.K. 13–23
- Romagnoli, M., see Vayá, A. 327–334
- Ronco, M.T., see Dominighini, A. 317–325
- Rota, S., see Isik-Balci, Y. 179–189
- Sabra, A., see Badie, N. 451–464
- Saldanha, C., see Teixeira, P. 397–404
- Sarnaik, S., see White, J. 201–213
- Scavelli, F., see Tripolino, C. 291–296
- Schella, A., see Mazzulla, S. 375–388

- Schmeits, S., see Riva, R. 65–75
 Schulte, A.-C., see Broz, P. 263–271
 Schulzki, T., see Reinhart, S.A. 437–449
 Seelbach, R.J., M. D'Este, M. Alini, A. Mata and D. Eglin, Copper catalyst efficiency for the CuAAC synthesis of a poly(N-isopropylacrylamide) conjugated hyaluronan 25–37
 Senol, H., see Isik-Balci, Y. 179–189
 Senol, H., see Tancer-Elci, H. 273–282
 Serrao, P., see Carallo, C. 297–307
 Sesti, S., see Mazzulla, S. 375–388
 Shin, E.-S., S.H. Ann, J. Brachmann, Y.-Y. Lam, F. Jung and J.-W. Park, Noninvasive detection of myocardial ischemia: A case of magnetocardiography 163–169
 Sinnapah, S., see Charlot, K. 413–421
 Słoczyńska, K., M. Kózka and H. Marona, Rheological properties of young and aged erythrocytes in chronic venous disease patients with varicose veins 171–178
 Smith, M.M., A.R. Lucas, R.L. Hamlin and S.T. Devor, Associations among hemorheological factors and maximal oxygen consumption. Is there a role for blood viscosity in explaining athletic performance? 347–362
 Smol'jakova, V.I., see Maslov, M.Y. 405–411
 Solá, E., see Vayá, A. 327–334
 Soter, V., see Charlot, K. 413–421
 Sowden, A.M., see Badiei, N. 451–464
 Staub, D., see Broz, P. 263–271
 Suhr, F., see Grau, M. 215–229
 Suksom, D., see Chanda, M. 241–251
 Takes, M., see Broz, P. 263–271
 Tancer-Elci, H., see Isik-Balci, Y. 179–189
 Tancer-Elci, H., Y. Isik-Balci, M. Bor-Kucukatay, E. Kilic-Toprak, O. Kilic-Erkek, H. Senol and H. Aybek, Investigation of hemorheological parameters at the diagnosis and the follow-up of nutritional vitamin B12 deficient children 273–282
 Tchemtchoua, V.T., see Aqil, A. 39–50
 Teixeira, P., P. Napoleão and C. Saldanha, S-nitrosoglutathione efflux in the erythrocyte 397–404
 Tekin, V., see Kilic-Toprak, E. 191–199
 Teleglów, A., see Marchewka, A. 363–373
 ter Boo, G.A., D.W. Grijpma, R.G. Richards, T.F. Moriarty and D. Eglin, Preparation of gentamicin dioctyl sulfosuccinate loaded poly(trimethylene carbonate) matrices intended for the treatment of orthopaedic infections 89–98
 Todolí, J., see Martínez-Sales, V. 283–290
 Tripolino, C., C. Carallo, C. Irace, F. Scavelli, M.S. De Franceschi and A. Gnasso, Plasma viscosity is increased in subjects with elevated ankle brachial index 291–296
 Tsikouras, P., see von Tempelhoff, G.-F. 123–131
 Urli, L., see Dominighini, A. 317–325
 Vayá, A., L. Rivera, A. Hernández-Mijares, D. Bautista, E. Solá, M. Romagnoli, R. Alis and B. Laiz, Association of metabolic syndrome and its components with hyperuricemia in a Mediterranean population 327–334
 Vayá, A., see Martínez-Sales, V. 283–290
 Velten, E., see von Tempelhoff, G.-F. 123–131
 Vila, V., see Martínez-Sales, V. 283–290
 von Tempelhoff, G.-F., P. Tsikouras, W. Rath, E. Velten and R. Csorba, Rheological, hemostaseological changes during immunotherapy for prevention of HELLP-syndrome in a patient with elevated phospholipid antibodies 123–131
 Vuoto, E.S., see Carallo, C. 297–307

- Wagner, M., see Dominighini, A. 317–325
Walker, U.A., see Broz, P. 263–271
Waltz, X., see Charlot, K. 413–421
Wang, B., see Wu, Q. 231–240
Weisel, J.W., see Badie, N. 451–464
White, J., M. Lancelot, S. Sarnaik and P. Hines, Increased erythrocyte adhesion to VCAM-1 during pulsatile flow: Application of a microfluidic flow adhesion bioassay 201–213
Williams, P.R., see Badie, N. 451–464
Wischke, C., see Fang, L. 77–87
Wu, Q., Y. Jing, X. Yuan, B. Li, B. Wang, M. Liu, H. Li and R. Xiu, The distinct abilities of tube-formation and migration between brain and spinal cord microvascular pericytes in rats 231–240
Xiu, R., see Wu, Q. 231–240
Yan, W., L. Fang, M. Heuchel, K. Kratz and A. Lendlein, Modeling of stress relaxation of a semi-crystalline multiblock copolymer and its deformation behavior 109–120
Yapici, A., see Kilic-Toprak, E. 191–199
Yuan, H., see Geven, M.A. 3–11
Yuan, X., see Wu, Q. 231–240