

## Author Index Volume 64 (2016)

Afonso, C., see Aguiar, L.	957–963
Ágnes, D., see Melinda, V.	977–987
Aguiar, L., A. Matos, Á. Gil, C. Afonso, S. Almeida, L. Braga, J. Lavinha, P. Kjollerstrom, P. Faustino, M. Bicho and Â. Inácio, Sickle cell anemia – Nitric oxide related genetic modifiers of hematological and biochemical parameters	957–963
Ahmadizad, S., A. Nouri-Habashi, H. Rahmani, M. Maleki, N. Naderi, S. Lotfian and M. Salimian, Platelet activation and function in response to high intensity interval exercise and moderate continuous exercise in CABG and PCI patients	911–919
Ahmadizad, S., M. Bassami, M. Hadian and M. Eslami, Influences of two high intensity interval exercise protocols on the main determinants of blood fluidity in overweight men	827–835
Alet, A.I., S.S. Basso, H.V. Castellini, M. Delannoy, N. Alet, M. D'Arrigo and B.D. Riquelme, Hemorheological <i>in vitro</i> action of propofol on erythrocytes from healthy donors and diabetic patients	157–165
Alet, N., , see Alet, A.I.	157–165
Alexandrov, S., see Jovtchev, S.	845–851
Almeida, S., see Aguiar, L.	957–963
Antonova, N., K. Tsiberkin, S. Podtaev, V. Paskova, I. Velcheva and N. Chaushev, Comparative study between microvascular tone regulation and rheological properties of blood in patients with type 2 diabetes mellitus	837–844
Antonova, N., Methods in hemorheology and their clinical applications	509–515
Apostolova, S., see Tzoneva, R.	941–949
Armbruster, M., see Meinel, F.G.	135–147
Aung, T., see Bachleitner, K.	333–344
Bachleitner, K., B. Blank, S. Klein, S. Geis, T. Aung, L. Prantl and J.H. Dolderer, Vascularized transfer of two coherent toe joints in simultaneously reconstructing MCP and PIP of a mutilated finger	333–344
Bagno, A. and R. Martini, Wavelet transform analysis of skin perfusion during thermal stimulation	167–175
Ballestri, M., see Fontana, F.	15–20
Balog, K., see Nemeth, N.	765–775
Barbacena, P., J.R. Carvalho and C.A. Franco, Endothelial cell dynamics in vascular remodelling	557–563
Bartekova, M., see Radosinska, J.	125–134
Basarab, D.A., see Basarab, M.A.	921–930
Basarab, M.A., D.A. Basarab, N.S. Konnova, D.D. Matsievskiy and V.A. Matveev, Analysis of chaotic and noise processes in a fluctuating blood flow using the Allan variance technique	921–930
Bassami, M., see Ahmadizad, S.	827–835
Basso, S.S., see Alet, A.I.	157–165

- Basu, S., see Braune, S. 345–353
- Basu, S., see Kumar, R.K. 931–940
- Bensoussan, D., see Stoltz, J.-F. 613–633
- Beyer, L.P., B. Pregler, C. Nießen, K. Michalik, M. Haimerl, C. Stroszczynski, E.M. Jung and P. Wiggermann, Percutaneous irreversible electroporation (IRE) of prostate cancer: Contrast-enhanced ultrasound (CEUS) findings during follow up 501–506
- Beyer, L.P., see Haimerl, M. 435–446
- Beyer, L.P., see Platz Batista da Silva, N. 735–745
- Beyer, L.P., see Pregler, B. 483–490
- Bicho, M., see Aguiar, L. 957–963
- Binder, H., see Gori, T. 255–266
- Birkholz, T., see Taeger, C.D. 91–103
- Biro, K., see Totsimon, K. 55–63
- Blank, B., see Bachleitner, K. 333–344
- Blessing, F., see Bramhoff, A. 413–424
- Bloch, W., see Mozar, A. 47–53
- Bo, X.-W., see Yue, W.-W. 177–188
- Bocskai, T., see Rozanovic, M. 875–885
- Bogár, L., see Rozanovic, M. 875–885
- Boulot, P., see Brun, J.-F. 789–797
- Bouskela, E., see das Graças Coelho de Souza, M. 645–654
- Bowers, A.S., W.W. Duncan and D.J. Pepple, Red blood cell deformability is reduced in homozygous sickle cell disease patients with leg ulcers 199–204
- Braga, L., see Aguiar, L. 957–963
- Bramhoff, A., G. Giers, F. Blessing and F. Wenzel, Using the mean platelet volume MPV for the quality assessment of apheresis procedures 413–424
- Braune, S., S. Basu, K. Kratz, J.B. Johansson, M. Reinthaler, A. Lendlein and F. Jung, Strategy for the hemocompatibility testing of microparticles 345–353
- Breierova, E., see Radosinska, J. 125–134
- Brockhoff, G., see Hanke, A. 403–412
- Brun, J.-F., E. Varlet-Marie and E.R. de Mauverger, Hematocrit and hematocrit viscosity ratio during exercise in athletes: Even closer to predicted optimal values? 777–787
- Brun, J.-F., E. Varlet-Marie, C. Fédou and E.R. de Mauverger, «Optimal» vs actual hematocrit in obesity and overweight 593–601
- Brun, J.-F., E. Varlet-Marie, C. Fédou and E.R. de Mauverger, One-year follow-up of blood viscosity factors and hematocrit/viscosity ratio in elite soccer players 799–808
- Brun, J.-F., P. Boulot and E. Varlet-Marie, Actual vs optimal fetal hematocrit measured with punctures of cord blood in utero: Relationship with umbilical artery resistance 789–797
- Brun, J.-F., see Joré, C. 809–816
- Brun, J.-F., see Varlet-Marie, E. 603–611
- Brun, J.-F., see Varlet-Marie, E. 817–826
- Buchholz, R., see Taeger, C.D. 91–103
- Bwititi, P.T. see Gyawali, P. 1–5
- Caimi, G., M. Montana, B. Canino, V. Calandrino, R. Lo Presti and E. Hopps, Erythrocyte deformability, plasma lipid peroxidation and plasma protein oxidation in a group of OSAS subjects 7–14
- Calandrino, V., see Caimi, G. 7–14
- Canino, B., see Caimi, G. 7–14
- Cappelli, G., see Fontana, F. 15–20

- Carelli-Alinovi, C., S. Dinarelli, M. Girasole and F. Misiti, Vascular dysfunction-associated with Alzheimer's disease 679–687
- Carneiro, A.V., Evidence-based hemorheology. Does it exist? Applying evidence from clinical studies to the individual patient 551–555
- Carvalho, J.R., see Barbacena, P. 557–563
- Castellini, H.V., see Alet, A.I. 157–165
- Chakraborty, S., see Tarasev, M. 21–33
- Charitanti, A., see Rafailidis, V. 245–250
- Chaushev, N., see Antonova, N. 837–844
- Chen, Y.-p., T. Han, R. Wu, M.-h. Yao, G. Xu, L.-x. Zhao, H. Liu, H. Pu and Y. Fang, Comparison of Virtual Touch Tissue Quantification and Virtual Touch Tissue Imaging Quantification for diagnosis of solid breast tumors of different sizes 235–244
- Christine, F., see Varlet-Marie, E. 817–826
- Chryssogonidis, I., see Rafailidis, V. 245–250
- Clevert, D.A., see Marcon, J. 447–456
- Clevert, D.A., see Marcon, J. 721–728
- Clevert, D.A., see Paprottka, K.J. 887–898
- Clevert, D.A., see Rübenthaler, J. 457–466
- Clevert, D.A., see Rübenthaler, J. 467–473
- Clevert, D.A., see Rübenthaler, J. 475–482
- Clevert, D.A., see Rübenthaler, J. 757–763
- Clevert, D.A., see Trottmann, M. 729–733
- Clevert, D.A., see Zimmermann, H. 711–719
- Coelho, A., see Silva, M. 859–866
- Collins, B., see Mozar, A. 47–53
- Connes, P., see Mozar, A. 47–53
- Connes, P., see Pichon, A.P. 115–123
- Corte, G.M., see Gemeinhardt, O. 491–499
- Csatho, A., see Totsimon, K. 55–63
- Csiszko, A., see Nemeth, N. 765–775
- Csontos, C., see Rozanovic, M. 875–885
- Czopf, L., see Toth, A. 565–574
- D'Anastasi, M., see Marcon, J. 447–456
- D'Arrigo, M., see Alet, A.I. 157–165
- da Silva, N.P.B., see Lamby, P. 287–295
- das GraçasCoelhodeSouza, M., L.G. Kraemer-AguiarandE. Bouskela, Inflammation-induced microvascular dysfunction in obesity – A translational approach 645–654
- Davenport, R., see Tarasev, M. 21–33
- De Isla, N., see Stoltz, J.-F. 613–633
- de Mauverger, E.R., see Brun, J.-F. 593–601
- de Mauverger, E.R., see Brun, J.-F. 777–787
- de Mauverger, E.R., see Brun, J.-F. 799–808
- de Mauverger, E.R., see Varlet-Marie, E. 817–826
- Deak, A., see Nemeth, N. 765–775
- Decot, V., see Stoltz, J.-F. 613–633
- Delannoy, M., see Alet, A.I. 157–165
- Deng, Z., see Li, Z. 355–366
- Dias, A., see Silva, M. 859–866
- Dinarelli, S., see Carelli-Alinovi, C. 679–687

- Dolderer, J.H., see Bachleitner, K. 333–344
- Dolderer, J.H., see Kehrler, A. 305–318
- Drechsler, C., see Taeger, C.D. 91–103
- Duarte, C., P. Napoleão, T. Freitas and C. Saldanha, An *ex vivo* study of nitric oxide efflux from human erythrocytes in both genders 951–955
- Duncan, W.W., see Bowers, A.S. 199–204
- Eslami, M., see Ahmadizad, S. 827–835
- Esteves, R., T. Freitas, P. Teixeira, P. Napoleão, C. Neves and C. Saldanha, Erythrocyte nitric oxide in glaucoma patients – *ex vivo* study 989–994
- Eszter, S., see Melinda, V. 977–987
- Falter, J., see Lamby, P. 287–295
- Fang, Y., see Chen, Y.-p. 235–244
- Fang, Y., see Yao, M.-h. 223–233
- Fasola, F., see Gori, T. 255–266
- Faustino, P., see Aguiar, L. 957–963
- Faustino, P., see Silva, M. 859–866
- Fédou, C., see Brun, J.-F. 593–601
- Fédou, C., see Brun, J.-F. 799–808
- Ferreira, T., see Silva, M. 859–866
- Fisher, N.B., see Lehmann, C. 655–662
- Fontana, F., M. Ballestri and G. Cappelli, Hemorheology in kidney transplantation: A role for cardiovascular risk? 15–20
- Franco, C.A., see Barbacena, P. 557–563
- Franke, R.P., see Gerk, U. 297–304
- Franke, R.P., see Kaessmeyer, S. 391–402
- Franke, R.-P., see Krüger-Genge, A. 383–389
- Franke, R.P., see Krüger-Genge, A. 867–874
- Franke, R.P., see Lamby, P. 287–295
- Freitas, T., see Duarte, C. 951–955
- Freitas, T., see Esteves, R. 989–994
- Freitas, T., see Napoleão, P. 971–975
- Friedrich, O., see Taeger, C.D. 91–103
- Frimmel, K., see Radosinska, J. 125–134
- Fuhrmann, R., see Krüger-Genge, A. 383–389
- Fuhrmann, R., see Krüger-Genge, A. 867–874
- Gaberšček, S., see Mihor, A. 105–114
- Gaetjen, F., see Rasche, S. 77–90
- Gass, G.C., see Simmonds, M.J. 189–198
- Gehmert, S., see Hanke, A. 403–412
- Geis, S., see Bachleitner, K. 333–344
- Gemeinhardt, O., F.G.M. Poch, B. Hiebl, U. Kunz-Zurbuchen, G.M. Corte, S.F. Thieme, J.L. Vahldiek, S.M. Niehues, M.E. Kreis, R. Klopffleisch and K.S. Lehmann, Comparison of bipolar radiofrequency ablation zones in an *in vivo* porcine model: Correlation of histology and gross pathological findings 491–499
- George, R., see Sharawy, N. 205–212
- Geppert, C.I., see Taeger, C.D. 91–103
- Gerasimova, D., see Jovtchev, S. 845–851
- Gergar, M., see Mihor, A. 105–114

Gerk, U., C. Mrowietz, R. Sternitzky, R.P. Franke, S.G. Spitzer and F. Jung, Effect of Ioxaglate on the cutaneous microcirculation in patients with coronary artery disease: Randomized, double blind, placebo-controlled study	297–304
Giers, G., see Bramhoff, A.	413–424
Gil, Â., see Aguiar, L.	957–963
Girasole, M., see Carelli-Alinovi, C.	679–687
Godo, Z., see Nemeth, N.	765–775
Gori, T., Endothelial function, fluid dynamics, hemorheology implications for clinical and preclinical vascular disease and implications for the ESCHM	521–524
Gori, T., see Orphal, D.	267–272
Gori, T., see Ullrich, H.	273–278
Gori, T., U. von Henning, S. Muxel, S. Schaefer, F. Fasola, M. Vosseler, B. Schnorbus, H. Binder, J.D. Parker and T. Münzel, Both flow-mediated dilation and constriction are associated with changes in blood flow and shear stress: Two complementary perspectives on endothelial function	255–266
Gossen, M., see Li, Z.	355–366
Graf, S., see Lamby, P.	287–295
Grau, M., see Mozar, A.	47–53
Guo, L.-H., see Yue, W.-W.	177–188
Guo, Y., see Yan, S.	213–222
Gyawali, P., R.S. Richards, P. Tinley, E.U. Nwose and P.T. Bwititi, Hemorheological parameters better classify metabolic syndrome than novel cardiovascular risk factors and peripheral vascular disease marker	1–5
Haack, M., see Meinel, F.G.	135–147
Haase, H., see Konschake, W.	425–434
Hadian, M., see Ahmadizad, S.	827–835
Haimerl, M., S. Poelsterl, L.P. Beyer, I. Wiesinger, C. Nießen, C. Stroszczynski, P. Wiggermann and E.-M. Jung, Chronic liver disease: Quantitative MRI vs CEUS-based microperfusion	435–446
Haimerl, M., see Beyer, L.P.	501–506
Hameister, E., see Rübenthaler, J.	467–473
Hameister, E., see Rübenthaler, J.	475–482
Hameister, E., see Rübenthaler, J.	757–763
Han, T., see Chen, Y.-p.	235–244
Han, Z., see Stoltz, J.-F.	613–633
Hanke, A., L. Prantl, C. Wenzel, M. Nerlich, G. Brockhoff, M. Loibl and S. Gehmert, Semi-automated extraction and characterization of Stromal Vascular Fraction using a new medical device	403–412
Hardy-Dessources, M.-D., see Mozar, A.	47–53
Haseler, L.J., see Simmonds, M.J.	189–198
Hellbach, K., see Meinel, F.G.	135–147
Hiebl, B., see Gemeinhardt, O.	491–499
Hiebl, B., see Kaessmeyer, S.	391–402
Hobe, F., see Taeger, C.D.	91–103
Hoffmann, K., see Rübenthaler, J.	467–473
Hoffmann, K., see Rübenthaler, J.	475–482
Hoffmann, K., see Rübenthaler, J.	757–763
Hoinoiu, B., see Mandlik, V.	319–331
Hopps, E., see Caimi, G.	7–14
Horch, R.E., see Taeger, C.D.	91–103

- Hornung, M., see Platz Batista da Silva, N. 735–745  
Hornung, M., see Wiesinger, I. 747–755  
Hossny, O., see Sharawy, N. 205–212  
Hristova-Avakumova, N., see Jovtchev, S. 845–851  
Huselstein, C., see Stoltz, J.-F. 613–633  
Hussein, A., see Sharawy, N. 205–212
- Inácio, Â., see Aguiar, L. 957–963  
Ionac, M., see Mandlik, V. 319–331
- Jankowski, J., see Kumar, R.K. 931–940  
Jerkku, T., see Meinel, F.G. 135–147  
Ji, X., see Yan, S. 213–222  
Jiga, L., see Mandlik, V. 319–331  
Johansson, J.B., see Braune, S. 345–353  
Joiko, N., see Rübenthaler, J. 467–473  
Joiko, N., see Rübenthaler, J. 475–482  
Joiko, N., see Rübenthaler, J. 757–763  
Joré, C., J.-F. Brun and E. Varlet-Marie, Rise in RBC aggregability and concomitant decrease in blood pressure 10 days after injection of the long acting erythropoietin analogue methoxy polyethylene glycol-epoetin- $\beta$  (MIRCERA<sup>®</sup>) 809–816  
Joré, C., see Varlet-Marie, E. 603–611  
Jovtchev, S., S. Alexandrov, N. Hristova-Avakumova, S. Miteva, L. Traikov, D. Gerasimova and S. Stoeff, Erythrocyte interactions – Comparison of the aggregation power of polymer molecules used in medicine – Not only size does matter 845–851  
Jung, E.M., see Beyer, L.P. 501–506  
Jung, E.-M., see Haimerl, M. 435–446  
Jung, E.M., see Lamby, P. 287–295  
Jung, E.M., see Pfister, K. 689–698  
Jung, E.M., see Platz Batista da Silva, N. 735–745  
Jung, E.M., see Pregler, B. 483–490  
Jung, E.M., see Wiesinger, I. 747–755  
Jung, F. and M. Rampling, Role of blood viscosity in the microcirculation 251–254  
Jung, F., see Braune, S. 345–353  
Jung, F., see Gerk, U. 297–304  
Jung, F., see Kaessmeyer, S. 391–402  
Jung, F., see Krüger-Genge, A. 383–389  
Jung, F., see Krüger-Genge, A. 867–874  
Jung, F., see Lamby, P. 287–295  
Jung, F., see Mandlik, V. 319–331  
Jung, F., see Schulz, C. 699–710  
Jung, F., see Tzoneva, R. 941–949  
Jünger, M., see Konschake, W. 425–434  
Juricskay, I., see Toth, A. 565–574
- Kaessmeyer, S., J. Sehl, M. Khiao In, B. Hiebl, R. Merle, F. Jung, R.P. Franke and J. Plendl, Organotypic soft-tissue co-cultures: Morphological changes in microvascular endothelial tubes after incubation with iodinated contrast media 391–402  
Kasprzak, P.M., see Pfister, K. 689–698  
Kehl, D., see Toth, A. 565–574

- Kehrer, A., P. Lamby, B.H. Miranda, L. Prantl and J.H. Dolderer, Flap design and perfusion are keys of success: Axial fasciocutaneous posterior thigh flaps for deep small pelvic defect reconstruction 305–318
- Kehrer, A., see Mandlik, V. 319–331
- Kelly, M., see Lehmann, C. 655–662
- Kenyeres, P., see Totsimon, K. 55–63
- Kesmarky, G., see Toth, A. 565–574
- Khiao In, M., see Kaessmeyer, S. 391–402
- Kiouptsi, K. and C. Reinhardt, Protein disulfide-isomerase – a trigger of tissue factor-dependent thrombosis 279–286
- Kislov, N., see Tikhomirova, I. 635–644
- Kjollerstrom, P., see Aguiar, L. 957–963
- Kjöllerström, P., see Silva, M. 859–866
- Klein, S., see Bachleitner, K. 333–344
- Klonizakis, M., see Lenasi, H. 663–678
- Klopfleisch, R., see Gemeinhardt, O. 491–499
- Koepfel, T.A., see Meinel, F.G. 135–147
- Koganti, S., see Majumder, B. 35–46
- Konnova, N.S., see Basarab, M.A. 921–930
- Konschake, W., H. Riebe, P. Padiaditi, H. Haase, M. Jünger and S. Lutze, Compression in the treatment of chronic venous insufficiency: Efficacy depending on the length of the stocking 425–434
- Kopp, R., see Pfister, K. 689–698
- Kovács, P., see Rozanovic, M. 875–885
- Kraemer-Aguiar, L.G., see das Graças Coelho de Souza, M. 645–654
- Kratz, K., see Braune, S. 345–353
- Kratz, K., see Kumar, R.K. 931–940
- Kratz, K., see Li, Z. 355–366
- Kratz, K., see Roch, T. 899–910
- Kratz, K., see Xu, X. 367–382
- Kreis, M.E., see Gemeinhardt, O. 491–499
- Kroiss, E., see Wiesinger, I. 747–755
- Krüger-Genge, A., F. Jung, R. Fuhrmann and R.-P. Franke, Shear resistance of endothelial cells in a pathological environment 383–389
- Krüger-Genge, A., R. Fuhrmann, F. Jung and R.P. Franke, Effects of different components of the extracellular matrix on endothelialization 867–874
- Krüger-Genge, A., see Schulz, C. 699–710
- Krüger-Genge, A., see Tzoneva, R. 941–949
- Küchler, J., see Li, Z. 355–366
- Kumar, R.K., S. Basu, H.-D. Lemke, J. Jankowski, K. Kratz, A. Lendlein and S.D. Tetali, Influence of nanoporous poly(ether imide) particle extracts on human aortic endothelial cells (HAECs) 931–940
- Kunz-Zurbuchen, U., see Gemeinhardt, O. 491–499
- Lamby, P., F. Jung, J. Falter, C. Mrowietz, S. Graf, L. Schellenberg, N.P.B. da Silva, L. Prantl, R.P. Franke and E.M. Jung, Effect of radiographic contrast media on renal perfusion – First results 287–295
- Lamby, P., see Kehrer, A. 305–318
- Lang, S., see Platz Batista da Silva, N. 735–745
- László, M., see Melinda, V. 977–987

- Lavinha, J., see Aguiar, L. 957–963
- Lavinha, J., see Silva, M. 859–866
- Leballe, B., see Stoltz, J.-F. 613–633
- Lee, K., A. Priezzhev, S. Shin, F. Yaya and I. Meglinski, Characterization of shear stress preventing red blood cells aggregation at the individual cell level: The temperature dependence 853–857
- Lee, K., see Priezzhev, A. 587–592
- Lehmann, C., N.B. Fisher, B. Tugwell, A. Szczesniak, M. Kelly and J. Zhou, Experimental cannabidiol treatment reduces early pancreatic inflammation in type 1 diabetes 655–662
- Lehmann, C., see Sharawy, N. 205–212
- Lehmann, K.S., see Gemeinhardt, O. 491–499
- Lemke, H.-D., see Kumar, R.K. 931–940
- Lemonne, N., see Mozar, A. 47–53
- Lenasi, H. and M. Klonizakis, Assessing the evidence: Exploring the effects of exercise on diabetic microcirculation 663–678
- Lenasi, H., see Mihor, A. 105–114
- Lenasi, H., see Potočnik, N. 65–75
- Lendlein, A., see Braune, S. 345–353
- Lendlein, A., see Kumar, R.K. 931–940
- Lendlein, A., see Li, Z. 355–366
- Lendlein, A., see Roch, T. 899–910
- Lendlein, A., see Schulz, C. 699–710
- Lendlein, A., see Tzoneva, R. 941–949
- Lendlein, A., see Xu, X. 367–382
- Li, L., see Yan, S. 213–222
- Li, X.-L., see Yue, W.-W. 177–188
- Li, Z., see Xu, X. 367–382
- Li, Z., W. Wang, K. Kratz, J. Kuchler, X. Xu, J. Zou, Z. Deng, X. Sun, M. Gossen, N. Ma and A. Lendlein, Influence of surface roughness on neural differentiation of human induced pluripotent stem cells 355–366
- Light, L., see Tarasev, M. 21–33
- Liu, B.-J., see Yue, W.-W. 177–188
- Liu, H., see Chen, Y.-p. 235–244
- Liu, H., see Yao, M.-h. 223–233
- Lo Presti, R., see Caimi, G. 7–14
- Loibl, C., see Rozanovic, M. 875–885
- Loibl, M., see Hanke, A. 403–412
- Lotfian, S., see Ahmadizad, S. 911–919
- Lowdell, M.W., see Majumder, B. 35–46
- Lutze, S., see Korschake, W. 425–434
- Ma, N., see Li, Z. 355–366
- Ma, N., see Roch, T. 899–910
- Ma, N., see Wei, T.-T. 149–155
- Ma, N., see Xu, X. 367–382
- Magdalou, J., see Stoltz, J.-F. 613–633
- Maia, R., see Silva, M. 859–866
- Majumder, B., S. Koganti, M.W. Lowdell and R.D. Rakhit, Intracoronary platelet and monocyte activation status within platelet-monocyte complexes are determinants of inflammation in ST elevation myocardial infarction 35–46
- Malberg, H., see Rasche, S. 77–90



- Maleki, M., see Ahmadizad, S. 911–919
- Malysheva, Y., see Tikhomirova, I. 635–644
- Mandlik, V., A. Kehrer, L. Jiga, B. Hoinoiu, M. Ionac, F. Jung, R. Staudenmaier and L. Prantl, Prefabrication and free transfer of a tissue engineered composite flap – An experimental model in the rat 319–331
- Marcon, J., M. Trottmann, J. Rübenthaler, C.G. Stief, M.F. Reiser and D.A. Clevert, Shear wave elastography of the testes in a healthy study collective – Differences in standard values between ARFI and VTIQ techniques 721–728
- Marcon, J., M. Trottmann, J. Rübenthaler, M. D’Anastasi, C.G. Stief, M.F. Reiser and D.A. Clevert, Three-dimensional vs. two-dimensional shear-wave elastography of the testes – preliminary study on a healthy collective 447–456
- Marcon, J., see Rübenthaler, J. 457–466
- Marcon, J., see Rübenthaler, J. 757–763
- Marcon, J., see Trottmann, M. 729–733
- Marshall-Gradisnik, S.M., see Simmonds, M.J. 189–198
- Martini, R., see Bagno, A. 167–175
- Marton, Z., see Toth, A. 565–574
- Marton, Z., see Totsimon, K. 55–63
- Matancic, M., see Rozanovic, M. 875–885
- Matos, A., see Aguiar, L. 957–963
- Matschke, K., see Rasche, S. 77–90
- Matsievskiy, D.D., see Basarab, M.A. 921–930
- Matveev, V.A., see Basarab, M.A. 921–930
- Meglinski, I., see Lee, K. 853–857
- Meinel, F.G., M. Haack, R. Weidenhagen, K. Hellbach, M. Rottenkolber, M. Armbruster, T. Jerkku, K.M. Thierfelder, J.L.V. Plum, T.A. Koepfel, G.D. Rubin and W.H. Sommer, Effect of endoleaks on changes in aortoiliac volume after endovascular repair for abdominal aortic aneurysm 135–147
- Melinda, V., D. Ágnes, N. Norbert, S. Viktória, B. Sándor, S. Eszter, M. László and P. Soltész, Rheopheresis in vascular diseases 977–987
- Merle, R., see Kaessmeyer, S. 391–402
- Messias, A., see Napoleão, P. 965–970
- Mezesova, L., see Radosinska, J. 125–134
- Michalik, K., see Beyer, L.P. 501–506
- Mihor, A., M. Gergar, S. Gaberšček and H. Lenasi, Skin microvascular reactivity in patients with hypothyroidism 105–114
- Minahan, C.L., see Simmonds, M.J. 189–198
- Miranda, B.H., see Kehrer, A. 305–318
- Miseta, A., see Rozanovic, M. 875–885
- Misiti, F., see Carelli-Alinovi, C. 679–687
- Miteva, S., see Jovtchev, S. 845–851
- Moleirinho, S., see Napoleão, P. 965–970
- Montana, M., see Caimi, G. 7–14
- Morais, A., see Silva, M. 859–866
- Mozar, A., P. Connes, B. Collins, M.-D. Hardy-Dessources, M. Romana, N. Lemonne, W. Bloch and M. Grau, Red blood cell nitric oxide synthase modulates red blood cell deformability in sickle cell anemia 47–53
- Mrowietz, C., see Gerck, U. 297–304
- Mrowietz, C., see Lamby, P. 287–295
- Mukhtar, A., see Sharawy, N. 205–212
- Müller-Wille, R., see Pfister, K. 689–698

- Münch, F., see Taeger, C.D. 91–103
- Münzel, T., see Gori, T. 255–266
- Muxel, S., see Gori, T. 255–266
- Naderi, N., see Ahmadizad, S. 911–919
- Nagy, A., see Totsimon, K. 55–63
- Napoleão, P., E. Potapova, S. Moleirinho, C. Saldanha and A. Messias, Soluble CD40 ligand profiles in patients with septic shock 965–970
- Napoleão, P., see Duarte, C. 951–955
- Napoleão, P., see Esteves, R. 989–994
- Napoleão, P., T. Freitas and C. Saldanha, Effect of oxidized LDL on erythrocyte nitric oxide metabolism 971–975
- Neffe, A.T., see Schulz, C. 699–710
- Neffe, A.T., see Tzoneva, R. 941–949
- Nemeth, N., K. Peto, A. Deak, V. Sogor, G. Varga, B. Tanczos, K. Balog, A. Csiszko, Z. Godo and Z. Szentkereszty, Hemorheological factors can be informative in comparing treatment possibilities of abdominal compartment syndrome 765–775
- Nerlich, M., see Hanke, A. 403–412
- Neves, C., see Esteves, R. 989–994
- Ni, H., see Yan, S. 213–222
- Niehues, S.M., see Gemeinhardt, O. 491–499
- Nießen, C., see Beyer, L.P. 501–506
- Nießen, C., see Haimerl, M. 435–446
- Nießen, C., see Pregler, B. 483–490
- Norbert, N., see Melinda, V. 977–987
- Nouri-Habashi, A., see Ahmadizad, S. 911–919
- Nwose, E.U., see Gyawali, P. 1–5
- Okruhlicova, L., see Radosinska, J. 125–134
- Orphal, D. and T. Gori, The influence of sex on microvascular function 267–272
- Paprottka, F.J., see Paprottka, K.J. 887–898
- Paprottka, K., see Rübenthaler, J. 757–763
- Paprottka, K.J., see Rübenthaler, J. 457–466
- Paprottka, K.J., see Rübenthaler, J. 467–473
- Paprottka, K.J., see Rübenthaler, J. 475–482
- Paprottka, K.J., see Zimmermann, H. 711–719
- Paprottka, K.J., T. Wagershauser, J. Rübenthaler, F.J. Paprottka, D.A. Clevert, M.F. Reiser and P.M. Paprottka, In vitro study of physical properties of various embolization particles regarding morphology before, during and after catheter passage 887–898
- Paprottka, P., see Zimmermann, H. 711–719
- Paprottka, P.M., see Paprottka, K.J. 887–898
- Parker, J.D., see Gori, T. 255–266
- Paskova, V., see Antonova, N. 837–844
- Pediaditi, P., see Konschake, W. 425–434
- Pepple, D.J., see Bowers, A.S. 199–204
- Peto, K., see Nemeth, N. 765–775
- Petrochenko, E., see Tikhomirova, I. 635–644
- Pfister, K., P.M. Kasprzak, E.M. Jung, R. Müller-Wille, W. Wohlgemuth, R. Kopp and W. Schierling, Contrast-enhanced ultrasound to evaluate organ microvascularization after operative versus endovascular treatment of visceral artery aneurysms 689–698

Pichon, A.P., P. Connes and P. Robach, Effects of acute and chronic hematocrit modulations on blood viscosity in endurance athletes	115–123
Platz Batista da Silva, N., M. Schauer, M. Hornung, S. Lang, L.P. Beyer, I. Wiesinger, C. Stroszczynski and E.M. Jung, Intrasurgical dignity assessment of hepatic tumors using semi-quantitative strain elastography and contrast-enhanced ultrasound for optimisation of liver tumor surgery	735–745
Plendl, J., see Kaessmeyer, S.	391–402
Plötze, K., see Rasche, S.	77–90
Plum, J.L.V., see Meinel, F.G.	135–147
Poch, F.G.M., see Gemeinhardt, O.	491–499
Podtaev, S., see Antonova, N.	837–844
Poelsterl, S., see Haimerl, M.	435–446
Potapova, E., see Napoleão, P.	965–970
Potočník, N. and H. Lenasi, The responses of glabrous and nonglabrous skin microcirculation to graded dynamic exercise and its recovery	65–75
Präbst, K., see Taeger, C.D.	91–103
Prantl, L., see Bachleitner, K.	333–344
Prantl, L., see Hanke, A.	403–412
Prantl, L., see Kehrer, A.	305–318
Prantl, L., see Lamby, P.	287–295
Prantl, L., see Mandlik, V.	319–331
Pregler, B., L.P. Beyer, I. Wiesinger, C. Nießen, E.M. Jung, C. Stroszczynski and P. Wiggermann, Microwave ablation of large HCC lesions: Added value of CEUS examinations for ablation success control	483–490
Pregler, B., see Beyer, L.P.	501–506
Priezzhev, A. and K. Lee, Potentialities of laser trapping and manipulation of blood cells in hemorheologic research	587–592
Priezzhev, A., see Lee, K.	853–857
Pu, H., see Chen, Y.-p.	235–244
Pu, H., see Yao, M.-h.	223–233
Qin, B.-D., see Wei, T.-T.	149–155
Radosinska, J., L. Mezesova, L. Okruhlicova, K. Frimmel, E. Breierova, M. Bartekova and N. Vrbjar, Effect of yeast biomass with high content of carotenoids on erythrocyte deformability, NO production and Na,K-ATPase activity in healthy and LPS treated rats	125–134
Rafailidis, D., see Rafailidis, V.	245–250
Rafailidis, V., A. Charitanti, T. Tegos, D. Rafailidis and I. Chrysosgonidis, Swirling of microbubbles: Demonstration of a new finding of carotid plaque ulceration on contrast-enhanced ultrasound explaining the arterio-arterial embolism mechanism	245–250
Rahmani, H., see Ahmadizad, S.	911–919
Rakhit, R.D., see Majumder, B.	35–46
Rampling, M., see Jung, F.	251–254
Rampling, M.W., The history of the theory of the circulation of the blood	541–549
Rasche, S., A. Trumpp, T. Waldow, F. Gaetjen, K. Plötze, D. Wedekind, M. Schmidt, H. Malberg, K. Matschke and S. Zaunseder, Camera-based photoplethysmography in critical care patients	77–90
Refaa, A., see Sharawy, N.	205–212
Reinhardt, C., see Kiouptsi, K.	279–286
Reinhart, W.H., The optimum hematocrit	575–585
Reinthalder, M., see Braune, S.	345–353

- Reiser, M., see Rübenthaler, J. 457–466
- Reiser, M., see Rübenthaler, J. 467–473
- Reiser, M., see Rübenthaler, J. 475–482
- Reiser, M., see Rübenthaler, J. 757–763
- Reiser, M., see Zimmermann, H. 711–719
- Reiser, M.F., see Marcon, J. 447–456
- Reiser, M.F., see Marcon, J. 721–728
- Reiser, M.F., see Paprottka, K.J. 887–898
- Reiser, M.F., see Trottmann, M. 729–733
- Reppel, L., see Stoltz, J.-F. 613–633
- Richards, R.S., see Gyawali, P. 1–5
- Riebe, H., see Korschake, W. 425–434
- Riquelme, B.D., see Alet, A.I. 157–165
- Robach, P., see Pichon, A.P. 115–123
- Roch, T., K. Kratz, N. Ma and A. Lendlein, Inflammatory responses of primary human dendritic cells towards polydimethylsiloxane and polytetrafluoroethylene 899–910
- Romana, M., see Mozar, A. 47–53
- Rottenkolber, M., see Meinel, F.G. 135–147
- Rozanovic, M., C. Csontos, L. Bogár, L. Szélig, T. Bocskai, P. Kovács, M. Matancic, A. Miseta and C. Loibl, Can leukocyte antisedimentation rate (LAR) predict septic complications and critical care survival early in polytrauma and burn victims? 875–885
- Rübenthaler, J., K. Paprottka, J. Marcon, E. Hameister, K. Hoffmann, N. Joiko, M. Reiser and D.A. Clevert, Comparison of magnetic resonance imaging (MRI) and contrast-enhanced ultrasound (CEUS) in the evaluation of unclear solid renal lesions 757–763
- Rübenthaler, J., K.J. Paprottka, E. Hameister, K. Hoffmann, N. Joiko, M. Reiser and D.A. Clevert, Malignancies after liver transplantation: Value of contrast-enhanced ultrasound (CEUS) 467–473
- Rübenthaler, J., K.J. Paprottka, E. Hameister, K. Hoffmann, N. Joiko, M. Reiser and D.A. Clevert, Vascular complications in liver transplantation: Beneficial role of contrast-enhanced ultrasound (CEUS) in the postoperative phase 475–482
- Rübenthaler, J., K.J. Paprottka, J. Marcon, M. Reiser and D.A. Clevert, MRI and contrast enhanced ultrasound (CEUS) image fusion of renal lesions 457–466
- Rübenthaler, J., see Marcon, J. 447–456
- Rübenthaler, J., see Marcon, J. 721–728
- Rübenthaler, J., see Paprottka, K.J. 887–898
- Rübenthaler, J., see Trottmann, M. 729–733
- Rübenthaler, J., see Zimmermann, H. 711–719
- Rubin, G.D., see Meinel, F.G. 135–147
- Ryabov, M., see Tikhomirova, I. 635–644
- Sabapathy, S., see Simmonds, M.J. 189–198
- Saka, A., see Sharawy, N. 205–212
- Saldanha, C., Physiological role of erythrocyte nitric oxide 517–520
- Saldanha, C., see Duarte, C. 951–955
- Saldanha, C., see Esteves, R. 989–994
- Saldanha, C., see Napoleão, P. 965–970
- Saldanha, C., see Napoleão, P. 971–975
- Salimian, M., see Ahmadizad, S. 911–919
- Sándor, B., see Melinda, V. 977–987
- Sandor, B., see Toth, A. 565–574
- Sandor, B., see Totsimon, K. 55–63

- Schaefer, S., see Gori, T. 255–266
- Schauer, M., see Platz Batista da Silva, N. 735–745
- Schellenberg, L., see Lamby, P. 287–295
- Schierling, W., see Pfister, K. 689–698
- Schmidt, M., see Rasche, S. 77–90
- Schnorbus, B., see Gori, T. 255–266
- Schulz, C., R. Vukićević, A. Krüger-Genge, A.T. Neffe, A. Lendlein and F. Jung, Monolayer formation and shear-resistance of human vein endothelial cells on gelatin-based hydrogels with tailorable elasticity and degradability 699–710
- Sehl, J., see Kaessmeyer, S. 391–402
- Serre, K.R., see Simmonds, M.J. 189–198
- Sharawy, N., A. Hussein, O. Hossny, A. Refaa, A. Saka, A. Mukhtar, S. Whynot, R. George and C. Lehmann, Effects of haemoglobin levels on the sublingual microcirculation in pregnant women 205–212
- Shen, W., see Yan, S. 213–222
- Shin, S., see Lee, K. 853–857
- Silva, M., S. Vargas, A. Coelho, A. Dias, T. Ferreira, A. Morais, R. Maia, P. Kjöllström, J. Lavinha and P. Faustino, Hemorheological alterations in sickle cell anemia and their clinical consequences – The role of genetic modulators 859–866
- Simmonds, M.J., S. Sabapathy, K.R. Serre, L.J. Haseler, G.C. Gass, S.M. Marshall-Gradisnik and C.L. Minahan, Regular walking improves plasma protein concentrations that promote blood hyperviscosity in women 65–74 yr with type 2 diabetes 189–198
- Sogor, V., see Nemeth, N. 765–775
- Soltész, P., see Melinda, V. 977–987
- Sommer, W.H., see Meinel, F.G. 135–147
- Spitzer, S.G., see Gerk, U. 297–304
- Staudenmaier, R., see Mandlik, V. 319–331
- Sternitzky, R., see Gerk, U. 297–304
- Stief, C.G., see Marcon, J. 447–456
- Stief, C.G., see Marcon, J. 721–728
- Stief, C.G., see Trottmann, M. 729–733
- Stoeff, S., see Jovtchev, S. 845–851
- Stoltz, J.-F., D. Bensoussan, N. De Isla, L. Zhang, Z. Han, J. Magdalou, C. Huselstein, J.S. Ye, B. Leballe, V. Decot and L. Reppel, Stem cells and vascular regenerative medicine: A mini review 613–633
- Stoltz, J.F., History and future of hemorheology: From Reykjavik to Lisboa 525–539
- Stroszczynski, C., see Beyer, L.P. 501–506
- Stroszczynski, C., see Haimerl, M. 435–446
- Stroszczynski, C., see Platz Batista da Silva, N. 735–745
- Stroszczynski, C., see Pregler, B. 483–490
- Stroszczynski, C., see Wiesinger, I. 747–755
- Sun, L.-P., see Yue, W.-W. 177–188
- Sun, X., see Li, Z. 355–366
- Szabados, E., see Toth, A. 565–574
- Szapary, L., see Totsimon, K. 55–63
- Szczesniak, A., see Lehmann, C. 655–662
- Szélig, L., see Rozanovic, M. 875–885
- Szentkereszty, Z., see Nemeth, N. 765–775
- Taeger, C.D., O. Friedrich, C. Drechsler, A. Weigand, F. Hobe, C.I. Geppert, F. Münch, T. Birkholz, R. Buchholz, R.E. Horch and K. Präbst, Hydroxyethyl starch solution for extracorporeal tissue perfusion 91–103

Tanczos, B., see Nemeth, N.	765–775
Tang, Q.-Q., see Wei, T.-T.	149–155
Tarasev, M., S. Chakraborty, L. Light and R. Davenport, Impact of environment on Red Blood Cell ability to withstand mechanical stress	21–33
Tegos, T., see Rafailidis, V.	245–250
Teixeira, P., see Esteves, R.	989–994
Tetali, S.D., see Kumar, R.K.	931–940
Thieme, S.F., see Gemeinhardt, O.	491–499
Thierfelder, K.M., see Meinel, F.G.	135–147
Tikhomirova, I., E. Petrochenko, Y. Malysheva, M. Ryabov and N. Kislov, Interrelation of blood coagulation and hemorheology in cancer	635–644
Tinley, P., see Gyawali, P.	1–5
Toth, A., B. Sandor, Z. Marton, G. Kesmarky, E. Szabados, D. Kehl, I. Juricskay, L. Czopf and K. Toth, Comparison of hemorheological changes in patients after acute coronary events, intervention and ambulatory rehabilitation	565–574
Toth, K., see Toth, A.	565–574
Toth, K., see Totsimon, K.	55–63
Totsimon, K., A. Nagy, B. Sandor, K. Biro, A. Csatho, L. Szapary, K. Toth, Z. Marton and P. Kenyeres, Hemorheological alterations in carotid artery stenosis	55–63
Traikov, L., see Jovtchev, S.	845–851
Trottmann, M., J. Rübenthaler, J. Marcon, C.G. Stief, M.F. Reiser and D.A. Clevert, Differences of standard values of Supersonic shear imaging and ARFI technique – <i>in vivo</i> study of testicular tissue	729–733
Trottmann, M., see Marcon, J.	447–456
Trottmann, M., see Marcon, J.	721–728
Trumpp, A., see Rasche, S.	77–90
Tsiberkin, K., see Antonova, N.	837–844
Tugwell, B., see Lehmann, C.	655–662
Tzoneva, R., V. Uzunova, S. Apostolova, A. Krüger-Genge, A.T. Neffe, F. Jung and A. Lendlein, Angiogenic potential of endothelial and tumor cells seeded on gelatin-based hydrogels in response to electrical stimulations	941–949
Ullrich, H. and T. Gori, Antiplatelet therapies in patients with an indication for anticoagulation	273–278
Uzunova, V., see Tzoneva, R.	941–949
Vahldiek, J.L., see Gemeinhardt, O.	491–499
Varga, G., see Nemeth, N.	765–775
Vargas, S., see Silva, M.	859–866
Varlet-Marie, E., C. Joré and J.-F. Brun, Segmental bioelectrical impedance analysis (SBIA) and blood rheology: Reducing the gap between <i>in vivo</i> and <i>in vitro</i> ?	603–611
Varlet-Marie, E., J.-F. Brun, E.R. de Mauverger and F. Christine, Exercise-induced changes in hematocrit and hematocrit/viscosity ratio in male rugby players	817–826
Varlet-Marie, E., see Brun, J.-F.	593–601
Varlet-Marie, E., see Brun, J.-F.	777–787
Varlet-Marie, E., see Brun, J.-F.	789–797
Varlet-Marie, E., see Brun, J.-F.	799–808
Varlet-Marie, E., see Joré, C.	809–816
Velcheva, I., see Antonova, N.	837–844
Viktória, S., see Melinda, V.	977–987
von Henning, U., see Gori, T.	255–266
Vosseler, M., see Gori, T.	255–266

Vrbjar, N., see Radosinska, J.	125–134
Vukićević, R., see Schulz, C.	699–710
Waggershauser, T., see Paprottka, K.J.	887–898
Waldow, T., see Rasche, S.	77–90
Wang, D., see Yue, W.-W.	177–188
Wang, L.-L., see Wei, T.-T.	149–155
Wang, S., see Yue, W.-W.	177–188
Wang, W., see Li, Z.	355–366
Wang, W., see Xu, X.	367–382
Wang, Z., see Yan, S.	213–222
Wedekind, D., see Rasche, S.	77–90
Wei, T.-T., Q.-Q. Tang, B.-D. Qin, N. Ma, L.-L. Wang, L. Zhou and R.-Q. Zhong, Elevated red blood cell distribution width is associated with liver function tests in patients with primary hepatocellular carcinoma	149–155
Weidenhagen, R., see Meinel, F.G.	135–147
Weigand, A., see Taeger, C.D.	91–103
Wenzel, C., see Hanke, A.	403–412
Wenzel, F., see Bramhoff, A.	413–424
Whynot, S., see Sharawy, N.	205–212
Wiesinger, I., E. Kroiss, M. Hornung, C. Stroszczynski and E.M. Jung, Analysis of arterial dynamic micro-vascularization with contrast-enhanced ultrasound (CEUS) in thyroid lesions using external perfusion software: First results	747–755
Wiesinger, I., see Haimerl, M.	435–446
Wiesinger, I., see Platz Batista da Silva, N.	735–745
Wiesinger, I., see Pregler, B.	483–490
Wiggermann, P., see Beyer, L.P.	501–506
Wiggermann, P., see Haimerl, M.	435–446
Wiggermann, P., see Pregler, B.	483–490
Wohlgemuth, W., see Pfister, K.	689–698
Wu, R., see Chen, Y.-p.	235–244
Wu, R., see Yao, M.-h.	223–233
Xia, S., see Yan, S.	213–222
Xu, G., see Chen, Y.-p.	235–244
Xu, G., see Yao, M.-h.	223–233
Xu, H.-X., see Yue, W.-W.	177–188
Xu, X., see Li, Z.	355–366
Xu, X., W. Wang, Z. Li, K. Kratz, N. Ma and A. Lendlein, Surface geometry of poly(ether imide) boosts mouse pluripotent stem cell spontaneous cardiomyogenesis via modulating the embryoid body formation process	367–382
Yan, S., Z. Wang, L. Li, Y. Guo, X. Ji, H. Ni, W. Shen and S. Xia, Characterization of cervical lymph nodes using DCE-MRI: Differentiation between metastases from SCC of head and neck and benign lymph nodes	213–222
Yao, M.-h., R. Wu, G. Xu, L.-x. Zhao, H. Liu, H. Pu and Y. Fang, A novel two-dimensional quantitative shear wave elastography to make differential diagnosis of breast lesions: Comprehensive evaluation and influencing factors	223–233
Yao, M.-h., see Chen, Y.-p.	235–244
Yaya, F., see Lee, K.	853–857
Ye, J.S., see Stoltz, J.-F.	613–633

- Yue, W.-W., S. Wang, H.-X. Xu, L.-P. Sun, L.-H. Guo, X.-W. Bo, X.-L. Li, C.-K. Zhao, D. Wang and B.-J. Liu, Parametric imaging with contrast-enhanced ultrasound for differentiating hepatocellular carcinoma from metastatic liver cancer 177–188
- Zaunseder, S., see Rasche, S. 77–90
- Zausig, N., see Wiesinger, I. 747–755
- Zeman, F., see Wiesinger, I. 747–755
- Zhang, L., see Stoltz, J.-F. 613–633
- Zhao, C.-K., see Yue, W.-W. 177–188
- Zhao, L.-x., see Chen, Y.-p. 235–244
- Zhao, L.-x., see Yao, M.-h. 223–233
- Zhong, R.-Q., see Wei, T.-T. 149–155
- Zhou, J., see Lehmann, C. 655–662
- Zhou, L., see Wei, T.-T. 149–155
- Zimmermann, H., J. Rübenthaler, P. Paprottka, K.J. Paprottka, M. Reiser and D.A. Clevert, Feasibility of contrast-enhanced ultrasound with image fusion of CEUS and MS-CT for endovascular grafting in infrarenal abdominal aortic aneurysm in a single patient 711–719
- Zou, J., see Li, Z. 355–366