

Author Index Volume 20 (2016)

Abdelbar, A.M., see Salama, K.M.	(5)	1021–1059
Abdi, F., see Safaei, A.A.	(6)	1351–1384
Alatrasta-Salas, H., S. Bringay, F. Flouvat, N. Selmaoui-Folcher and M. Teisseire, Spatio-sequential patterns mining: Beyond the boundaries	(2)	293– 316
Altamirano-Gómez, G.E. and E. Bayro-Corrochano, Conformal geometric method for voting	(S)	S69– S82
Anwar, I.M., see Salama, K.M.	(5)	1021–1059
Ao, X., see Wang, H.	(5)	1085–1099
Arana-Daniel, N., see López-González, G.	(S)	S109–S119
Argueta, C., F.H. Calderon and Y.-S. Chen, Multilingual emotion classifier using unsupervised pattern extraction from microblog data	(6)	1477–1502
Athitsos, V., see Kotsifakos, A.	(1)	5– 27
Averbuch, A., see Nemtsov, A.	(5)	997–1019
Bai, Q., see Zhao, X.	(6)	1307–1328
Bai, S., see Zhao, X.	(6)	1307–1328
Bayro-Corrochano, E., see Altamirano-Gómez, G.E.	(S)	S69– S82
Bayro-Corrochano, E., see López-González, G.	(S)	S109–S119
Beigy, H., see Dehghan, M.	(6)	1329–1350
Beigy, H., see Zamani, M.	(4)	877– 889
Bellodi, E., F. Riguzzi and E. Lamma, Statistical relational learning for workflow mining	(3)	515– 541
Ben Amor, N., see Ben Ishak, M.	(3)	615– 635
Ben Ishak, A., Variable selection using support vector regression and random forests: A comparative study	(1)	83– 104
Ben Ishak, M., P. Leray and N. Ben Amor, Probabilistic relational model benchmark generation: Principle and application	(3)	615– 635
Bender, A., see Rahmani, H.	(1)	183– 197
Bhavsar, H. and A. Ganatra, EuDiC SVM: A novel Support Vector Machine classi- fication algorithm	(6)	1285–1305
Bian, W., see Yu, Q.	(6)	1247–1265
Bidar, M., see Fattahi, E.	(1)	153– 165
Bielza, C., see Borchani, H.	(2)	257– 280
Blockeel, H., see Rahmani, H.	(1)	183– 197
Bonastre, J.-F., see Hernández-Sierra, G.	(S)	S83– S94
Borchani, H., P. Larrañaga, J. Gama and C. Bielza, Mining multi-dimensional concept-drifting data streams using Bayesian network classifiers	(2)	257– 280

- Breugelmans, J., see Yu, M. (2) 377– 393
- Bringay, S., see Alatrística-Salas, H. (2) 293– 316
- Calderon, F.H., see Argueta, C. (6) 1477–1502
- Calvo, J.R., see Hernández-Sierra, G. (S) S83– S94
- Cao, W., see Song, A. (1) 105– 128
- Cardiff, J., see Perez-Tellez, F. (1) 47– 65
- Carrasco-Ochoa, J.A., see Lazo-Cortés, M.S. (2) 317– 337
- Chakraborty, S. and B.K. Tripathy, Privacy preserving anonymization of social networks using eigenvector centrality approach (3) 543– 560
- Chan, K.-S., see Xu, S. (3) 561– 574
- Chao, G. and S. Sun, Multi-kernel maximum entropy discrimination for multi-view learning (3) 481– 493
- Chen, C., see Yu, Q. (6) 1247–1265
- Chen, H.-Y., see Lin, J.C.-W. (3) 655– 677
- Chen, J., see Song, A. (1) 105– 128
- Chen, M., X. Tan and L. Zhang, An iterative self-training support vector machine algorithm in brain-computer interfaces (1) 67– 82
- Chen, Y., see Li, Z. (6) 1405–1423
- Chen, Y.-S., see Argueta, C. (6) 1477–1502
- Cheng, P., I. Lee, C.-W. Lin and J.-S. Pan, Association rule hiding based on evolutionary multi-objective optimization (3) 495– 514
- Coello Coello, C.A., see Rosales-Pérez, A. (S) S37– S51
- Consoli, S., M. Turchi and D. Perrotta, A local search approach for generating directional data (2) 439– 453
- de Luna, M.A., see Ocampo-Vega, R. (S) S53– S67
- Dehghan, M., H. Beigy and P. ZareMoodi, A novel concept drift detection method in data streams using ensemble classifiers (6) 1329–1350
- Deisy, C., see Moses, D. (3) 575– 596
- Devaraj, D., see Vanitha, C.D.A. (6) 1425–1439
- Diaz, G.S., see Lazo-Cortés, M.S. (2) 317– 337
- Ding, X., see Song, A. (1) 105– 128
- Dolog, P., see Hosseini-Pozveh, M. (1) 199– 218
- Dos Santos, J.A., see Ferreira, A. (S) S17– S36
- Drole, M. and I. Kononenko, Closed world specialisation inside the induction process (4) 745– 765
- Escalante, H.J., see Rosales-Pérez, A. (S) S37– S51
- Falcón-Morales, L.E., see Ocampo-Vega, R. (S) S53– S67
- Fattahi, E., M. Bidar and H.R. Kanan, Fuzzy Krill Herd (FKH): An improved optimization algorithm (1) 153– 165
- Febrer-Hernández, J.K., R. Hernández-León, C. Feregrino-Uribe and J. Hernández-Palancar, SPaC-NF: A classifier based on sequential patterns with high netconf (5) 1101–1113

Feki, A., see Ishak, A.B.	(5)	1199–1221
Feng, Q. and H. Jing, Approximations and uncertainty measurements in ordered information systems	(4)	723– 743
Feregrino-Uribe, C., see Febrer-Hernández, J.K.	(5)	1101–1113
Ferguson, A.L., see Hu, J.	(3)	637– 654
Ferreira, A., J.A. Dos Santos and A. Rocha, Multi-directional and multi-scale perturbation approaches for blind forensic median filtering detection	(S)	S17– S36
Flouvat, F., see Alatrística-Salas, H.	(2)	293– 316
Gama, J., see Borchani, H.	(2)	257– 280
Gan, W., see Lin, J.C.-W.	(3)	655– 677
Gan, W., see Lin, J.C.-W.	(4)	891– 913
Ganatra, A., see Bhavsar, H.	(6)	1285–1305
Gao, G., see Yu, M.	(2)	377– 393
Gao, J., see Xu, S.	(3)	561– 574
Gaussier, E., see Mirisae, H.	(4)	783– 807
Geng, P., see Li, X.	(1)	29– 45
Gonzalez, J.A., see Rosales-Pérez, A.	(S)	S37– S51
Guerine, M., I. Rosseti and A. Plastino, Extending the hybridization of metaheuristics with data mining: Dealing with sequences	(5)	1133–1156
Hamzeh, A., see Rad, M.A.	(1)	129– 151
Han, S., X. Jin and J. Li, An assessment method for the impact of missing data in the rough set-based decision fusion	(6)	1267–1284
Hao, W., see Zhan, D.	(1)	167– 182
He, Q., see Wang, H.	(5)	1085–1099
Hernández-Palancar, J., see Febrer-Hernández, J.K.	(5)	1101–1113
Hernández, N., see Martínez-Díaz, Y.	(S)	S141–S154
Hernández-León, R., see Febrer-Hernández, J.K.	(5)	1101–1113
Hernández-Sierra, G., J.R. Calvo and J.-F. Bonastre, Speaker recognition using temporal information and session variability compensation in a binary framework	(S)	S83– S94
Holder, L.B., see Yao, Y.	(4)	825– 852
Hong, T.-P., see Lin, J.C.-W.	(3)	655– 677
Hong, T.-P., see Lin, J.C.-W.	(4)	891– 913
Hosseini-Pozveh, M., K. Zamanifar, A.R. Naghsh-Nilchi and P. Dolog, Maximizing the spread of positive influence in signed social networks	(1)	199– 218
Hu, J. and A.L. Ferguson, Global graph matching using diffusion maps	(3)	637– 654
Hua, X., see Xu, S.	(3)	561– 574
Ishak, A.B. and A. Feki, A discriminating study between three categories of banks based on statistical learning approaches	(5)	1199–1221
Jin, D., see Zhan, D.	(1)	167– 182
Jin, X., see Han, S.	(6)	1267–1284
Jin, X., see Wang, H.	(5)	1085–1099

- Jing, H., see Feng, Q. (4) 723– 743
- Kanan, H.R., see Fattahi, E. (1) 153– 165
- Kangavari, M., see Mirzamomen, Z. (4) 767– 782
- Karki, B., see Shakya, S. (5) 1181–1198
- Kawulok, J., see Kawulok, M. (S) S121–S139
- Kawulok, M., J. Kawulok, J. Nalepa and B. Smolka, Hybrid adaptation for detecting skin in color images (S) S121–S139
- Khokhlov, M., see Žliobaitė, I. (6) 1459–1475
- Kim, D. and U. Yun, Mining high utility itemsets based on the time decaying model (5) 1157–1180
- Kolehmainen, M., see Saarenpää, J. (2) 339– 355
- Kononenko, I., see Drole, M. (4) 745– 765
- Kotsifakos, A., V. Athitsos and P. Papapetrou, Query-sensitive distance measure selection for time series nearest neighbor classification (1) 5– 27
- Lamma, E., see Bellodi, E. (3) 515– 541
- Lara-Álvarez, C. and A. Rojas-Domínguez, Geometric indexing for recognition of places based on expanded delaunay triangulation (S) S95–S107
- Larrañaga, P., see Borchani, H. (2) 257– 280
- Lazo-Cortés, M.S., J.F. Martínez-Trinidad, J.A. Carrasco-Ochoa and G.S. Diaz, A new algorithm for computing reducts based on the binary discernibility matrix (2) 317– 337
- Lee, G.H., Grid-based dynamic clustering with grid proximity measure (4) 853– 875
- Lee, I., see Cheng, P. (3) 495– 514
- Lee, M. and B.-W. On, Effective social graph visualization techniques using friend and hierarchical matching (2) 417– 438
- Leray, P., see Ben Ishak, M. (3) 615– 635
- Li, J., see Han, S. (6) 1267–1284
- Li, J., see Song, W. (4) 915– 931
- Li, K., see Shao, F. (3) 597– 613
- Li, M., see Song, A. (1) 105– 128
- Li, S.-T., see Lin, J.C.-W. (3) 655– 677
- Li, X., P. Geng and B. Qiu, A cluster boundary detection algorithm based on shadowed set (1) 29– 45
- Li, X., see Xu, S. (3) 561– 574
- Li, Z., Q. Zhu and Y. Chen, A test sample oriented two-phase discriminative dictionary learning algorithm for face recognition (6) 1405–1423
- Lin, C.-W., see Cheng, P. (3) 495– 514
- Lin, J.C.-W., W. Gan and T.-P. Hong, A fast maintenance algorithm of the discovered high-utility itemsets with transaction deletion (4) 891– 913
- Lin, J.C.-W., W. Gan, T.-P. Hong, H.-Y. Chen and S.-T. Li, An efficient algorithm to maintain the discovered frequent sequences with record deletion (3) 655– 677
- Lin, Y., see Yu, M. (2) 377– 393
- López-González, G., N. Arana-Daniel and E. Bayro-Corrochano, Quaternion support vector classifier (S) S109–S119

Louveau, Q., A. Mathei and S. Mathieu, Box search for the data mining of the key parameters of an industrial process	(6)	1385–1403
Lu, H., see Zhan, D.	(1)	167– 182
Lu, S.-L. and C.-F. Tsai, The Markov-exponential grey model for efficient forecasting management	(6)	1441–1457
Luo, Y., see Yu, Q.	(6)	1247–1265
Ma, Q.-Q., see Yu, H.-T.	(4)	809– 824
Martínez-Díaz, Y., N. Hernández and H. Méndez-Vázquez, Multi-face tracking based on spatio-temporal detections	(S)	S141–S154
Martínez-Trinidad, J.F., see Lazo-Cortés, M.S.	(2)	317– 337
Mathei, A., see Louveau, Q.	(6)	1385–1403
Mathieu, S., see Louveau, Q.	(6)	1385–1403
Mehrizi, A. and H.S. Yazdi, Semi-supervised GSOM integrated with extreme learning machine	(5)	1115–1132
Méndez-Vázquez, H., see Martínez-Díaz, Y.	(S)	S141–S154
Mirisaee, H., E. Gaussier and A. Termier, Efficient local search for L_1 and L_2 binary matrix factorization	(4)	783– 807
Mirzaei, A., see Rashedi, E.	(2)	271– 291
Mirzamomen, Z. and M. Kangavari, Fuzzy min-max neural network based decision trees	(4)	767– 782
Montazeri, M., HHFS: Hyper-heuristic feature selection	(4)	953– 974
Moral, S., see Oviedo, B.	(4)	933– 951
Mosaferi, M., see Safaei, A.A.	(6)	1351–1384
Moses, D. and C. Deisy, m-CADE: A mobile based cardiovascular abnormality detection engine using efficient multi-domain feature combinations	(3)	575– 596
Naghsh-Nilchi, A.R., see Hosseini-Pozveh, M.	(1)	199– 218
Nalepa, J., see Kawulok, M.	(S)	S121–S139
Nemtsov, A., A. Averbuch and A. Schclar, Matrix compression using the Nyström method	(5)	997–1019
Niska, H., see Saarenpää, J.	(2)	339– 355
Ocampo-Vega, R., G. Sanchez-Ante, M.A. de Luna, R. Vega, L.E. Falcón-Morales and H. Sossa, Improving pattern classification of DNA microarray data by using-PCA and logistic regression	(S)	S53– S67
On, B.-W., see Lee, M.	(2)	417– 438
Oviedo, B., S. Moral and A. Puris, A hierarchical clustering method: Applications to educational data	(4)	933– 951
Pan, J.-S., see Cheng, P.	(3)	495– 514
Papapetrou, P., see Kotsifakos, A.	(1)	5– 27
Pazouki, E. and M. Rahmati, Multiphase vs. single-phase variational level set approach for video data association	(3)	679– 699

- Perez-Tellez, F., J. Cardiff, P. Rosso and D. Pinto, Prototype/topic based clustering method for weblogs (1) 47– 65
- Perrotta, D., see Consoli, S. (2) 439– 453
- Pinto, D., see Perez-Tellez, F. (1) 47– 65
- Plantevit, M., C. Robardet and V.-M. Scuturici, Graph dependency construction based on interval-event dependencies detection in data streams (2) 223– 256
- Plastino, A., see Guerine, M. (5) 1133–1156
- Pu, K., see Song, A. (1) 105– 128
- Puris, A., see Oviedo, B. (4) 933– 951
- Qiu, B., see Li, X. (1) 29– 45
- Rad, M.A. and A. Hamzeh, A coevolutionary approach to many objective optimization based on a novel ranking method (1) 129– 151
- Rahmani, H., B. Ranjbar-Sahraei, G. Weiss and K. Tuyls, Entity resolution in disjoint graphs: An application on genealogical data (2) 455– 475
- Rahmani, H., H. Blockeel and A. Bender, Using a Human Drug Network for generating novel hypotheses about drugs (1) 183– 197
- Rahmati, M., see Pazouki, E. (3) 679– 699
- Rahmati, M., see Rashedi, E. (2) 271– 291
- Ranjbar-Sahraei, B., see Rahmani, H. (2) 455– 475
- Rashedi, E., A. Mirzaei and M. Rahmati, Optimized aggregation function in hierarchical clustering combination (2) 271– 291
- Reyes-Garcia, C.A., see Rosales-Pérez, A. (S) S37– S51
- Riguzzi, F., see Bellodi, E. (3) 515– 541
- Robardet, C., see Plantevit, M. (2) 223– 256
- Rocha, A., see Ferreira, A. (S) S17– S36
- Rojas-Domínguez, A., see Lara-Álvarez, C. (S) S95–S107
- Rosales-Pérez, A., J.A. Gonzalez, C.A. Coello Coello, C.A. Reyes-Garcia and H.J. Escalante, EMOPG+FS: Evolutionary multi-objective prototype generation and feature selection (S) S37– S51
- Rosseti, I., see Guerine, M. (5) 1133–1156
- Rosso, P., see Perez-Tellez, F. (1) 47– 65
- Ryang, H., U. Yun and K.H. Ryu, Fast algorithm for high utility pattern mining with the sum of item quantities (2) 395– 415
- Ryazanov, V., About estimation of quality of clustering results via its stability (S) S5– S15
- Ryu, K.H., see Ryang, H. (2) 395– 415
- Saarenpää, J., M. Kolehmainen and H. Niska, Identifying socio-demographically favourable area types for early hybrid electric vehicle adoption through mining of public sector data (2) 339– 355
- Safaei, A.A., M. Mosafari and F. Abdi, Answering ad-hoc continuous aggregate queries over data streams using Dynamic Prefix Aggregate Tree (6) 1351–1384
- Salama, K.M., A.M. Abdelbar and I.M. Anwar, Data reduction for classification with ant colony algorithms (5) 1021–1059

- Sanchez-Ante, G., see Ocampo-Vega, R. (S) S53– S67
- Schclar, A., see Nemtsov, A. (5) 997–1019
- Scuturici, V.-M., see Plantevit, M. (2) 223– 256
- Selmaoui-Folcher, N., see Alatrística-Salas, H. (2) 293– 316
- Shaban, A., see Zamani, M. (4) 877– 889
- Shakya, S., J. Zhang and B. Karki, ToPoMine: A graph miner for analysis of atom-dynamics simulation data in material science (5) 1181–1198
- Shao, F., K. Li and X. Xu, Railway accidents analysis based on the improved algorithm of the maximal information coefficient (3) 597– 613
- Shen, C.-Y. and H.-F. Wang, Electricity load forecasting in a smart grid system (5) 1223–1242
- Sheng, Q.Z., see Zhang, Y. (5) 979– 995
- Smolka, B., see Kawulok, M. (S) S121–S139
- Song, A., X. Ding, J. Chen, M. Li, W. Cao and K. Pu, Multi-objective association rule mining with binary bat algorithm (1) 105– 128
- Song, W., C. Wang and J. Li, Binary partition for itemsets expansion in mining high utility itemsets (4) 915– 931
- Sossa, H., see Ocampo-Vega, R. (S) S53– S67
- Sun, S., see Chao, G. (3) 481– 493
- Sun, Z., see Wang, X. (3) 701– 717
- Szabo, C., see Zhang, Y. (5) 979– 995
- Tan, X., see Chen, M. (1) 67– 82
- Tang, X., see Yu, M. (2) 377– 393
- Teisseire, M., see Alatrística-Salas, H. (2) 293– 316
- Teng, G., see Wang, X. (3) 701– 717
- Termier, A., see Mirisae, H. (4) 783– 807
- Tripathy, B.K., see Chakraborty, S. (3) 543– 560
- Tsai, C.-F., see Lu, S.-L. (6) 1441–1457
- Tüfekci, P., Classification-based prediction models for stock price index movement (2) 357– 376
- Turchi, M., see Consoli, S. (2) 439– 453
- Tuyls, K., see Rahmani, H. (2) 455– 475
- Vágner, A., The GridOPTICS clustering algorithm (5) 1061–1084
- Vanitha, C.D.A., D. Devaraj and M. Venkatesulu, Multiclass cancer diagnosis in microarray gene expression profile using mutual information and Support Vector Machine (6) 1425–1439
- Vega, R., see Ocampo-Vega, R. (S) S53– S67
- Venkatesulu, M., see Vanitha, C.D.A. (6) 1425–1439
- Wang, C., see Song, W. (4) 915– 931
- Wang, H., F. Zhuang, X. Jin, X. Ao and Q. He, Bag of little bootstraps on features for enhancing classification performance (5) 1085–1099
- Wang, H.-F., see Shen, C.-Y. (5) 1223–1242
- Wang, S.-H., see Yu, H.-T. (4) 809– 824

- Wang, X., B. Zhang, F. Zhang, G. Teng, Z. Sun and J. Wei, Toward robust activity recognition: Hierarchical classifier based on Gaussian Process (3) 701– 717
- Wang, X., see Yu, M. (2) 377– 393
- Wang, Y., see Yu, M. (2) 377– 393
- Wei, J., see Wang, X. (3) 701– 717
- Weiss, G., see Rahmani, H. (2) 455– 475
- Xu, S., K.-S. Chan, T. Zhou, J. Gao, X. Li and X. Hua, A novel cluster ensemble approach effected by subspace similarity (3) 561– 574
- Xu, X., see Shao, F. (3) 597– 613
- Yao, Y. and L.B. Holder, Incremental SVM-based classification in dynamic streaming networks (4) 825– 852
- Yazdi, H.S., see Mehrizi, A. (5) 1115–1132
- Yu, H.-T., S.-H. Wang and Q.-Q. Ma, Link prediction algorithm based on the choquet fuzzy integral (4) 809– 824
- Yu, M., Y. Lin, J. Breugelmanns, X. Wang, Y. Wang, G. Gao and X. Tang, A spatial-temporal trajectory clustering algorithm for eye fixations identification (2) 377– 393
- Yu, Q., Y. Luo, C. Chen and W. Bian, Neighborhood relevant outlier detection approach based on information entropy (6) 1247–1265
- Yun, U., see Kim, D. (5) 1157–1180
- Yun, U., see Ryang, H. (2) 395– 415
- Zamani, M., H. Beigy and A. Shaban, Cascading randomized weighted majority: A new online ensemble learning algorithm (4) 877– 889
- Zamanifar, K., see Hosseini-Pozveh, M. (1) 199– 218
- ZareMoodi, P., see Dehghan, M. (6) 1329–1350
- Zhan, D., H. Lu, W. Hao and D. Jin, Improving particle swarm optimization: Using neighbor heuristic and Gaussian cloud learning (1) 167– 182
- Zhang, B., see Wang, X. (3) 701– 717
- Zhang, F., see Wang, X. (3) 701– 717
- Zhang, J., see Shakya, S. (5) 1181–1198
- Zhang, L., see Chen, M. (1) 67– 82
- Zhang, Y., C. Szabo and Q.Z. Sheng, Reduce or remove: Individual sensor reliability profiling and data cleaning (5) 979– 995
- Zhao, X., Q. Bai and S. Bai, Simple nonparallel laplacian SVM for semi-supervised learning on binary classification problem (6) 1307–1328
- Zhou, T., see Xu, S. (3) 561– 574
- Zhu, Q., see Li, Z. (6) 1405–1423
- Zhuang, F., see Wang, H. (5) 1085–1099
- Žliobaitė, I. and M. Khokhlov, Optimal estimates for short horizon travel time prediction in urban areas (6) 1459–1475