

Author Index Volume 24 (2016)

The issue number is given in front of the pagination

Abrahin, O., R.P. Rodrigues, A.M. Ramos, M.E. da Silva-Grigoletto, E. Pardono and A.C. Marçal, Active intervals during high-intensity resistance exercises enhance post-exercise hypotension in hypertensive women controlled by medications (2) 141–147
Abt, J.P., see Allison, K.F. (4) 357–365
Abt, J.P., see Sell, T.C. (4) 349–356
Allison, K.F., J.P. Abt, K. Beals, E.F. Nagle, M.T. Lovalekar, S.M. Lephart and T.C. Sell, Aerobic capacity and isometric knee flexion strength fatigability are related to knee kinesthesia in physically active women (4) 357–365
Alt, T., M. Richert, Y.M. Schwarz, A.J. Knicker and H.K. Strüder, Minimal fixation suffices for supine isokinetic knee extension: A kinetic and 3D kinematic analysis (4) 301–311
Amiri, A., see Shanbehzadeh, S. (3) 195–199
Arevalo, J.A., see McLeland, K.A. (1) 33–38

Bagley, J.R., see McLeland, K.A. (1) 33–38
Balci, G.A., see Colakoglu, M. (2) 133–139
Baptista, R.A., see Barbosa, A.G. (2) 125–132
Baptista, R.A., see Martin, J.L. (3) 181–187
Barbosa, A.G., E.V. Gutierrez, M.W. Keller, J.L. Martin, J.D. McArtor, R.A. Baptista, J.O. West and J.F. Caruso, Performance-based correlates to vertical jump height and power values (2) 125–132
Beals, K., see Allison, K.F. (4) 357–365
Becker, J., see Dias, C.P. (2) 157–164
Ben-Sira, D., see Dunsky, A. 51–58
Beyer, K.S., D.H. Fukuda, A.M. Miramonti, D.D. Church, S. Tanigawa, J.R. Stout and J.R. Hoffman, Strength ratios are affected by years of experience in American collegiate rugby athletes: A preliminary study (3) 257–262
Bonganha, V., see Libardi, C.A. (2) 165–170
Bottaro, M., see Guedes, R. (2) 149–156

Bowdle, R.H.W., B.L. Warren and J. Kim, Time of day effect on isokinetic peak torque during knee flexion and extension (4) 285–293
Brown, L.E., see Guedes, R. (2) 149–156
Brown, L.E., see McLeland, K.A. (1) 33–38
Brugnara Jr, A., see Matos, A.P. (2) 83–89
Bulińska, K., see Dziubek, W. (3) 237–246
Bury, T., see Le Goff, C. (3) 201–208

Çakır, T., N.F. Toraman, A. Uçkun and Ü. Yalçın, Isokinetic exercise improves concentric knee flexion torque better than isometric exercise in patients with advanced osteoarthritis (1) 7–15
Camic, C.L., see Hill, E.C. (1) 1–6
Carregaro, R.L., see Guedes, R. (2) 149–156
Caruso, J.F., see Barbosa, A.G. (2) 125–132
Caruso, J.F., see Martin, J.L. (3) 181–187
Cavaglieri, C.R., see Libardi, C.A. (2) 165–170
Cavalcante, B.R., see Montenegro, R.A. (1) 17–24
Cavalier, E., see Le Goff, C. (3) 201–208
Cesarz, G., see Martin, J.L. (3) 181–187
Chacon-Mikahil, M.P.T., see Libardi, C.A. (2) 165–170
Chapelle, J.-P., see Le Goff, C. (3) 201–208
Church, D.D., see Beyer, K.S. (3) 257–262
Ciccone, A.B., see McLeland, K.A. (1) 33–38
Clark, N.C., see Sell, T.C. (4) 349–356
Clutter, L.B., see Martin, J.L. (3) 181–187
Coburn, J.W., see McLeland, K.A. (1) 33–38
Coburn, Jared W., see Gulick, C.N. (4) 295–300
Cochrane, K.C., see Hill, E.C. (1) 1–6
Colakoglu, M., O. Ozkaya, G.A. Balci and B. Yapiçoglu, Stroke volume responses may be related to the gap between peak and maximal O₂ consumption (2) 133–139
Conceição, M.S., see Libardi, C.A. (2) 165–170
Contreras, B., see Schoenfeld, B.J. (3) 217–224
Costa, P.B., see Gulick, C.N. (4) 295–300

- Cramer, J.T., see Hill, E.C. (1) 1–6
- Croisier, J.-L., see Le Goff, C. (3) 201–208
- Crozara, L.F., M.H. Morcelli, C.Z. Hallal, N.R. Marques, D.H. Spinozo, M.F. Goethel, E.R. Vieira and M. Gonçalves, Effect of age and fall status on lower-extremity muscle activation and joint torque and power in physically active women (1) 67–77
- Cynn, H.-S., see Yoon, T.-L. (4) 341–347
- da Silva-Grigoletto, M.E., see Abrahim, O. (2) 141–147
- Damotte, A., see Edouard, P. (3) 231–236
- de A. Correia, M., see Montenegro, R.A. (1) 17–24
- de Lima, P.F.M., see Montenegro, R.A. (1) 17–24
- de Moraes, A.C., see Libardi, C.A. (2) 165–170
- de Oliveira-Neto, L., see Montenegro, R.A. (1) 17–24
- de Paleville, D.T., see Martin, J.L. (3) 181–187
- Dias, C.P., F.J. Lanferdini, E. dos Santos Onzi, N.B.A. Goulart, J. Becker, I. Gomes and M.A. Vaz, The influence of hemiparesis on triceps surae morphological and mechanical properties in stroke survivors (2) 157–164
- do Carmo, J., see Guedes, R. (2) 149–156
- dos Santos Onzi, E., see Dias, C.P. (2) 157–164
- Dunsky, A. and D. Ben-Sira, Do different warm-up protocols affect isometric explosive muscular contraction? (1) 51–58
- Dziedzej, A., see Kujach, S. (3) 263–275
- Dziubek, W., K. Bulińska, Ł. Rogowski, M. Kusztal, A. Zembroń-Łacny, T. Gołębowski, D. Markowska, M. Klinger and M. Woźniewski, Three-month endurance training improves functional fitness and knee muscle performance of patients with end stage renal disease (ESRD) (3) 237–246
- Edouard, P., G. Lardy, A. Damotte and D. Gasq, Shoulder sensorimotor control in overhead athletes: A pilot study (3) 231–236
- Farinatti, P.T.V., see Montenegro, R.A. (1) 17–24
- Fazolin, M.F., see Libardi, C.A. (2) 165–170
- Feriche, B., see García-Ramos, A. (2) 115–124
- Fernandes, J.F.T., K.L. Lamb and C. Twist, The intra- and inter-day reproducibility of the FitroDyne as a measure of multi-jointed muscle function (1) 39–49
- Fontana, F., see Schoenfeld, B.J. (3) 217–224
- Fontes, E.B., see Montenegro, R.A. (1) 17–24
- Forthomme, B., see Le Goff, C. (3) 201–208
- Fu, W., see Zhang, S. (1) 59–65
- Fukuda, D.H., see Beyer, K.S. (3) 257–262
- Gadelha, M.R., see Walchana, E.M. (4) 331–340
- Galpin, A.J., see Gulick, C.N. (4) 295–300
- Galpin, A.J., see McLeland, K.A. (1) 33–38
- García-Pinillos, F., F.T. González-Fernández, V.M. Soto-Hermoso and P.A. Latorre-Román, A high-intensity intermittent-based running programme allows triathletes to reduce weekly running distances without impairing muscular performance and body composition (4) 313–321
- García-Pinillos, F., J.A. Párraga-Montilla, V.M. Soto-Hermoso, J. Salas-Sánchez and P.Á. Latorre-Román, Acute metabolic, physiological and neuromuscular responses to two high-intensity intermittent training protocols in endurance runners (2) 99–106
- García-Ramos, A., G.G. Haff, P. Padial and B. Feriche, Optimal load for maximizing upper-body power: Test-retest reproducibility (2) 115–124
- García-Ramos, A., V. Nebot and P. Padial, Effects of short inter-repetition rest periods on power output losses during the half squat exercise (4) 323–350
- Gasq, D., see Edouard, P. (3) 231–236
- Goethel, M.F., see Crozara, L.F. (1) 67–77
- Gołębowski, T., see Dziubek, W. (3) 237–246
- Gomes, I., see Dias, C.P. (2) 157–164
- Gonçalves, M., see Crozara, L.F. (1) 67–77
- González-Fernández, F.T., see García-Pinillos, F. (4) 313–321
- Goulart, N.B.A., see Dias, C.P. (2) 157–164
- Grzywacz, T., see Kujach, S. (3) 263–275
- Guedes, R., M. Bottaro, I. Magalhães, M. Trindade, L.E. Brown, J. do Carmo and R.L. Carregaro, The effects of Kinesiotaping on quadriceps muscle performance at different velocities: A randomized controlled trial (2) 149–156
- Guimarães, F.S., see Walchana, E.M. (4) 331–340
- Gulick, C.N., Jared W. Coburn, A.J. Galpin and P.B. Costa, Mechanomyographic amplitude and frequency vs. isometric torque relationships in women with higher vs. lower strength (4) 295–300
- Gutierrez, E.V., see Barbosa, A.G. (2) 125–132
- Haff, G.G., see García-Ramos, A. (2) 115–124
- Hallal, C.Z., see Crozara, L.F. (1) 67–77
- Hankey, A., see Mohanty, S. (2) 107–114
- Hayes, S.C., see Northgraves, M.J. (3) 171–179
- Hill, E.C., T.J. Housh, C.L. Camic, N.D.M. Jenkins, C.M. Smith, K.C. Cochrane, J.T. Cramer, R.J. Schmidt, M.M. Monaghan and G.O. Johnson, The effects of velocity on peak torque and neuromuscular responses during eccentric muscle actions (1) 1–6

- Hoffman, J.R., see Beyer, K.S. (3) 257–262
- Housh, T.J., see Hill, E.C. (1) 1–6
- Jamshidi, A.A., see Shanbehzadeh, S. (3) 195–199
- Jenkins, N.D.M., see Hill, E.C. (1) 1–6
- Johnson, G.O., see Hill, E.C. (1) 1–6
- Ju, S.-K. and W.-G. Yoo, Electromyographic analysis of gluteus medius subdivisions during hip abductor strengthening exercises (2) 91–98
- Kasuki, L., see Walchana, E.M. (4) 331–340
- Kaux, J.-F., see Le Goff, C. (3) 201–208
- Kavaliauskas, M. and S.M. Phillips, Reliability and sensitivity of the 6 and 30 second Wingate tests in physically active males and females (3) 277–284
- Keller, M.W., see Barbosa, A.G. (2) 125–132
- Kim, J., see Bowdle, R.H.W. (4) 285–293
- Kim, K.-S., see Yoon, T.-L. (4) 341–347
- Klinger, M., see Dziubek, W. (3) 237–246
- Knicker, A.J., see Alt, T. (4) 301–311
- Kujach, S., E. Ziemann, T. Grzywacz, M. Luszczky, M. Smaruj, A. Dzedzej and R. Laskowski, Muscle oxygenation in response to high intensity interval exercises among high trained judokas (3) 263–275
- Kusztal, M., see Dziubek, W. (3) 237–246
- Lamb, K.L., see Fernandes, J.F.T. (1) 39–49
- Lanferdini, F.J., see Dias, C.P. (2) 157–164
- Lardy, G., see Edouard, P. (3) 231–236
- Laskowski, R., see Kujach, S. (3) 263–275
- Latorre-Román, P.Á., see García-Pinillos, F. (2) 99–106
- Latorre-Román, P.A., see García-Pinillos, F. (4) 313–321
- Laurent, T., see Le Goff, C. (3) 201–208
- Le Goff, C., J.-F. Kaux, T. Laurent, J. Vannuscorps, L. Seidel, C. Rodriguez de la Cruz, B. Forthomme, T. Bury, J.-P. Chapelle, E. Cavalier and J.-L. Croisier, The cardiovascular impact of intense eccentric isokinetic exercise versus aerobic treadmill running (3) 201–208
- Lephart, S.M., see Allison, K.F. (4) 357–365
- Lephart, S.M., see Sell, T.C. (4) 349–356
- Libardi, C.A., T.M.F. Souza, M.S. Conceição, M.P.T. Chacon-Mikahil, C. Ugrinowitsch, V. Bonganha, M.F. Fazolin, A.C. de Moraes and C.R. Cavaglieri, The number of sessions required to stabilize peak torque and rate of torque development in isometric contractions in young, middle-age and older individuals (2) 165–170
- Lombardi Jr, I., see Matos, A.P. (2) 83–89
- Lopes, A.J., see Walchana, E.M. (4) 331–340
- Lovalekar, M., see Sell, T.C. (4) 349–356
- Lovalekar, M.T., see Allison, K.F. (4) 357–365
- Luszczky, M., see Kujach, S. (3) 263–275
- Madden, L.A., see Northgraves, M.J. (3) 171–179
- Magalhães, I., see Guedes, R. (2) 149–156
- Malyszek, K.K., see McLeland, K.A. (1) 33–38
- Marçal, A.C., see Abrahim, O. (2) 141–147
- Markowska, D., see Dziubek, W. (3) 237–246
- Marques, N.R., see Crozara, L.F. (1) 67–77
- Marshall, P., see Northgraves, M.J. (3) 171–179
- Martin, J.L., R.A. Perry, R.A. Baptista, J.D. McArtor, L.B. Clutter, T.B. Symons, D.T. de Paleville, A. Roberts, G. Cesarz and J.F. Caruso, Workload impact on gender-based differences in delta blood lactate concentrations from supramaximal exercise (3) 181–187
- Martin, J.L., see Barbosa, A.G. (2) 125–132
- Matos, A.P., R.S. Navarro, I. Lombardi Jr, A. Brugnera Jr, E. Munin and A.B. Villaverde, Pre-exercise LED phototherapy (638 nm) prevents grip strength loss in elderly women: A double-blind randomized controlled trial (2) 83–89
- McArtor, J.D., see Barbosa, A.G. (2) 125–132
- McArtor, J.D., see Martin, J.L. (3) 181–187
- McLeland, K.A., C.V. Ruas, J.A. Arevalo, J.R. Bagley, A.B. Ciccone, L.E. Brown, J.W. Coburn, A.J. Galpin and K.K. Malyszek, Comparison of knee extension concentric fatigue between repetition ranges (1) 33–38
- Meijer, K., see Ten Hoor, G.A. (3) 209–216
- Menêses, A.L., see Montenegro, R.A. (1) 17–24
- Miramonti, A.M., see Beyer, K.S. (3) 257–262
- Mohanty, S., B. Pradhan and A. Hankey, Upper extremity strength and motor speed in children with visual impairment following a 16-week yoga training program (2) 107–114
- Monaghan, M.M., see Hill, E.C. (1) 1–6
- Montenegro, R.A., P.T.V. Farinatti, P.F.M. de Lima, A.H. Okano, A.L. Menêses, L. de Oliveira-Neto, B.R. Cavalcante, M. de A. Correia, E.B. Fontes and R.M. Ritti-Dias, Motor cortex tDCS does not modulate perceived exertion within multiple-sets of resistance exercises (1) 17–24
- Morcelli, M.H., see Crozara, L.F. (1) 67–77
- Munin, E., see Matos, A.P. (2) 83–89
- Musch, K., see Ten Hoor, G.A. (3) 209–216
- Nagle, E.F., see Allison, K.F. (4) 357–365

- Nassadj, G., see Shanbehzadeh, S. (3) 195–199
- Navarro, R.S., see Matos, A.P. (2) 83–89
- Nebot, V., see García-Ramos, A. (4) 323–350
- Northgraves, M.J., S.C. Hayes, P. Marshall, L.A. Madden and R.V. Vince, The test-retest reliability of four functional mobility tests in apparently healthy adults (3) 171–179
- Ogborn, D., see Schoenfeld, B.J. (3) 217–224
- Okano, A.H., see Montenegro, R.A. (1) 17–24
- Özdal, M., Influence of an eight-week core strength training program on respiratory muscle fatigue following incremental exercise (3) 225–230
- Ozkaya, O., see Colakoglu, M. (2) 133–139
- Ozkaya, O., see Pekünlü, E. (1) 25–31
- Padial, P., see García-Ramos, A. (2) 115–124
- Padial, P., see García-Ramos, A. (4) 323–350
- Pardono, E., see Abrahin, O. (2) 141–147
- Park, S.-Y. and W.-G. Yoo, Effect of height of feet on trunk muscle activity and pelvic tilt angle during prone bridge exercises (3) 189–194
- Párraga-Montilla, J.A., see García-Pinillos, F. (2) 99–106
- Paschalidis, V., see Tsiokanos, A. (1) 79–82
- Pekünlü, E., O. Ozkaya and B. Yapıcıoglu, Drop in mechanical work: A highly reliable fatigue-related output in Wingate All-out Test (1) 25–31
- Perry, R.A., see Martin, J.L. (3) 181–187
- Phillips, S.M., see Kavaliauskas, M. (3) 277–284
- Pirali, M., see Shanbehzadeh, S. (3) 195–199
- Plasqui, G., see Ten Hoor, G.A. (3) 209–216
- Pradhan, B., see Mohanty, S. (2) 107–114
- Ramos, A.M., see Abrahin, O. (2) 141–147
- Richert, M., see Alt, T. (4) 301–311
- Ritti-Dias, R.M., see Montenegro, R.A. (1) 17–24
- Roberts, A., see Martin, J.L. (3) 181–187
- Rodrigues, R.P., see Abrahin, O. (2) 141–147
- Rodríguez de la Cruz, C., see Le Goff, C. (3) 201–208
- Rogowski, Ł., see Dziubek, W. (3) 237–246
- Ruas, C.V., see McLeland, K.A. (1) 33–38
- Salas-Sánchez, J., see García-Pinillos, F. (2) 99–106
- Schmidt, R.J., see Hill, E.C. (1) 1–6
- Schoenfeld, B.J., B. Contreras, A.D. Vigotsky, D. Ogborn, F. Fontana and G. Tiryaki-Sonmez, Upper body muscle activation during low-versus high-load resistance exercise in the bench press (3) 217–224
- Schwarz, Y.M., see Alt, T. (4) 301–311
- Seidel, L., see Le Goff, C. (3) 201–208
- Sell, T.C., N.C. Clark, J.P. Abt, M. Lovalekar and S.M. Lephart, Isokinetic strength of fully operational U.S. Navy SEALs with a previous history of shoulder and knee injury (4) 349–356
- Sell, T.C., see Allison, K.F. (4) 357–365
- Sertel, M., F.D. Üçsular and Ü. Uğurlu, The effects of worksite exercises on physical capabilities of workers in an industry of a developing country: A randomized controlled study (3) 247–255
- Shanbehzadeh, S., A. Amiri, M. Pirali, G. Nassadj, H.R. Yazdi and A.A. Jamshidi, Differential effects of ankle position on isokinetic knee extensor and flexor strength gains during strength training (3) 195–199
- Smaruj, M., see Kujach, S. (3) 263–275
- Smith, C.M., see Hill, E.C. (1) 1–6
- Soares, M.S., see Walchana, E.M. (4) 331–340
- Soto-Hermoso, V.M., see García-Pinillos, F. (2) 99–106
- Soto-Hermoso, V.M., see García-Pinillos, F. (4) 313–321
- Souza, T.M.F., see Libardi, C.A. (2) 165–170
- Spinozo, D.H., see Crozara, L.F. (1) 67–77
- Stout, J.R., see Beyer, K.S. (3) 257–262
- Strüder, H.K., see Alt, T. (4) 301–311
- Symons, T.B., see Martin, J.L. (3) 181–187
- Tanigawa, S., see Beyer, K.S. (3) 257–262
- Ten Hoor, G.A., K. Musch, K. Meijer and G. Plasqui, Test-retest reproducibility and validity of the back-leg-chest strength measurements (3) 209–216
- Tiryaki-Sonmez, G., see Schoenfeld, B.J. (3) 217–224
- Toraman, N.F., see Çakır, T. (1) 7–15
- Trindade, M., see Guedes, R. (2) 149–156
- Tsiokanos, A., V. Paschalidis and K. Valasotiris, Knee extension strength profile of elite Greek soccer players (1) 79–82
- Twist, C., see Fernandes, J.F.T. (1) 39–49
- Uçkun, A., see Çakır, T. (1) 7–15
- Üçsular, F.D., see Sertel, M. (3) 247–255
- Uğurlu, Ü., see Sertel, M. (3) 247–255
- Ugrinowitsch, C., see Libardi, C.A. (2) 165–170
- Valasotiris, K., see Tsiokanos, A. (1) 79–82
- Vannuscorps, J., see Le Goff, C. (3) 201–208
- Vaz, M.A., see Dias, C.P. (2) 157–164
- Vieira, E.R., see Crozara, L.F. (1) 67–77
- Vigotsky, A.D., see Schoenfeld, B.J. (3) 217–224
- Villaverde, A.B., see Matos, A.P. (2) 83–89

- Vince, R.V., see Northgraves, M.J. (3) 171–179
- Walchana, E.M., F.S. Guimarães, M.S. Soares, L. Kasuki, M.R. Gadelha and A.J. Lopes, Parameters of knee isokinetic dynamometry in individuals with acromegaly: Association with growth hormone levels and general fatigue (4) 331–340
- Wang, X., see Zhang, S. (1) 59–65
- Warren, B.L., see Bowdle, R.H.W. (4) 285–293
- West, J.O., see Barbosa, A.G. (2) 125–132
- Woźniewski, M., see Dziubek, W. (3) 237–246
- Xia, R., see Zhang, S. (1) 59–65
- Yalçın, Ü., see Çakır, T. (1) 7–15
- Yapıcıoglu, B., see Colakoglu, M. (2) 133–139
- Yapıcıoglu, B., see Pekünlü, E. (1) 25–31
- Yazdi, H.R., see Shanbehzadeh, S. (3) 195–199
- Yoo, W.-G., see Ju, S.-K. (2) 91–98
- Yoo, W.-G., see Park, S.-Y. (3) 189–194
- Yoon, T.-L., K.-S. Kim, H.-S. Cynn and K.-S. Kim, Comparison of the knee valgus angle, leg muscle activity, and vastus medialis oblique/vastus lateralis ratio during a single leg squat on flat and declined surfaces in individuals with patellofemoral pain syndrome (4) 341–347
- Zembroń-Łacny, A., see Dziubek, W. (3) 237–246
- Zhang, S., W. Fu, R. Xia and X. Wang, Compression apparel does not have an acute effect on quadriceps strength but is associated with changes in muscle activation patterns (1) 59–65
- Ziemann, E., see Kujach, S. (3) 263–275