

Erratum

Albuminuria and Microalbuminuria as Predictors of Cognitive Performance in a General Population: An 11-Year Follow-Up Study

Laura L. Ekblad, Sini Toppala, Jouni K. Johansson, Seppo Koskinen, Jouko Sundvall, Juha O. Rinne,
Pauli Puukka, Matti Viitanen and Antti Jula

[Journal of Alzheimer's Disease 62(2), 2018, 635-648, DOI 10.3233/JAD-170972]
<https://content.iospress.com/articles/journal-of-alzheimers-disease/jad170972>

On p. 642, in line 4 of the figure legend for Figure 2, the colors for “No albuminuria” and “Micro- or macroalbuminuria” are switched. “No albuminuria” should have an orange line, and “Micro- or macroalbuminuria” should have a blue line. The correct figure 2 is included on the next page.




Fig. 2. Age, sex, and education adjusted cognitive test scores at baseline and at follow-up in individuals with and without micro- or macroalbuminuria, in the study population that attended the follow-up examination, $n = 3,687$. The results are shown as adjusted means with 95% confidence intervals. p -values for a difference in the rate of decline in cognitive test scores between the two groups from 2000 to 2011, assessed with linear regression analysis and adjusted for age, sex, and education. — No albuminuria. — Micro- or macroalbuminuria.