Supplementary Material

Comparing Tau PET Visual Interpretation with Tau PET Quantification, Cerebrospinal Fluid Biomarkers, and Longitudinal Clinical Assessment

Supplementary Table 1. Participant characteristics for the Knight ADRC Data Freeze 1/				
		Tau PET	Αβ ΡΕΤ	CSF
			(¹¹ C-PiB)	
Number		494	738	1183
Mean age in years (SD)		70.4 (8.2)	68.6 (9.5)	69.2 (9.5)
Female (%)		274 (55.5)	425 (57.6)	640 (54.1)
Mean MMSE (SD)*		28.7 (2.1)	28.7 (1.9)	28.1 (2.8)
CDR®, n	0	415	608	862
	0.5	60	98	241
	1	17	21	75
	2	1	0	5
	Unknown*	1	11	0
APOE	2/2	1	3	4
genotype, n	2/3	56	81	113
	2/4	11	19	32
	3/3	236	369	566
	3/4	154	210	379
	4/4	27	42	75
	Unknown*	9	14	0

Supplementary Table 1. Participant characteristics for the Knight ADRC Data Freeze 17

*Not all participants with AD biomarkers had clinical and cognitive evaluations within 18 months, or known *APOE* genotypes; however, this does not warrant their exclusion when defining AD biomarker positive cutoffs, which in our study only rely on the biomarker values themselves.