

# Author Index Volume 24 (2011)

The issue number is given in front of the pagination

- Adedoyin, R.A., C.E. Mbada, A.O. Farotimi, O.E. Johnson and A.A.I. Emechete, Endurance of low back musculature: Normative data for adults (2) 101–109
- Akarirmak, U., see Uludag, M. (4) 257–261
- Akbas, M., N. Luleci, K. Dere, E. Luleci, U. Ozdemir and H. Toman, Efficacy of pulsed radiofrequency treatment on the saphenous nerve in patients with chronic knee pain (2) 77–82
- Akkaya, N., see Yildiz, N. (1) 39–47
- Alacid, F., see Muyor, J.M. (3) 129–135
- Ali, I., C. Ulbricht and A.H. McGregor, Degeneration of the extensor muscle group in a surgical low back and leg pain population (1) 23–30
- Altay, Z., see Nas, K. (2) 95–100
- Andriopoulou, M., see Christakou, A. (3) 145–154
- Ardicoglu, O., see Nas, K. (2) 95–100
- Asimakopoulos, P., see Christakou, A. (3) 145–154
- Atalay, N.S., see Yildiz, N. (1) 39–47
- Azari, P., see Benny, B. (2) 67–76
- Bagheri, H., see Talebian, S. (1) 17–22
- Balaban, B., see Taskaynatan, M.A. (4) 195–199
- Başkurt, F., see Başkurt, Z. (3) 173–179
- Başkurt, Z., F. Başkurt, N. Gelecek and M.H. Özkan, The effectiveness of scapular stabilization exercise in the patients with subacromial impingement syndrome (3) 173–179
- Baysal, O., see Nas, K. (2) 95–100
- Beis, J.N., see Ornetti, P. (4) 201–208
- Beladev, N. and Y. Masharawi, The effect of group-exercising on females with non-specific chronic low back pain in a sitting position: A pilot study (3) 181–188
- Benny, B. and P. Azari, The efficacy of lumbosacral transforaminal epidural steroid injections: A comprehensive literature review (2) 67–76
- Bethge, M., D. Herbold, L. Trowitzsch and C. Jacobi, Work status and health-related quality of life following multimodal work hardening: A cluster randomised trial (3) 161–172
- Bissell, G., see Smith, D. (4) 241–249
- Boerner, E., see Ratajczak, B. (3) 155–159
- Bozlar, U., see Taskaynatan, M.A. (4) 195–199
- Bruce-Low, S., see Smith, D. (4) 241–249
- Celik, D. and İ. Yeldan, The relationship between latent trigger point and muscle strength in healthy subjects: A double-blind study (4) 251–256
- Cevik, R., see Nas, K. (2) 95–100
- Chang, W.H., see Lee, S.C. (1) 31–38
- Christakou, A., M. Andriopoulou and P. Asimakopoulos, Validity and reliability of the Greek version of the Quebec Back Pain Disability Scale (3) 145–154
- Demidaś, A., see Ratajczak, B. (3) 155–159
- Dere, K., see Akbas, M. (2) 77–82
- Dere, K., see Luleci, N. (3) 189–194
- Dharni, H., see Duffell, L.D. (4) 215–223
- Duffell, L.D., H. Dharni, P.H. Strutton and A.H. McGregor, Electromyographic activity of the quadriceps components during the final degrees of knee extension (4) 215–223
- Durakbasa, M.O., see Ermis, M.N. (3) 137–144
- Durmus, B., see Nas, K. (2) 95–100
- Emechete, A.A.I., see Adedoyin, R.A. (2) 101–109
- Erdal, A., see Nas, K. (2) 95–100
- Erdogan, N., see Kesiktas, N. (1) 57–65
- Ermis, M.N., D. Yıldırım, M.O. Durakbasa, C. Tamam and O.E. Ermis, Medial superior cluneal nerve entrapment neuropathy in military personnel; diagnosis and etiologic factors (3) 137–144
- Ermis, O.E., see Ermis, M.N. (3) 137–144
- Ersoy, Y., see Nas, K. (2) 95–100
- Farotimi, A.O., see Adedoyin, R.A. (2) 101–109
- Frings-Dresen, M.H.W., see van der Worp, H. (1) 49–55

- Gelecek, N., see Başkurt, Z. (3) 173–179
- Goktepe, A.S., see Taskaynatan, M.A. (4) 195–199
- Golriz, S. and B. Walker, Can load carriage system weight, design and placement affect pain and discomfort? A systematic review (1) 1–16
- Gonçalves, M., N.R. Marques, C.Z. Hallal and J.H. van Dieën, Electromyographic activity of trunk muscles during exercises with flexible and non-flexible poles (4) 209–214
- Goodnight, S., see Wood, D. (2) 111–115
- Gün, K., see Uludag, M. (4) 257–261
- Gungen, G.O., see Yildiz, N. (1) 39–47
- Gur, A., see Nas, K. (2) 95–100
- Hahn, M., see Timmermann, J. (2) 89–93
- Haig, A.J., see Wood, D. (2) 111–115
- Hallal, C.Z., see Gonçalves, M. (4) 209–214
- Hawrylak, A., see Ratajczak, B. (3) 155–159
- Herbold, D., see Bethge, M. (3) 161–172
- Hosseini, M., see Talebian, S. (1) 17–22
- Irban, A., see Luleci, N. (3) 189–194
- Jacobi, C., see Bethge, M. (3) 161–172
- Jeon, H.-S., see Lee, N.-G. (4) 233–240
- Johnson, O.E., see Adedoyin, R.A. (2) 101–109
- Jung, D.-Y., E.-K. Koh and O.-Y. Kwon, Effect of foot orthoses and short-foot exercise on the cross-sectional area of the abductor hallucis muscle in subjects with pes planus: A randomized controlled trial (4) 225–231
- Jung, J.-H., see Lee, N.-G. (4) 233–240
- Kamanli, A., see Nas, K. (2) 95–100
- Kang, S.-K., see Lee, N.-G. (4) 233–240
- Kaparov, A., see Uludag, M. (4) 257–261
- Karagülle, Z., see Kesiktas, N. (1) 57–65
- Karatay, S., see Nas, K. (2) 95–100
- Kaya, A., see Nas, K. (2) 95–100
- Kesiktas, N., Z. Karagülle, N. Erdogan, K. Yazıcioglu, H. Yılmaz and N. Paker, The efficacy of balneotherapy and physical modalities on the pulmonary system of patients with fibromyalgia (1) 57–65
- Kim, K.-E. and J.-Y. Lim, Cross-cultural adaptation and validation of the Korean version of the Roland-Morris Disability Questionnaire for use in low back pain (2) 83–88
- Kirpalani, D. and R. Mitra, Is chronic opioid use a negative predictive factor for response to cervical epidural steroid injections? (3) 123–127
- Kızılırmak, S., see Taskaynatan, M.A. (4) 195–199
- Koh, E.-K., see Jung, D.-Y. (4) 225–231
- Krueger, K., see Timmermann, J. (2) 89–93
- Kuciel-Lewandowska, J., see Ratajczak, B. (3) 155–159
- Kuijjer, P.P.F.M., see van der Worp, H. (1) 49–55
- Kwon, O.-Y., see Jung, D.-Y. (4) 225–231
- Kwon, O.-Y., see Lee, N.-G. (4) 233–240
- Laroche, D., see Ornetti, P. (4) 201–208
- Lee, D.-R., see Lee, N.-G. (4) 233–240
- Lee, J.H. and S.-H. Lee, Multiple vertebral compression fractures associated with post partum osteoporosis (2) 117–121
- Lee, N.-G., J.-H. Jung, J.(S.)-H. You, S.-K. Kang, D.-R. Lee, O.-Y. Kwon and H.-S. Jeon, Novel augmented ADIM training using ultrasound imaging and electromyography in adults with core instability (4) 233–240
- Lee, S.C., D.-W. Rha and W.H. Chang, Rapid analgesic onset of intra-articular hyaluronic acid with ketorolac in osteoarthritis of the knee (1) 31–38
- Lee, S.-H., see Lee, J.H. (2) 117–121
- Lim, J.-Y., see Kim, K.-E. (2) 83–88
- López-Miñarro, P.A., see Muyor, J.M. (3) 129–135
- Luleci, E., see Akbas, M. (2) 77–82
- Luleci, E., see Luleci, N. (3) 189–194
- Luleci, N., see Akbas, M. (2) 77–82
- Luleci, N., U. Ozdemir, K. Dere, H. Toman, E. Luleci and A. Irban, Evaluation of patients' response to pulsed radiofrequency treatment applied to the suprascapular nerve in patients with chronic shoulder pain (3) 189–194
- Maillefert, J.-F., see Ornetti, P. (4) 201–208
- Marques, N.R., see Gonçalves, M. (4) 209–214
- Masharawi, Y., see Beladev, N. (3) 181–188
- Mbada, C.E., see Adedoyin, R.A. (2) 101–109
- McGregor, A.H., see Ali, I. (1) 23–30
- McGregor, A.H., see Duffell, L.D. (4) 215–223
- Mitra, R., see Kirpalani, D. (3) 123–127
- Morisset, C., see Ornetti, P. (4) 201–208
- Muyor, J.M., P.A. López-Miñarro and F. Alacid, A comparison of the thoracic spine in the sagittal plane between elite cyclists and non-athlete subjects (3) 129–135
- Nas, K., A.J. Sarac, A. Gur, R. Cevik, Z. Altay, A. Erdal, Y. Ersoy, A. Kaya, I. Tekeoglu, M. Ugur, B. Durmus, O. Ardicoglu, K. Senel, O. Baysal, A. Kamanli, S. Karatay, K. Yildirim and S. Ozgocmen, Psychological status is associated with health related quality of life in patients with rheumatoid arthritis (2) 95–100

- Nasari, T., see Wood, D. (2) 111–115
- Olyaei, G.R., see Talebian, S. (1) 17–22
- Ornek, N.I., see Uludag, M. (4) 257–261
- Ornetti, P., D. Laroche, C. Morisset, J.N. Beis, C. Tavernier and J.-F. Maillefert, Three-dimensional kinematics of the lower limbs in hip osteoarthritis during walking (4) 201–208
- Ozdemir, U., see Akbas, M. (2) 77–82
- Ozdemir, U., see Luleci, N. (3) 189–194
- Ozdogmen, S., see Nas, K. (2) 95–100
- Ozgul, A., see Taskaynatan, M.A. (4) 195–199
- Özkan, M.H., see Başkurt, Z. (3) 173–179
- Paker, N., see Kesiktas, N. (1) 57–65
- Ratajczak, B., A. Hawrylak, A. Demidaś, J. Kuciel-Lewandowska and E. Boerner, Effectiveness of diadynamic currents and transcutaneous electrical nerve stimulation in disc disease lumbar part of spine (3) 155–159
- Rezasoltani, A., see Talebian, S. (1) 17–22
- Rha, D.-W., see Lee, S.C. (1) 31–38
- Sanal, E., see Yildiz, N. (1) 39–47
- Sarac, A.J., see Nas, K. (2) 95–100
- Sari, H., see Uludag, M. (4) 257–261
- Senel, K., see Nas, K. (2) 95–100
- Smith, D., G. Bissell, S. Bruce-Low and C. Wakefield, The effect of lumbar extension training with and without pelvic stabilization on lumbar strength and low back pain (4) 241–249
- Strutton, P.H., see Duffell, L.D. (4) 215–223
- Suzen, S., see Uludag, M. (4) 257–261
- Talebian, S., M. Hosseini, H. Bagheri, G.R. Olyaei and A. Rezasoltani, Trunk muscle fatigue in subjects with a history of low back pain and a group of healthy controls measured by similarity index (1) 17–22
- Tamam, C., see Ermis, M.N. (3) 137–144
- Tan, A.K., see Taskaynatan, M.A. (4) 195–199
- Taskaynatan, M.A., S. Kızıllırmak, B. Balaban, U. Bozlar, A.S. Goktepe, A. Ozgul and A.K. Tan, Consistency between physical medicine and rehabilitation specialists and a radiologist in interpretation of lumbosacral radiographs (4) 195–199
- Tavernier, C., see Ornetti, P. (4) 201–208
- Tekeoglu, I., see Nas, K. (2) 95–100
- Timmermann, J., M. Hahn and K. Krueger, Short-term follow-up: Micro-invasive therapy of the cervical herniated disk by percutaneous nucleotomy (2) 89–93
- Toman, H., see Akbas, M. (2) 77–82
- Toman, H., see Luleci, N. (3) 189–194
- Topuz, O., see Yildiz, N. (1) 39–47
- Trowitzsch, L., see Bethge, M. (3) 161–172
- Ugur, M., see Nas, K. (2) 95–100
- Ulbricht, C., see Ali, I. (1) 23–30
- Uludag, M., A. Kaparov, H. Sari, N.I. Ornek, K. Gün, S. Suzen and U. Akarirmak, Osteopoikilosis associated with fibromyalgia and active myofascial trigger point in upper trapezius muscles (4) 257–261
- van den Akker-Scheek, I., see van der Worp, H. (1) 49–55
- van der Worp, H., J. Zwerver, P.P.F.M. Kuijer, M.H.W. Frings-Dresen and I. van den Akker-Scheek, The impact of physically demanding work of basketball and volleyball players on the risk for patellar tendinopathy and on work limitations (1) 49–55
- van Dieën, J.H., see Gonçalves, M. (4) 209–214
- Wakefield, C., see Smith, D. (4) 241–249
- Walker, B., see Golriz, S. (1) 1–16
- Wood, D., S. Goodnight, A.J. Haig and T. Nasari, Body mass index, but not blood pressure is related to the level of pain in persons with chronic pain (2) 111–115
- Yazıcıoğlu, K., see Kesiktas, N. (1) 57–65
- Yeldan, İ., see Celik, D. (4) 251–256
- Yıldırım, D., see Ermis, M.N. (3) 137–144
- Yıldırım, K., see Nas, K. (2) 95–100
- Yildiz, N., N.S. Atalay, G.O. Gungen, E. Sanal, N. Akkaya and O. Topuz, Comparison of ultrasound and ketoprofen phonophoresis in the treatment of carpal tunnel syndrome (1) 39–47
- Yılmaz, H., see Kesiktas, N. (1) 57–65
- You, J.(S.)-H., see Lee, N.-G. (4) 233–240
- Zwerver, H., J., see van der Worp, H. (1) 49–55