



Pergamon

Journal of Vestibular Research, Vol. 4, No. 6, pp. I-III, 1994
Copyright © 1994 Elsevier Science Ltd
Printed in the USA. All rights reserved
0957-4271/94 \$6.00 + .00

VESTIBULAR BIBLIOGRAPHY

- Potassium secretion by vestibular dark cell epithelium demonstrated by vibrating probe **Marcus D C, Shipley A M; *Biophys.J.* 66(6), Jun 1994, 1939-42**
- The effects of combined pre-treatment with an NMDA receptor antagonist and post-treatment with a synthetic ACTH-(4-9) analogue on spontaneous nystagmus compensation following vestibular deafferentation **Darlington C L, Smith P F, Gilchrist D P D; *Neurosci.Res.Commun.* 14(3), May/Jun 1994, 133-40**
- Compartmental modeling of rat macular primary afferents from three-dimensional reconstructions of transmission electron micrographs of serial sections **Chimento T C, Doshay D G, Ross M D; *J.Neurophysiol.* 71(5), May 1994, 1883-96**
- Ion transport mechanisms in the outer hair cell of the mammalian cochlea [Review] **Ikeda K, Sunose H, Takasaki T; *Prog.Neurobiol.* 42(6), Apr 1994, 703-17**
- Localization of calcium signals by a mobile calcium buffer in frog saccular hair cells **Roberts W M; *J.Neurosci.* 14(5), May 1994, 3246-62**
- Usefulness of single fiber EMG for distinguishing neuromuscular from other causes of ocular muscle weakness **Ukachoke C, *Ashby P, Basinski A, Sharpe J A; *Can.J.Neurol.Sci.* 21(2), May 1994, 125-8**
- Rapid tolerance to the depressive effects of diazepam on guinea pig motor control using divided doses **Smith P F, Darlington C L; *Pharmacol.Biochem.Behav.* 48(2), Jun 1994, 535-8**
- Cross-correlation analysis of the lateral hip strategy in unperturbed stance **Lekhel H, Marchand A R, Assaiante C, Cremieux J, *Amblard B; *NeuroReport* 5(10), 2 Jun 1994, 1293-6**
- Photo-released intracellular Ca^{2+} evokes reversible mechanical responses in supporting cells of the guinea-pig organ of Corti **Dulon D, Blanchet C, Laffon E; *Biochem.Biophys.Res.Commun.* 201(3), 30 Jun 1994, 1263-9**
- Involvement of the *N*-methyl-D-aspartate receptors of the vestibular nucleus in the gaze-holding system of the cat **Mettens P, Cheron G, *Godaux E; *Neurosci.Lett.* 174(2), 20 Jun 1994, 209-12**
- Functional architecture of vestibular primary afferents from the posterior semicircular canal of a turtle, *Pseudemys (Trachemys) scripta elegans* **Brichta A M, *Peterson E H; *J.Comp.Neurol.* 344(4), 22 Jun 1994, 481-507**
- Distribution of immunoreactive α - and β -subunit isoforms of Na, K-ATPase in the gerbil inner ear **McGuirt J P, Schulte B A; *J.Histochem.Cytochem.* 42(7), Jul 1994, 843-53**
- Spatiotemporal encoding of sound level: Models for normal encoding and recruitment of loudness **Carney L H; *Hear.Res.* 76(1-2), 1 Jun 1994, 31-44**
- Electron probe microanalysis of gentamicin-induced changes on ionic composition of the vestibular gelatinous membrane **Lopez-Escamez J A, Canizares F J, Crespo P V, Baeyens J M, *Campos A; *Hear.Res.* 76(1-2), 1 Jun 1994, 60-6**
- Hair cell degeneration resulting from 3,3'-iminodipropionitrile toxicity in the rat vestibular epithelia **Llorens J, Dememes D; *Hear.Res.* 76(1-2), 1 Jun 1994, 78-86**
- The postnatal development of frequency-place code and tuning characteristics in the auditory midbrain of the phyllostomid bat, *Carollia perspicillata* **Sterbing S J, Schmidt U, Rubsamen R; *Hear.Res.* 76(1-2), 1 Jun 1994, 133-46**
- Mechanical and electromechanical properties of the stereovillar bundles of isolated and cultured hair cells of the chicken **Brix J, *Manley G A; *Hear.Res.* 76(1-2), 1 Jun 1994, 147-57**
- F-actin, tubulin and spectrin in the organ of Corti: Comparative distribution in different cell types and mammalian species **Raphael Y, Athey B D, Wang Yu, Lee M K, Altschuler R A; *Hear.Res.* 76(1-2), 1 Jun 1994, 173-87**
- Eye proprioception and visual localization in humans: Influence of ocular dominance and visual context **Velay J L, Roll R, Lennerstrand G, Roll J P; *Vision Res.* 34(16), Aug 1994, 2169-76**
- Differential glycosylation of auditory and vestibular hair bundle proteins revealed by peanut agglutinin **Goodyear R, *Richardson G; *J.Comp.Neurol.* 345(2), 8 Jul 1994, 267-78**
- Transfer characteristic of the inner hair cell synapse: Steady-state analysis **Zagaeski M, Cody A R, Russell I J, Mountain D C; *J.Acoust.Soc.Am.* 95(6), Jun 1994, 3430-4**
- Quantitative analyses of postembryonic hair cell addition in the otolithic endorgans of the inner ear of the European hake, *Merluccius merluccius* (Gadiformes, Teleostei) **Lombarte A, *Popper A N; *J.Comp.Neurol.* 345(3), 15 Jul 1994, 419-28**
- Cisplatin blocks voltage-dependent calcium current in dissociated outer hair cells of guinea-pig cochlea **Yamamoto T, Kakehata S, Saito T, Saito H, Akaike N; *Brain Res.* 648(2), 20 Jun 1994, 296-8**

- Activation of glutamate receptors in response to membrane depolarization of hair cells isolated from chick cochlea
Kataoka Y, Ohmori H; J.Physiol. 477(3), 15 Jun 1994, 403-14
- The effects of adaptation to visual stimuli on the velocity of subsequent ocular following responses
Ibbotson M R, Maddess T; Exp.Brain Res. 99(1), May 1994, 148-54
- Identification of the central vestibular projections in man: A positron emission tomography activation study
Bottini G, Sterzi R, Paulesu E, Vallar G, Cappa S F, Erminio F, Passingham R E, Frith C D, Frackowiak R S J; Exp.Brain Res. 99(1), May 1994, 164-9
- The initial vestibulo-ocular reflex and its visual enhancement and cancellation in humans
Johnston J L, Sharpe J A; Exp.Brain Res. 99(2), May 1994, 302-8
- Activation of glutamate receptors in response to membrane depolarization of hair cells isolated from chick cochlea
Kataoka Y, Ohmori H; J.Physiol. 477(3), 15 Jun 1994, 403-14
- Influence of aging on active cochlear micromechanical properties and on the medial olivocochlear system in humans
Castor X, Veillet E, Morgan A, *Collet L; Hear.Res. 77(1-2), 15 Jun 1994, 1-8
- Frequency response of mature guinea-pig outer hair cells to stereociliary displacement
Preyer S, Hemmert W, Pfister M, Zennner H-P, Gummer A W; Hear.Res. 77(1-2), 15 Jun 1994, 116-24
- Structural basis for mechanical transduction in the frog vestibular sensory apparatus: II. The role of microtubules in the organization of the cuticular plate
Jaeger R G, Fex J, *Kachar B; Hear.Res. 77(1-2), 15 Jun 1994, 207-15
- Glucocorticoid receptors in the mammalian inner ear: RU 28362 binding sites
Pitovski D Z, Drescher M J, Drescher D G; Hear.Res. 77(1-2), 15 Jun 1994, 216-20
- The 'deceleration response' to transient perturbation of upright stance
McIlroy W E, *Maki B E; Neurosci.Lett. 175(1-2), 4 Jul 1994, 13-16
- Effects of GABA_A activation and inhibition on vestibulo-ocular and optokinetic responses in the pigmented rat
Niklasson M, Tham R, Larsby B, Eriksson B; Brain Res. 649(1-2), 27 Jun 1994, 151-8
- Ocular actions of moxonidine: A possible role for imidazoline Ogidigben M, Chu Teh-Ching, *Potter D E; *J.Pharmacol.Exp.Ther.* 269(3), Jun 1994, 897-904
- Cytochrome oxidase histochemistry in Scarpa's ganglion after hemilabyrinthectomy
Kevetter G A, Perachio A A; Neurosci.Lett. 175(1-2), 4 Jul 1994, 141-4
- Current, voltage and pharmacological substrates of a novel GABA receptor in the visual-vestibular system of *Hermissenda*
Rogers R F, Fass D M, *Matzel L D; Brain Res. 650(1), 4 Jul 1994, 93-106
- Expression of GABA_A receptor $\gamma 1$ and $\gamma 2$ subunits in the peripheral vestibular system of the rat
Kitahara T, Takeda N, Ohno K, Araki T, Kubo T, Kiyama H; Brain Res. 650(1), 4 Jul 1994, 157-60
- Quantal nature of synaptic transmission at the cytonneuronal junction in the frog labyrinth
Rossi M L, Martini M, Pelucchi B, Fesce R; J.Physiol. 478(1), 1 Jul 1994, 17-35
- Proprioceptive, visual and vestibular thresholds for the perception of sway during standing in humans
Fitzpatrick R, McCloskey D I; J.Physiol. 478(1), 1 Jul 1994, 173-86
- Growth and optical development of the ocular lens of the squid (*Sepioteuthis lessoniana*)
Sivak J G, West J A, Campbell M C; Vision Res. 34(17), Sep 1994, 2177-87
- A transient afferent innervation of outer hair cells in the postnatal cochlea
Simmons D D; NeuroReport 5(11), 27 Jun 1994, 1309-12
- NMDA receptors are involved in temporal integration in the oculomotor system of the cat
Mettens P, Cheron G, *Godaux E; NeuroReport 5(11), 27 Jun 1994, 1333-6
- Reductions in body temperature and spontaneous activity in rats exposed to horizontal rotation: Abolition following chemical labyrinthectomy
Ossenkopp K-P, Rabi Y J, Eckel L A, Hargreaves E L; Physiol.Behav. 56(2), Aug 1994, 319-24
- Task-dependent reflex responses and movement illusions evoked by galvanic vestibular stimulation in standing humans
Fitzpatrick R, Burke D, Gandevia S C; J.Physiol. 478(2), 15 Jul 1994, 363-72
- Ontogeny of ocular serotonin N-acetyltransferase activity daily rhythm in four anuran species
Alonso Gomez A L, de Pedro N, Gancedo B, Alonso Bedate M, Valenciano A I, *Delgado M J; Gen.Comp.Endocrinol. 94(3), Jun 1994, 357-65
- Oculomotor brainstem anatomy: Nuclei to fascicles
Zak R, Slamovits T, Burde R; J.Neuro-Oncol. 18(3), 1994, 241-8
- Orbicularis oculi responses to stimulation of nerve afferents from upper and lower limbs in normal humans
Valls-Sole J, Cammarota A, Alvarez R, Hallett M; Brain Res. 650(2), 11 Jul 1994, 313-16
- First appearance and development of electromotility in neonatal gerbil outer hair cells
He D Z Z, Evans B N, Dallos P; Hear.Res. 78(1), Jul 1994, 77-90
- Properties of sympathetic reflexes elicited by natural vestibular stimulation: Implications for cardiovascular control
Yates B J, Miller A D; J.Neurophysiol. 71(6), Jun 1994, 2087-92
- Neural activity in cortical area MST of alert monkey during ocular following responses
Kawano K, Shidara M, Watanabe Y, Yamane S; J.Neurophysiol. 71(6), Jun 1994, 2305-24
- Lesions of the posterior commissure disable the vertical neural integrator of the primate oculomotor system
Partsalis A M, Highstein S M, *Moschovakis A K; J.Neurophysiol. 71(6), Jun 1994, 2582-5

- Binaural monopolar galvanic vestibular stimulation reduces body sway during human stance Krizkova M, Hlavacka F; *Physiol.Res.* 43(3), 1994, 187-92
- Neural conduction velocity of the human auditory nerve: Bipolar recordings from the exposed intracranial portion of the eighth nerve during vestibular nerve section Moller A R, Colletti V, Fiorino F G; *Electroenceph.Clin.Neurophysiol.Evoked Potentials* 92(4), Jul 1994, 316-20
- Effect of disparity in the peripheral field on short-latency ocular following responses Kawano K, Inoue Y, Takemura A, Miles F A; *Visual Neurosci.* 11(4), Jul/Aug 1994, 833-7