

Author Index Volume 21 (2013)

The issue number is given in front of the page numbers.

- Abbas, S., J. Min and S. Cho, Super-sparsely view-sampled cone-beam CT by incorporating prior data (1) 71– 83
- Adams, T., see Shao, Q. (3) 419–428
- Agah, M., see Sen Sharma, K. (1) 25– 42
- Ahmad, S., see Lau, A. (4) 507–514
- Alivov, Y., J. Feng and S. Molloy, Design of TiO₂ nanotube based X-ray tube with single focusing electrode (4) 567–577
- Amato, E., A. Italiano, S. Leotta, S. Pergolizzi and L. Torrisi, Monte Carlo study of the dose enhancement effect of gold nanoparticles during X-ray therapies and evaluation of the anti-angiogenic effect on tumour capillary vessels (2) 237–247
- Badiger, N.M., see Krishnananda (4) 557–565
- Barry, D.P., see Block, R.C. (3) 347–355
- Beck, T.J., see Khaled, A.S. (1) 9– 24
- Bennett, J., see He, P. (3) 335–345
- Block, R.C., J.A. Geuther, B. Methe, D.P. Barry and G. Leinweber, X-ray determination of the thickness of thin metal foils (3) 347–355
- Breckon, T.P., see Mouton, A. (2) 193–226
- Butler, A., see He, P. (3) 335–345
- Butler, P., see He, P. (3) 335–345
- Cao, G., see Cong, W. (1) 1– 8
- Cao, W., see Shao, Q. (3) 419–428
- Cao, Z., see Tan, Y. (1) 43– 52
- Cao, Z., see Xu, C. (3) 393–399
- Chang, M., L. Li, Z. Chen, Y. Xiao, L. Zhang and G. Wang, A few-view reweighted sparsity hunting (FRESH) method for CT image reconstruction (2) 161–176
- Chang, Y.-B., J.J. Xia, P. Yuan, T.-H. Kuo, Z. Xiong, J. Gateno and X. Zhou, 3D segmentation of maxilla in cone-beam computed tomography imaging using base invariant wavelet active shape model on customized two-manifold topology (2) 251–282
- Chen, G.-B., H. Wu, X.-J. He, J.-X. Huang, D. Yu, W.-Y. Xu and H. Yu, Adenosine stress thallium-201 myocardial perfusion imaging for detecting coronary artery disease at an early stage (2) 317–322
- Chen, W., see Li, H. (1) 95–102
- Chen, W., see Zeng, D. (3) 401–407

- Chen, Y., see Lau, A. (4) 507–514
- Chen, Z., see Chang, M. (2) 161–176
- Cho, S., see Abbas, S. (1) 71– 83
- Choi, J.K., see Park, H.S. (3) 357–372
- Choi, K., B.P. Fahimian, T. Li, T.-S. Suh and X. Lei, Enhancement of four-dimensional cone-beam computed tomography by compressed sensing with Bregman iteration (2) 177–192
- Chu, J., see Li, H. (1) 95–102
- Cong, W., H. Shen, G. Cao, H. Liu and G. Wang, X-ray fluorescence tomographic system design and image reconstruction (1) 1– 8
- Cong, W., see Liu, F. (4) 579–590
- Cui, S., see Qin, Z. (4) 527–543
- Cui, Y., see Shao, Q. (3) 419–428
- Cui, Y., see Xue, B. (1) 125–132
- Cutroneo, M., see Torrisi, L. (3) 381–390
- Deng, C., see Guo, Y. (1) 141–146
- Deng, C., see Li, H. (1) 95–102
- Deng, C., see Luo, D. (3) 441–447
- Deng, C.-H., see Tu, X.-A. (2) 293–302
- Duan, J., see Yang, M. (4) 467–479
- Duan, S., see Yang, M. (4) 467–479
- Fahimian, B.P., see Choi, K. (2) 177–192
- Fan, Y., see Qin, Z. (4) 527–543
- Fan, Y., see Shao, Q. (3) 419–428
- Feng, C., see Sa, Y.L. (1) 133–139
- Feng, J., see Alivov, Y. (4) 567–577
- Feng, S., see Wang, Q. (4) 453–464
- Feng, S.-T., see Guo, Y. (1) 141–146
- Gao, F., see Qin, Z. (4) 527–543
- Gao, J., see Xue, B. (1) 125–132
- Gateno, J., see Chang, Y.-B. (2) 251–282
- Gentile, C., see Torrisi, L. (3) 381–390
- Geuther, J.A., see Block, R.C. (3) 347–355
- Guo, N., see Wang, Q. (4) 453–464
- Guo, W., see Zeng, D. (3) 401–407
- Guo, W.-Y., see Huang, T.-C. (2) 227–235
- Guo, Y., G. Liu, D. Yang, X. Sun, H. Wang, C. Deng, Y. Zhang and S.-T. Feng, Role of MRI in assessment of ejaculatory duct obstruction (1) 141–146
- Harimoto, T., S. Ohno, K. Hattori, M. Hirose, M. Miyai, K. Shibuya, M. Kuroda, S. Kanazawa and H. Kato, Influence of permittivity and electrical conductivity on image pattern of MRI (2) 147–159
- Hattori, K., see Harimoto, T. (2) 147–159

- He, P., H. Yu, J. Bennett, P. Ronaldson, R. Zainon, A. Butler, P. Butler, B. Wei and G. Wang, Energy-discriminative performance of a spectral micro-CT system (3) 335–345
- He, P., Q. Zhu, Z. Zhang, X. Zou and D. Xu, Relationship between the tibial mechanical axis and bony anatomical landmarks of the calf and foot as measured on radiographs obtained with a new laser-calibrated position (4) 497–506
- He, X.-J., see Chen, G.-B. (2) 317–322
- Hirosue, M., see Harimoto, T. (2) 147–159
- Holzner, C., see Sen Sharma, K. (1) 25– 42
- Hong, N., see Wang, Q. (4) 453–464
- Hsiao, Y.-C., I-L. Tsai, C.-T. Kuo and T.-L. Yang, Diagnosis of microsporidial keratitis with *in vivo* confocal microscopy (1) 103–110
- Hsieh, S.S., see Liu, F. (4) 579–590
- Hu, J.-J., see Zhao, X. (1) 53– 69
- Hu, M., see Wang, Q. (4) 453–464
- Huang, J.-X., see Chen, G.-B. (2) 317–322
- Huang, M., see Shao, Q. (3) 419–428
- Huang, T.-C., T.-H. Wu, Y.-H. Lin, W.-Y. Guo, W.-C. Huang and C.-J. Lin, Quantitative flow measurement by digital subtraction angiography in cerebral carotid stenosis using optical flow method (2) 227–235
- Huang, W.-C., see Huang, T.-C. (2) 227–235
- Huang, Z., see Liang, Z.-X. (1) 85– 91
- Italiano, A., see Amato, E. (2) 237–247
- Italiano, A., see Torrisi, L. (3) 381–390
- Ji, Q., G. Liu, X. Sun, G. Liu, M. Lu, X. Xie, M. Xu, Y. Zhang and S. Zheng, Liver specific phase of perflubutane microbubbles contrast-enhanced ultrasound for potential use in the diagnosis of focal liver lesions (3) 409–418
- Jia, M., see Qin, Z. (4) 527–543
- Jiang, H., see Tan, Y. (1) 43– 52
- Jin, X., see Sen Sharma, K. (1) 25– 42
- Kanazawa, S., see Harimoto, T. (2) 147–159
- Kato, H., see Harimoto, T. (2) 147–159
- Khaled, A.S. and T.J. Beck, Successive binary algebraic reconstruction technique: An algorithm for reconstruction from limited angle and limited number of projections decomposed into individual components (1) 9– 24
- Kim, K.S., see Park, H.S. (3) 357–372
- Krishnananda, K.M. Niranjana and N.M. Badiger, Measurement of real and imaginary form factors of silver atom using a high resolution HPGe detector (4) 557–565
- Kuo, C.-T., see Hsiao, Y.-C. (1) 103–110
- Kuo, T.-H., see Chang, Y.-B. (2) 251–282
- Kuroda, M., see Harimoto, T. (2) 147–159

- Lau, A., Y. Chen and S. Ahmad, Range verification of proton radiotherapy with prompt gamma rays (4) 507–514
- Lee, S.-H., see Park, H.S. (3) 357–372
- Lei, X., see Choi, K. (2) 177–192
- Leinweber, G., see Block, R.C. (3) 347–355
- Leotta, S., see Amato, E. (2) 237–247
- Li, B., see Shao, H. (2) 283–292
- Li, C. and J. Liu, An algorithm for 4D CT image sorting using spatial continuity (3) 323–333
- Li, H., X. Sun, G. Liu, Y. Zhang, J. Chu, C. Deng, B. Zhou, W. Chen and J. Yang, Endovascular stent placement for nutcracker phenomenon (1) 95–102
- Li, J., see Zou, Y. (4) 545–556
- Li, L., see Chang, M. (2) 161–176
- Li, M., see Luo, D. (3) 441–447
- Li, T., see Choi, K. (2) 177–192
- Li, X., see Yang, M. (4) 467–479
- Liang, Y., see Wang, Q. (4) 453–464
- Liang, Z., see Luo, D. (3) 441–447
- Liang, Z.-X., Y.-G. Qiang, Y.-H. Liao, X.-S. Zhu, Z. Huang, X.-P. Zhang and L. Wang, *In vivo* mouse ^{99m}Tc SPECT scans with bioluminescence imaging validation (1) 85– 91
- Liao, Y.-H., see Liang, Z.-X. (1) 85– 91
- Lin, C.-J., see Huang, T.-C. (2) 227–235
- Lin, Y.-H., see Huang, T.-C. (2) 227–235
- Lipowska, M., see Tan, Y. (1) 43– 52
- Liu, B., see Sen Sharma, K. (1) 25– 42
- Liu, C., see Wang, X. (3) 429–439
- Liu, F., G. Wang, W. Cong, S.S. Hsieh and N.J. Pelc, Dynamic bowtie for fan-beam CT (4) 579–590
- Liu, G., see Guo, Y. (1) 141–146
- Liu, G., see Ji, Q. (3) 409–418
- Liu, G., see Ji, Q. (3) 409–418
- Liu, G., see Li, H. (1) 95–102
- Liu, G., see Luo, D. (3) 441–447
- Liu, G., see Zeng, D. (3) 401–407
- Liu, H., see Cong, W. (1) 1– 8
- Liu, J., see Li, C. (3) 323–333
- Liu, J., see Wang, Q. (4) 453–464
- Liu, X., see Xue, B. (1) 125–132
- Liu, Y., see Shao, H. (2) 283–292
- Lu, J., see Luo, D. (3) 441–447
- Lü, K.-L., see Tu, X.-A. (2) 293–302
- Lu, M., see Ji, Q. (3) 409–418
- Luo, D., G. Liu, J. Mo, L. Xiao, Q. Xie, M. Li, Z. Zhang, J. Lu, Z. Liang, X. Meng, Y. Zhang, C. Deng and Q. Mi, Suprapubic-assisted umbilical laparoendoscopic minimal-site surgery in the treatment of simple kidney cyst: Report of 26 cases (3) 441–447

- Megherbi, N., see Mouton, A. (2) 193–226
- Meng, F., see Yang, M. (4) 467–479
- Meng, X., see Luo, D. (3) 441–447
- Methe, B., see Block, R.C. (3) 347–355
- Mi, Q., see Luo, D. (3) 441–447
- Min, J., see Abbas, S. (1) 71– 83
- Miyai, M., see Harimoto, T. (2) 147–159
- Mo, J., see Luo, D. (3) 441–447
- Molloi, S., see Alivov, Y. (4) 567–577
- Mouton, A., N. Megherbi, K. Van Slambrouck, J. Nuyts and T.P. Breckon, An experimental survey of metal artefact reduction in computed tomography (2) 193–226
- Narayanan, S., see Sen Sharma, K. (1) 25– 42
- Niranjana, K.M., see Krishnananda (4) 557–565
- Nuyts, J., see Mouton, A. (2) 193–226
- Ohno, S., see Harimoto, T. (2) 147–159
- Pan, A., see Xu, C. (3) 393–399
- Park, H.S., J.K. Choi, K.-R. Park, K.S. Kim, S.-H. Lee, J.C. Ye and J.K. Seo, Metal Artifact Reduction in CT by identifying missing data hidden in metals (3) 357–372
- Park, K.-R., see Park, H.S. (3) 357–372
- Pelc, N.J., see Liu, F. (4) 579–590
- Peng, N., see Wang, X. (3) 429–439
- Pergolizzi, S., see Amato, E. (2) 237–247
- Qi, W., see Wang, Q. (4) 453–464
- Qiang, Y.-G., see Liang, Z.-X. (1) 85– 91
- Qin, Z., S. Cui, H. Zhao, X. Zhou, M. Jia, Y. Yang, Y. Fan and F. Gao, An endoscopic diffuse optical tomographic method based on the effective detection range (4) 527–543
- Qiu, S.-P., see Tu, X.-A. (2) 293–302
- Ronaldson, P., see He, P. (3) 335–345
- Sa, Y.L., Y.M. Xu, C. Feng, X.X. Ye and L.J. Song, Three-dimensional spiral computed tomographic cysto-urethrography for post-traumatic complex posterior urethral strictures associated with urethral-rectal fistula (1) 133–139
- Sajja, H.K., see Tan, Y. (1) 43– 52
- Sen Sharma, K., X. Jin, C. Holzner, S. Narayanan, B. Liu, D. Wang, M. Agah, L. Wang, H. Yu and G. Wang, Experimental studies on few-view reconstruction for high-resolution micro-CT (1) 25– 42
- Seo, J.K., see Park, H.S. (3) 357–372
- Shan, Y., see Tao, W. (2) 309–316
- Shan, Y., see Xue, B. (1) 125–132

- Shao, H., B. Li, X. Zhang, Z. Xiong, Y. Liu and G. Tang, Comparison of the diagnostic efficiency for breast cancer in Chinese women using mammography, ultrasound, MRI, and different combinations of these imaging modalities (2) 283–292
- Shao, Q., J. Xu, T. Adams, S. Tao, Y. Cui, H. Shen, W. Cao, J. Xie, Y. Fan, Y. Zhang and M. Huang, Comparison of aspiration-sclerotherapy versus laparoscopic decortication in management of symptomatic simple renal cysts (3) 419–428
- Shen, H., see Cong, W. (1) 1– 8
- Shen, H., see Shao, Q. (3) 419–428
- Shibuya, K., see Harimoto, T. (2) 147–159
- Song, J., see Wang, Q. (4) 453–464
- Song, L., M. Xie, Y. Zhang and Y. Xu, Imaging techniques for the diagnosis of male traumatic urethral strictures (1) 111–123
- Song, L.J., see Sa, Y.L. (1) 133–139
- Sonke, J.-J., see Zhang, H. (4) 481–496
- Suh, T.-S., see Choi, K. (2) 177–192
- Sun, C., see Tao, W. (2) 309–316
- Sun, C., see Xue, B. (1) 125–132
- Sun, X., see Guo, Y. (1) 141–146
- Sun, X., see Ji, Q. (3) 409–418
- Sun, X., see Li, H. (1) 95–102
- Sun, X., see Zeng, D. (3) 401–407
- Sun, X.-Z., see Tu, X.-A. (2) 293–302
- Sun, Y., see Xu, C. (3) 393–399
- Tan, Y., Z. Cao, H.K. Sajja, M. Lipowska, Y.A. Wang, L. Yang and H. Jiang, DOT corrected fluorescence molecular tomography using targeted contrast agents for small animal tumor imaging (1) 43– 52
- Tang, G., see Shao, H. (2) 283–292
- Tao, S., see Shao, Q. (3) 419–428
- Tao, W., D. Yang, Y. Shan, B. Xue, C. Sun, Y. Zang and Y. Zhang, Safety and efficacy of 120w high performance system greenlight laser vaporization for non-muscle-invasive bladder cancer (2) 309–316
- Tong, Z., see Zhang, Y. (2) 303–308
- Torrise, A., see Torrise, L. (3) 381–390
- Torrise, L., A. Italiano, M. Cutroneo, C. Gentile and A. Torrise, Silver coins analyses by X-ray fluorescence methods (3) 381–390
- Torrise, L., see Amato, E. (2) 237–247
- Tsai, I-L., see Hsiao, Y.-C. (1) 103–110
- Tu, X.-A., J.-T. Zhuang, L. Zhao, L.-Y. Zhao, J.-Q. Zhao, K.-L. Lü, X.-Z. Sun, S.-P. Qiu, Y.-Y. Zhang and C.-H. Deng, Transurethral bipolar plasma kinetic resection of ejaculatory duct for treatment of ejaculatory duct obstruction (2) 293–302
- Van Slambrouck, K., see Mouton, A. (2) 193–226
- Wang, D., see Sen Sharma, K. (1) 25– 42

- Wang, G., see Chang, M. (2) 161–176
- Wang, G., see Cong, W. (1) 1– 8
- Wang, G., see He, P. (3) 335–345
- Wang, G., see Liu, F. (4) 579–590
- Wang, G., see Sen Sharma, K. (1) 25– 42
- Wang, H., see Guo, Y. (1) 141–146
- Wang, H., see Xu, C. (3) 393–399
- Wang, J., see Zou, Y. (4) 545–556
- Wang, L., see Liang, Z.-X. (1) 85– 91
- Wang, L., see Sen Sharma, K. (1) 25– 42
- Wang, Q., X. Zhao, J. Song, N. Guo, Y. Zhu, J. Liu, W. Qi, J. Wu, Y. Liang, S. Feng, M. Hu, C. Zhou, X. Wang and N. Hong, The application of automatic tube current modulation (ATCM) on image quality and radiation dose at abdominal computed tomography (CT): A phantom study (4) 453–464
- Wang, X., see Wang, Q. (4) 453–464
- Wang, X., see Yang, M. (4) 467–479
- Wang, X., Z. Zhang, N. Peng and C. Liu, Retroperitoneal laparoscopic versus open dismembered pyeloplasty for ureteropelvic junction obstruction (3) 429–439
- Wang, Y., see Xu, C. (3) 393–399
- Wang, Y.A., see Tan, Y. (1) 43– 52
- Wei, B., see He, P. (3) 335–345
- Wei, R., see Xu, C. (3) 393–399
- Wu, C., see Xu, C. (3) 393–399
- Wu, H., see Chen, G.-B. (2) 317–322
- Wu, J., see Wang, Q. (4) 453–464
- Wu, T.-H., see Huang, T.-C. (2) 227–235
- Xia, J.J., see Chang, Y.-B. (2) 251–282
- Xiao, L., see Luo, D. (3) 441–447
- Xiao, Y., see Chang, M. (2) 161–176
- Xie, J., see Shao, Q. (3) 419–428
- Xie, M., see Song, L. (1) 111–123
- Xie, Q., see Luo, D. (3) 441–447
- Xie, X., see Ji, Q. (3) 409–418
- Xiong, Z., see Chang, Y.-B. (2) 251–282
- Xiong, Z., see Shao, H. (2) 283–292
- Xu, C., Z. Zhang, H. Ye, C. Wu, C. Zhang, Y. Zhang, Y. Wang, Z. Cao, H. Wang, W. Xu, A. Pan, R. Wei, X. Zeng and Y. Sun, Imaging diagnosis and endoscopic treatment for ureteral fibroepithelial polyp prolapsing into the bladder (3) 393–399
- Xu, D., see He, P. (4) 497–506
- Xu, J., see Shao, Q. (3) 419–428
- Xu, M., see Ji, Q. (3) 409–418
- Xu, W., see Xu, C. (3) 393–399
- Xu, W.-Y., see Chen, G.-B. (2) 317–322
- Xu, Y., see Song, L. (1) 111–123

- Xu, Y.M., see Sa, Y.L. (1) 133–139
- Xue, B., see Tao, W. (2) 309–316
- Xue, B., Y. Zhang, Y. Zhang, D. Yang, J. Gao, C. Sun, Y. Cui, J. Zhu, X. Liu and Y. Shan, GreenLight HPS 120-W laser vaporization versus transurethral resection of the prostate for treatment of benign prostatic hyperplasia: A prospective randomized trial (1) 125–132
- Yang, D., see Guo, Y. (1) 141–146
- Yang, D., see Tao, W. (2) 309–316
- Yang, D., see Xue, B. (1) 125–132
- Yang, J., see Li, H. (1) 95–102
- Yang, L., see Tan, Y. (1) 43– 52
- Yang, M., S. Duan, J. Duan, X. Wang, X. Li, F. Meng and J. Zhang, Extra projection data identification method for fast-continuous-rotation industrial cone-beam CT (4) 467–479
- Yang, T., see Zhao, X. (1) 53– 69
- Yang, T.-L., see Hsiao, Y.-C. (1) 103–110
- Yang, Y., see Qin, Z. (4) 527–543
- Yang, Y., see Zeng, D. (3) 401–407
- Ye, H., see Xu, C. (3) 393–399
- Ye, J.C., see Park, H.S. (3) 357–372
- Ye, X.X., see Sa, Y.L. (1) 133–139
- Yu, D., see Chen, G.-B. (2) 317–322
- Yu, H., see Chen, G.-B. (2) 317–322
- Yu, H., see He, P. (3) 335–345
- Yu, H., see Sen Sharma, K. (1) 25– 42
- Yu, H., see Zou, X. (4) 515–526
- Yuan, P., see Chang, Y.-B. (2) 251–282
- Zainon, R., see He, P. (3) 335–345
- Zang, Y., see Tao, W. (2) 309–316
- Zeng, D., G. Liu, X. Sun, W. Zhuang, Y. Zhang, W. Guo, Y. Yang and W. Chen, Transarterial embolization for serious renal hemorrhage following renal biopsy (3) 401–407
- Zeng, L., see Zou, X. (4) 515–526
- Zeng, X., see Xu, C. (3) 393–399
- Zhang, C., see Xu, C. (3) 393–399
- Zhang, D., see Zhang, J. (3) 373–380
- Zhang, H. and J.-J. Sonke, Directional sinogram interpolation for sparse angular acquisition in cone-beam computed tomography (4) 481–496
- Zhang, J. and D. Zhang, Image performance evaluation of a cone beam O-arm imaging system (3) 373–380
- Zhang, L., see Chang, M. (2) 161–176
- Zhang, X., see Shao, H. (2) 283–292
- Zhang, X.-P., see Liang, Z.-X. (1) 85– 91
- Zhang, Y., see Guo, Y. (1) 141–146
- Zhang, Y., see Ji, Q. (3) 409–418
- Zhang, Y., see Li, H. (1) 95–102

- Zhang, Y., see Luo, D. (3) 441–447
- Zhang, Y., see Shao, Q. (3) 419–428
- Zhang, Y., see Song, L. (1) 111–123
- Zhang, Y., see Tao, W. (2) 309–316
- Zhang, Y., see Xu, C. (3) 393–399
- Zhang, Y., see Xue, B. (1) 125–132
- Zhang, Y., see Xue, B. (1) 125–132
- Zhang, Y., see Zeng, D. (3) 401–407
- Zhang, Y., see Zhang, Y. (2) 303–308
- Zhang, Y., Z. Tong and Y. Zhang, X-ray computed tomography and sonography features of continuous splenogonadal fusion (2) 303–308
- Zhang, Y.-Y., see Tu, X.-A. (2) 293–302
- Zhang, Z., see He, P. (4) 497–506
- Zhang, Z., see Luo, D. (3) 441–447
- Zhang, Z., see Wang, X. (3) 429–439
- Zhang, Z., see Xu, C. (3) 393–399
- Zhao, H., see Qin, Z. (4) 527–543
- Zhao, J.-Q., see Tu, X.-A. (2) 293–302
- Zhao, L., see Tu, X.-A. (2) 293–302
- Zhao, L.-Y., see Tu, X.-A. (2) 293–302
- Zhao, X., J.-J. Hu and T. Yang, GPU based iterative cone-beam CT reconstruction using empty space skipping technique (1) 53– 69
- Zhao, X., see Wang, Q. (4) 453–464
- Zheng, S., see Ji, Q. (3) 409–418
- Zhou, B., see Li, H. (1) 95–102
- Zhou, C., see Wang, Q. (4) 453–464
- Zhou, X., see Chang, Y.-B. (2) 251–282
- Zhou, X., see Qin, Z. (4) 527–543
- Zhu, J., see Xue, B. (1) 125–132
- Zhu, Q., see He, P. (4) 497–506
- Zhu, X.-S., see Liang, Z.-X. (1) 85– 91
- Zhu, Y., see Wang, Q. (4) 453–464
- Zhuang, J.-T., see Tu, X.-A. (2) 293–302
- Zhuang, W., see Zeng, D. (3) 401–407
- Zou, X., H. Yu and L. Zeng, Laplace operator based reconstruction algorithm for truncated spiral cone beam computed tomography (4) 515–526
- Zou, X., see He, P. (4) 497–506
- Zou, Y., J. Wang and J. Li, 3D defect segmentation on CT volume data using morphology and resample techniques (4) 545–556