

## Author Index Volume 10 (2011)

- Abdous, M., see Shariatinia, Z. (1) 1–16
- Amini, M.M., A. Azadmehr, E. Najafi, N. Hadipour, C.-D. Chen and C.-J. Chen, Synthesis and structural characterization of triorganotin(IV) methoxyacetates: Correlation of <sup>13</sup>C CPMAS NMR spectroscopy with single crystal structure (1) 73–87
- Arabzadeh, N., see Shariatinia, Z. (1) 1–16
- Avciaata, U., see Elmali, F.T. (1) 17–23
- Azadmehr, A., see Amini, M.M. (1) 73–87
- Azpeitia, H.F.S., S.A. Cortes-Llamas, F.A. Vengoechea-Gómez, E. Rufino-Felipe, N.T. Crespo-Velasco and M.-Á. Muñoz-Hernández, Synthesis and characterization of aluminum complexes incorporating Schiff base ligands derived from pyrrole-2-carboxaldehyde (2) 127–140
- Barron, A.R., see Brege J.J. (2) 89–104
- Brege, J.J., and A.R. Barron, Using fluorescence quenching of single walled carbon nanotubes with metal ions as a probe of surfactant · · SWNT interactions (2) 89–104
- Brill, M.P., see Dopke J.A. (2) 153–163
- Camus, J.-M., S. Pailloux, C.E. Shirima and R.T. Paine, Synthesis of 2,5-bis(phosphinoylmethyl)- and 2,5-bis(thiophosphinoylmethyl)- thiophenes (1) 25–36
- Chaudhary, M., see Pareek, P.K. (1) 63–71
- Chen, C.-D., see Amini, M.M. (1) 73–87
- Chen, C.-J., see Amini, M.M. (1) 73–87
- Chen, T., E.N. Duesler, H. Nöth, C. Evangelisti and R.T. Paine, Synthesis and reactivity of a zirconocene bis-(aminoborylphosphane) (3-4) 279–291
- Clyburne, J.A.C., see Lee, P.T.K. (3-4) 187–204
- Cortes-Llamas, S.A., see Azpeitia, H.F.S. (2) 127–140
- Crespo-Velasco, N.T., see Azpeitia, H.F.S. (2) 127–140
- Demirhan, N., see Elmali, F.T. (1) 17–23
- Dhumwad, S.D., see Narayanachar (3-4) 229–242
- Dopke, J.A., J.D. Hugdahl, K.K. Klausmeyer, M.P. Brill and D.S. Jaremkoï, Synthesis and characterization of 1-aza-4-oxa-7-thiacyclononane: A novel azacrown heterocycle (2) 153–163
- Duesler, E.N., see Chen, T. (3-4) 279–291
- Duesler, E.N., see Fan, M. (1) 37–50
- Elmali, F.T., U. Avciaata and N. Demirhan, Synthesis and characterization of new thiourea derivatives substituted 1,10-phenanthroline and crown ether (1) 17–23
- Evangelisti, C., see Chen, T. (3-4) 279–291
- Fan, M., E.N. Duesler, H. Nöth and R.T. Paine, Reactions of tris(trimethylsilyl)aluminum with aniline and 2,6-diisopropylaniline (1) 37–50

- Hadipour, N., see Amini, M.M. (1) 73–87
- Hashemian, S., Removal of Acid Red 151 from water by adsorption onto nano-composite MnFe<sub>2</sub>O<sub>4</sub>/kaolin (2) 105–114
- Hugdahl, J.D., see Dopke, J.A. (2) 153–163
- Hunnur, R.K., see Kattimani, P.P. (2) 165–175
- Ioannou, P.V., see Tsivgoulis, G.M. (1) 51–62
- Ioannou, P.V., and G.M. Tsivgoulis, On the use of organotin reagents for the preparation of partially esterified glycerol and *meso*-erythritol (2) 115–125
- Ioannou, P.V., and G.M. Tsivgoulis, The nucleophilicity of M(SPh)<sub>3</sub> (M = P, As) and L-As(SPh)<sub>2</sub> (L = Ph, 2-O<sub>2</sub>N-Ph) towards fatty acyl chlorides, RCOCl (2) 177–185
- Ioannou, P.V., The reaction of bismuth nitrate pentahydrate, Bi(NO<sub>3</sub>)<sub>3</sub>·5H<sub>2</sub>O, with some heterobifunctional aliphatic thiols (3-4) 243–254
- Ioannou, P.V., The use of bismuth nitrate pentahydrate, Bi(NO<sub>3</sub>)<sub>3</sub>·5H<sub>2</sub>O, and bismuth subnitrate monohydrate, BiO(NO<sub>3</sub>)·H<sub>2</sub>O, for the preparation of tris(arylthio)bismuthines (3-4) 255–264
- Jaremkoř, D.S., see Dopke J.A. (2) 153–163
- Kamble, R.R., see Kattimani, P.P. (2) 165–175
- Kant, R., see Pareek, P.K. (1) 63–71
- Kariduraganavar, M.Y., see Kattimani, P.P. (2) 165–175
- Kattimani, P.P., S.V. Raikar, R.R. Kamble, M.Y. Kariduraganavar and R.K. Hunnur, An expeditious synthesis of 1,2,4-triazolinones appended to 1,3-thiazoles using zinc triflate as catalyst (2) 165–175
- Klausmeyer, K.K., see Dopke, J.A. (2) 153–163
- Lee, P.T.K., J. McClintick, K.N. Robertson and J.A.C. Clyburne, A structural study of lithium *m*-terphenyl carboxylates (3-4) 187–204
- Li, Z.-M., see Zhang, J.-G. (3-4) 205–213
- Malode, S.J., N.P. Shetti and S.T. Nandibewoor, Mechanistic aspects of oxidation of loop diuretic drug furosemide by Ag(III) periodate complex in alkali media: A kinetic approach (3-4) 215–227
- McClintick, J., see Lee, P.T.K. (3-4) 187–204
- Mithlesh, see Pareek, P.K. (1) 63–71
- Muñoz-Hernández, M.-Á., see Azpeitia, H.F.S. (2) 127–140
- Najafi, E., see Amini, M.M. (1) 73–87
- Nandibewoor, S.T., see Malode, S.J. (3-4) 215–227
- Narayanachar and S.D. Dhumwad, Synthesis, characterization, electrochemical, *in vitro* antimicrobial and DNA cleavage studies of Co(II), Ni(II), Cu(II) and Zn(II) complexes of Schiff bases derived from 2-oxo-quinoline-3-carbaldehyde (3-4) 229–242
- Nöth, H., see Chen, T. (3-4) 279–291
- Nöth, H., see Fan, M. (1) 37–50
- Ojha, K.G., see Pareek, P.K. (1) 63–71
- Pailloux, S., see Camus, J.-M. (1) 25–36
- Paine R.T., see Camus, J.-M. (1) 25–36
- Paine, R.T., see Chen, T. (3-4) 279–291
- Paine, R.T., see Fan, M. (1) 37–50

- Pareek, A., see Pareek, P.K. (1) 63–71
- Pareek, D., see Pareek, P.K. (1) 63–71
- Pareek, P.K., Mithlesh, D. Pareek, M. Chaudhary, A. Pareek, R. Kant and K.G. Ojha, Rapid synthesis of some medicinally important hexahydro-s-triazine derivatives incorporating benzothiazole (1) 63–71
- Raikar, S.V., see Kattimani, P.P. (2) 165–175
- Robertson, K.N., see Lee, P.T.K. (3-4) 187–204
- Rufino-Felipe, E., see Azpeitia, H.F.S. (2) 127–140
- Selvakumar, K., V.P. Singh, P. Shah and H.B. Singh, Synthesis of novel heterocycles containing Se-O/Se-N linkages: Role of intramolecular coordination (2) 141–152
- Shariatnia, Z., N. Arabzadeh and M. Abdous, Ab initio calculations on the hydrogen bonding interactions among pseudoephedrinium cation isomers and methacrylic acid (1) 1–16
- Sharma, J., see Sharma, P. (3-4) 265–277
- Sharma, P., J. Sharma and Y. Singh, Mono- and heterodinuclear indium compounds of multidentate schiff bases; syntheses, characterization and their antibacterial activity (3-4) 265–277
- Shah, P., see Selvakumar, K. (2) 141–152
- Shetti, N.P., see Malode, S.J. (3-4) 215–227
- Shirima, C.E., see Camus, J.-M. (1) 25–36
- Singh, H.B., see Selvakumar, K. (2) 141–152
- Singh, V.P., see Selvakumar, K. (2) 141–152
- Singh, Y., see Sharma, P. (3-4) 265–277
- Tsivgoulis, G.M. and P.V. Ioannou, The nucleophilicity of  $M(\text{SPh})_3$  ( $M = \text{P, As}$ ) and  $\text{PhAs}(\text{SPh})_2$  towards carboxylic acid anhydrides (1) 51–62
- Tsivgoulis, G.M., see Ioannou, P.V. (2) 115–125
- Tsivgoulis, G.M., see Ioannou, P.V. (2) 177–185
- Vengoechea-Gómez, F.A., see Azpeitia, H.F.S. (2) 127–140
- Wang, K., see Zhang, J.-G. (3-4) 205–213
- Yang, L., see Zhang, J.-G. (3-4) 205–213
- Zheng, H., see Zhang, J.-G. (3-4) 205–213
- Zhang, J.-G., K. Wang, Z.-M. Li, H. Zheng, T.-L. Zhang and L. Yang, Synthesis, crystal structure and thermal decomposition of a novel environmentally friendly energetic cesium compound,  $[\text{Cs}_2(\text{HTNR})(\text{OH})(\text{H}_2\text{O})]_n$  (3-4) 205–213
- Zhang, T.-L., see Zhang, J.-G. (3-4) 205–213