

Author Index Volume 15 (2016)

| | |
|--|---------|
| Abdelmonem, A.A., G.H. Ragab, H.A. Hashem and E.A. Bahgat, A fast stability-indicating HPLC method for determination of sotalol hydrochloride in bulk powder and in dosage form (3) | 209–219 |
| Abdel-rassol, T.M.A., see Morsy, N. (3) | 267–273 |
| Abouwarda, A.M., see Saddiq, A.A. (1) | 75–86 |
| Acarali, N., see Kipcak, A.S. (4) | 301–313 |
| Ahmed, K.O., see Darwish, H.W. (2) | 117–124 |
| Al Khazan, M.M., H.H. Omar, N.M. Gumgumjee, H.M. Shiekh and A.M. El-Gendy, Marine macroalgae as a potential source of bioactive natural products with antibacterial activity (2) | 139–151 |
| Al Sherif, E.A., see Morsy, N. (3) | 267–273 |
| Al-Malki, W.J., see Omar, H.H. (2) | 153–161 |
| Al-Osaimi, A., see Darwish, H.W. (2) | 117–124 |
| Aly, M.M., see Omar, H.H. (2) | 153–161 |
| An, C.-w., see Wang, J.-Y. (4) | 325–334 |
| An, C.-W., see Wu, B.-D. (4) | 355–364 |
| Attaf, A., see Kherchachi, I.B. (3) | 231–242 |
| Attaf, A., see Bouaichi, F. (1) | 57–66 |
| Atwood, D.A., see Walrod, J.H. (4) | 365–373 |
| Azizi, R., see Kherchachi, I.B. (3) | 231–242 |
| Bahgat, E.A., see Abdelmonem, A.A. (3) | 209–219 |
| Bakheit, A.H., see Darwish, H.W. (2) | 117–124 |
| Balkhair, K.S., see Omar, H.H. (2) | 153–161 |
| Barron, A.R., see Gowenlock, C.E. (1) | 1–15 |
| Barron, A.R., see Oliva-Chatelain, B.L. (3) | 275–286 |
| Barron, A.R.. What is the reason for the anomalous C-substituent effects in the Lewis acid catalyzed thermal decomposition of $[Me_2Al(\mu-OR)]_2$? (1) | 87–96 |
| Bazrafshan, A., see Mirtamizdoust, B. (3) | 197–208 |
| Beck, G.E., see Walrod, J.H. (4) | 365–373 |
| bendjdidi, H., see Kherchachi, I.B. (3) | 231–242 |
| Benramache, S., see Bouaichi, F. (1) | 57–66 |
| Beyribey, B., E. Günay, B. Saygı, B. Çorbacıoğlu and H. Saraç, Effect of telluric acid addition on thermal behavior of cesium dihydrogen phosphate (2) | 125–130 |
| Blue, L.Y., see Walrod, J.H. (4) | 365–373 |
| Bouaichi, F., H. Saidi, A. Attaf, M. Othmane, N. Lehraki, M. Nouadji, M. Poulain and S. Benramache, The synthesis and characterization of sprayed ZnO thin films: As a function of solution molarity (1) | 57–66 |
| bouhdjar, A., see Kherchachi, I.B. (3) | 231–242 |
| Burriss, D., see Walrod, J.H. (4) | 365–373 |
| Cai, S., see Xie, J. (4) | 315–324 |
| Chaudhary, P., see Gandhi, N. (1) | 35–46 |

| | |
|--|---------|
| Chaudhary, P., see Kumar, A. (2) | 163–178 |
| Chen, T. and B.S. Majumdar, Synthesis and reactivity of asymmetric bis(sulfonyl) imides (4) | 375–382 |
| Çorbacıoğlu, B., see Beyribey, B. (2) | 125–130 |
| Darwish, H.W., A. Al-Osaimi, K.O. Ahmed and A.H. Bakheit, Quantification of total mercury in compact fluorescent lamps in Saudi Arabia using inductively coupled plasma mass spectrometry (ICP-MS) (2) | 117–124 |
| Derun, E.M., see Kipcak, A.S. (4) | 301–313 |
| Du, H., see Shu, Z. (1) | 67–74 |
| Dunnill, C.W., see Gowenlock, C.E. (1) | 1–15 |
| Dusek, M., see Mirtamizdoust, B. (3) | 257–266 |
| El-Gendy, A.M., see Al Khazan, M.M. (2) | 139–151 |
| El-Hay, S.S.A., see Gouda, A.A. (1) | 17–34 |
| Elhenawee, M., A.E., see Hashem, H. (4) | 335–346 |
| Fejfarova, K., see Mirtamizdoust, B. (3) | 257–266 |
| Feng, F., see Xie, J. (4) | 315–324 |
| Gandhi, N., A. Kumar, C. Kumar, N. Mishra, P. Chaudhary, N.K. Kaushik and R. Singh, Synthesis, characterization, thermal and biological activity of some novel Cadmium(II) – pyridine and purine base complexes (1) | 35–46 |
| Gao, Y., see Zhang, W.-n. (4) | 295–299 |
| Ghaedi, M., see Mirtamizdoust, B. (3) | 197–208 |
| Gouda, A.A., S.S.A. El-Hay and H. Hashem, Utilization of alizarin derivatives for the sensitive spectrophotometric determination of two proton pump inhibitors in pharmaceutical formulations (1) | 17–34 |
| Gowenlock,C.E. , J.D. McGettrick, P.D. McNaughton, P. O'Brien, C.W. Dunnill and A.R. Barron, Copper-complexed isonicotinic acid functionalized aluminum oxide nanoparticles (1) | 1–15 |
| Gumgumjee, N.M., see Al Khazan, M.M. (2) | 139–151 |
| Günay, E., see Beyribey, B. (2) | 125–130 |
| Hashem, H., see Gouda, A.A. (1) | 17–34 |
| Hashem, H., A.E. Ibrahim and M. Elhenawee, Simultaneous determination of the antihypertensives hydrochlorothiazide, losartan potassium, irbesartan and valsartan in bulk powders and pharmaceutical preparations by high performance liquid chromatography (4) | 335–346 |
| Hashem, H.A., see Abdelmonem, A.A. (3) | 209–219 |
| He, W., W. Wang, X. Tan and P. Li, Theoretical study on the cycloaddition reaction mechanism between ketenimine and acetonitrile (3) | 221–230 |
| Ibrahim, A.E., see Hashem, H. (4) | 335–346 |
| Kaushik, N.K., see Gandhi, N. (1) | 35–46 |
| Kaushik, N.K., see Kumar, A. (2) | 163–178 |
| Kherchachi, I.B., A. Attaf, H. Saidi, A. bouhdjar, H. bendjdidi, B. Youcef and R. Azizi, The synthesis, characterization and phase stability of tin sulfides (SnS_2 , SnS and Sn_2S_3) films deposited by ultrasonic spray (3) | 231–242 |

| | |
|---|---------|
| Kipcak, A.S., N. Acarali, F.T. Senberber, M. Yildirim, S.N.T. Koc, S.A. Yuksel, M.B. Piskin, E.M. Derun and N. Tugrul, Synthesis of dehydrated zinc borates using the solid-state method: Characterization and investigation of the physical properties (4) | 301 |
| Koc, S.N.T., see Kipcak, A.S. (4) | 301–313 |
| Kumar, A., P. Chaudhary, R. Singh and N.K. Kaushik, Organotin(IV) complexes of thiohydrazones of phenethylamine: Synthesis, characterization, biological and thermal study (2) | 163–178 |
| Kumar, A., see Gandhi, N. (1) | 35–46 |
| Kumar, A., see Srivastava, A.K. (2) | 97–106 |
| Kumar, C., see Gandhi, N. (1) | 35–46 |
| Lehraki, N., see Bouaichi, F. (1) | 57–66 |
| Li, P., see He, W. (3) | 221–230 |
| Li, Y., see Shu, Z. (1) | 67–74 |
| Liang, J., see Wang, J.-Y. (4) | 325–334 |
| Liang, J., see Wu, B.-D. (4) | 355–364 |
| Lu, Z.-C., see Zhao, R.-N. (3) | 243–256 |
| Majumdar, B.S., see Chen, T. (4) | 375–382 |
| McGettrick, J.D., see Gowenlock, C.E. (1) | 1–15 |
| McNaughton, P.D., see Gowenlock, C.E. (1) | 1–15 |
| Mirtamizdoust, B., M. Ghaedi, F. Taghizadeh, R. Safari and A. Bazrafshan, Stereochemically active lone pair on lead(II) nano 3D supramolecular network: Synthesis, structural characterization, thermal stability and DFT calculation of [Pb(p-2-minh) ₂] (3) | 197–208 |
| Mirtamizdoust, B., M.S. Roodsari, B. Shaabani, M. Dusek and K. Fejfarova, Synthesis, crystal structure and DFT calculations of a new Hg (II) metal-organic polymer (3) | 257–266 |
| Mishra, N., see Gandhi, N. (1) | 35–46 |
| Misra, N., see Srivastava, A.K. (2) | 97–106 |
| Misra, N., see Srivastava, A.K. (3) | 191–196 |
| Morsy, N., E.A. Al Sherif and T.M.A. Abdel-rassol, Phytochemical analysis of <i>Calotropis procera</i> with antimicrobial activity investigation (3) | 267–273 |
| Niu, Y., see Shu, Z. (1) | 67–74 |
| Nouadji, M., see Bouaichi, F. (1) | 57–66 |
| O'Brien, P., see Gowenlock, C.E. (1) | 1–15 |
| Oliva-Chatelin, B.L. and A.R. Barron, The effect of concentration and post-deposition annealing on silica coated germanium quantum dot thin films grown by vertical deposition (3) | 275–286 |
| Omar, H.H., M.M. Aly, W.J. Al-Malki and K.S. Balkhair, Production and enhancement of poly-β-hydroxybutyrate in cyanobacteria (2) | 153–161 |
| Omar, H.H., see Al Khazan, M.M. (2) | 139–151 |
| Othmane, M., see Bouaichi, F. (1) | 57–66 |
| Panahyab, A. and H. Soleymanabadi, Ozone adsorption on a BN fullerene-like nano-cage: A DFT study (4) | 347–354 |
| Peyghan, A.A., see Samadizadeh, M. (2) | 107–116 |
| Piskin, M.B., see Kipcak, A.S. (4) | 301–313 |
| Poulain, M., see Bouaichi, F. (1) | 57–66 |

| | |
|---|---------|
| Ragab, G.H., see Abdelmonem, A.A. (3) | 209–219 |
| Rastegar, S.F., see Samadizadeh, M. (2) | 107–116 |
| Roodsari, M.S., see Mirtamizdoust, B. (3) | 257–266 |
| Saddiq, A.A. and A.M. Abouwarda, Effect of propolis extracts against methicillin-resistant <i>Staphylococcus aureus</i> (1) | 75–86 |
| Safari, R., see Mirtamizdoust, B. (3) | 197–208 |
| Saha, M., see Sutradhar, P. (1) | 47–55 |
| Saidi, H., see Kherchachi, I.B. (3) | 231–242 |
| Saidi, H., see Bouaichi, F. (1) | 57–66 |
| Samadizadeh, M., A.A. Peyghan and S.F. Rastegar, DFT studies of Hydrogen adsorption and dissociation on MgO nanotubes (2) | 107–116 |
| Saraç, H., see Beyribey, B. (2) | 125–130 |
| Sayıgı, B., see Beyribey, B. (2) | 125–130 |
| Senberber, F.T., see Kipcak, A.S. (4) | 301–313 |
| Shaabani, B., see Mirtamizdoust, B. (3) | 257–266 |
| Shahverdizadeh, G.H., Infinite 3D cadmium(II)-azido coordination polymer: Sonochemical syntheses, structural characterization and use as a precursor to nanoscale CdO (2) | 179–189 |
| Shiekh, H.M., see Al Khazan, M.M. (2) | 139–151 |
| Shu, Z., C. Wang, Y. Li, H. Du and Y. Niu, A new Mo/S/Cu polymeric cluster: Synthesis, structure and properties (1) | 67–74 |
| Singh, R., see Gandhi, N. (1) | 35–46 |
| Singh, R., see Kumar, A. (2) | 163–178 |
| Soleymanabadi, H., see Panahyab, A. (4) | 347–354 |
| Song, J.-H., see Xue, R. (3) | 287–294 |
| Srivastava, A.K. and N. Misra, Can boron nitride analog of carbon nanoneedle exist? (3) | 191–196 |
| Srivastava, A.K., A. Kumar and N. Misra, Quantum chemical studies on coxsuline using density functional theory and its docking into dihydrofolate reductase receptor (2) | 97–106 |
| Sutradhar, P. and M. Saha, Size-controlled synthesis of silver nanoparticles using <i>Ziziphus mauritiana</i> fruit extract (1) | 47–55 |
| Taghizadeh, F., see Mirtamizdoust, B. (3) | 197–208 |
| Tan, X., see He, W. (3) | 221–230 |
| Tugrul, N., see Kipcak, A.S. (4) | 301–313 |
| Walrod, J.H., D. Burriss, L.Y. Blue, G.E. Beck and D.A. Atwood, Arsenic mobility in Karnak soils after multi-year application of poultry litter containing roxarsone (4) | 365–373 |
| Wang, C., see Shu, Z. (1) | 67–74 |
| Wang, J.-Y., J. Liang, B.-d. Wu and C.-w. An, Thermoanalysis and crystal structure of Ammonium 4-Amino-3- (5-tetrazolate)-furazan (NH_4AFT) (4) | 325–334 |
| Wang, J.-Y., see Wu, B.-D. (4) | 355–364 |
| Wang, N.-p., see Zhang, W.-n. (4) | 295–299 |
| Wang, W., see He, W. (3) | 221–230 |
| Wu, B.-d., see Wang, J.-Y. (4) | 325–334 |
| Wu, B.-D., J. Liang, J.-Y. Wang and C.-W. An, Preparation, crystal structure and thermal decomposition of nitrogen-rich compound $\text{Cu}(\text{Trz})_4\text{Cl}_2$ (Trz = 1,2,4-Triazole, N% = 40.92%) (4) | 355–364 |

| | |
|---|---------|
| Xie, J., Y. Zhang, S. Cai and F. Feng, Hydrolytic activity of a crown ether-lanthanum complex in the phosphate diester and DNA cleavage (4) | 315–324 |
| Xue, R. and J.-H. Song, Crystal structure and computed properties of a coordination compound $[\text{Zn}(\text{ATZ})_2(\text{N}_3)_2]_3(\text{H}_2\text{O})_2$ (ATZ = 4-Amino-1,2,4-triazole) (3) | 287–294 |
| Yildirim, M., see Kipcak, A.S. (4) | 301–313 |
| Youcef, B., see Kherchachi, I.B. (3) | 231–242 |
| Yuksel, S.A., see Kipcak, A.S. (4) | 301–313 |
| Zhang, W.-n., H.-J. Zuo, N.-p. Wang and Y. Gao, Preparation and photocatalytic properties of SnO_2 nanomicrospheres (4) | 295–299 |
| Zhang, Y., see Xie, J. (4) | 315–324 |
| Zhao, R.-N. and Z.-C. Lu, A density functional calculation on W doped N_n ($n = 1–9$) clusters (3) | 243–256 |
| Zin, M.T., Degradation of dichlorodiphenyl trichloroethane (DDT) by using nanoparticles of iron and iron/copper (2) | 131–138 |
| Zuo, H.-J., see Zhang, W.-n. (4) | 295–299 |