





## Corrigendum

Corrigendum to "Expression of the proto-oncogene *bcl-2* is increased in the rat brain following kainate-induced seizures" [Restor. Neurol. Neurosci. 9 (1996) 243]<sup>1</sup>

Steven H. Graham<sup>a,b,\*</sup>, Jun Chen<sup>a</sup>, R. Anne Stetler<sup>a</sup>, R. Li Zhu<sup>a</sup>, Kun Lin Jin<sup>a</sup>, Roger P. Simon<sup>a</sup>

<sup>a</sup>Department of Neurology, University of Pittsburgh, 325 Scaife Hall, Pittsburgh, PA 15261, USA <sup>b</sup>Neurology Service (127), Pittsburgh (University Drive), Veterans Affairs Medical Center, Pittsburgh, PA, USA

Received 27 August 1996

Fig. 5A (bcl-2 immunocytochemistry from normal brain) is reproduced from Chen, J., Zhu, R.L., Nakayama, M., Kawaguchi, K., Jin, K., Stetler, R.A., Simon, R.P. and Graham, S.H., The apoptosis-effector gene, Bax, is expressed in vulnerable hippocampal CA1 neurons following global ischemia, *J. Neurochem*, 67 (1996) 64–71.

The Publisher regrets that due to an unfortunate error this Corrigendum was published in the previous issue of Restorative Neurology and Neuroscience as a correction to the wrong article.

<sup>\*</sup> Corresponding author. Tel: +1-412-6489212; Fax: +1-412-6481239; E-mail: sgra@pitt.edu

<sup>&</sup>lt;sup>1</sup> PII of original article: S0922-6028(96)00343-8.