

Author Index Volume 11 (1997)

The issue number is given in front of the page numbers.

- Abstracts of the 12th Annual Meeting of the Japanese Society for Neural Growth, Regeneration and Transplantation (4) 225–242
- Agrawal, A.K., see Roy, A. (4) 195–201
- Angelov, D.N., W.F. Neiss, A. Gunkel, M. Streppel, O. Guntinas-Lichius, E. Stennert. Nimodipine-accelerated hypoglossal sprouting prevents the postoperative hyperinnervation of target muscles after hypoglossal-facial anastomosis in the rat (1,2) 109–121
- Barth, T.M., see Hoane, M.R. (1,2) 71– 82
- Bartolomeo, A.C., see Stackman, R.W. (1,2) 83– 89
- Batista Calixto, J., see Bertelli, J.A. (4) 189–194
- Becker, J.B., see Johnston, R.E. (1,2) 13– 20
- Bell, W.J., see Lindner, M.D. (1,2) 21– 35
- Benitez, J.C., see Onifer, S.M. (4) 211–223
- Bertelli, J.A., M. Taleb, J.-C. Mira, J. Batista Calixto, L. Kassar. Brachial plexus repair by peripheral nerve grafts directly implanted into the contralateral spinal cord (4) 189–194
- Bjursten, L.M., see Terada, N. (1,2) 65– 69
- Blaney, T.J., see Lindner, M.D. (1,2) 21– 35
- Brunschwig, J.-P.R., see Onifer, S.M. (4) 211–223
- De Brabander, J.M., B. Kolb. Development of pyramidal cells in medial frontal cortex following neonatal lesions of anterior midline cortex (1,2) 91– 97
- Doherty, S.S., see Lindner, M.D. (1,2) 21– 35
- Emerich, D.F., see Lindner, M.D. (1,2) 21– 35
- Faris, P.L., see Li, Y. (1,2) 99–108
- Frydel, B., see Lindner, M.D. (1,2) 21– 35
- Gaillard, A., see Létang, J. (3) 139–151
- Garnier, C., see Létang, J. (3) 139–151
- Goldstein, L.B. Effects of bilateral and unilateral locus coeruleus lesions on beam-walking recovery after subsequent unilateral sensorimotor cortex suction-ablation in the rat (1,2) 55– 63
- Gunkel, A., see Angelov, D.N. (1,2) 109–121
- Guntinas-Lichius, O., see Angelov, D.N. (1,2) 109–121
- Han, K., see Wu, Y. (1,2) 47– 54
- Hartman, B.K., see Li, Y. (1,2) 99–108
- Hayakawa, T., see Kohmura, E. (3) 169–175
- Hesse, D.H., see Onifer, S.M. (4) 211–223
- Hoane, M.R., C. Raad, T.M. Barth. Non-competitive NMDA antagonists and anti-oxidant drugs reduce striatal atrophy and facilitate recovery of function following lesions of the rat cortex (1,2) 71– 82

- Hoffman, S.W., D.G. Stein. Extract of Ginkgo biloba (EGb 761) improves behavioral performance and reduces histopathology after cortical contusion in the rat (1,2) 1– 12
- Holmquist, B., see Papaloizos, M.Y. (3) 161–168
- Hu, X.-T., see Johnson, R.E. (1,2) 13– 20
- Husain, R., see Roy, A. (4) 195–201
- Johnston, R.E., X.-T. Hu, F.J. White, J.B. Becker. Intrastratial grafts of fetal ventral mesencephalic tissue restore quantitative and qualitative D1/D2 dopamine receptor synergism in the striatum (1,2) 13– 20
- Kaplan, F.A., see Lindner, M.D. (1,2) 21– 35
- Kassar, L., see Bertelli, J.A. (4) 189–194
- Katano, H., A. Masago, K. Yamada. Marked alteration of *c-fos* and *c-jun* but not *hsp70* messenger RNA expression in rat brain after cold-induced trauma: An *in situ* hybridization study (3) 153–160
- Kim, D.T., see Onifer, S.M. (4) 211–223
- Kohmura, E., T. Yuguchi, T. Sakaki, T. Yamashita, M. Nonaka, T. Hayakawa. Altered expression of Growth Inhibitory Factor (GIF / MT-III) mRNA in the rat facial nucleus after facial nerve injury is closely related with facial function (3) 169–175
- Kolb, B., see De Brabander, J.M. (1,2) 91– 97
- Krueger, P.M., see Lindner, M.D. (1,2) 21– 35
- Létang, J., A. Gaillard, C. Garnier, M. Roger. Efferent connections of homotopic and heterotopic transplants of embryonic neocortical tissue placed in the occipital neocortex of newborn rats (3) 139–151
- Li, Y., B.K. Hartman, P.L. Faris, W.C. Low. Specificity of fiber innervation by cholinergic neurons transplanted into the retrosplenial cortex of adult rats as revealed by choline acetyltransferase immunocytochemistry (1,2) 99–108
- Lindner, M.D., M.A. Plone, B. Frydel, F.A. Kaplan, P.M. Krueger, W.J. Bell, T.J. Blaney, S.R. Winn, S.S. Sherman, E.J. Doherty, D.F. Emerich. Intraventricular encapsulated calf adrenal chromaffin cells: viable for at least 500 days *in vivo* without detectable adverse effects on behavioral/cognitive function or host immune sensitization in rats (1,2) 21– 35
- Llorente, O., see Onifer, S.M. (4) 211–223
- Low, W.C., see Li, Y. (1,2) 99–108
- Lundborg, G., see Terada, N. (1,2) 65– 69
- Lundborg, G., see Papaloizos, M.Y. (3) 161–168
- MacEvilly, J.C., D.P.R. Muller. Oxidative stress does not appear to be involved in the aetiology of Friedreich's ataxia (3) 131–137
- Martinez-Arizala, A., see Onifer, S.M. (4) 211–223
- Masago, A., see Katano, H. (3) 153–160
- Matsumoto, Y., see Okura, Y. (4) 177–187
- Mira, J.-C., see Bertelli, J.A. (4) 189–194
- Muller, D.P.R., see MacEvilly, J.C. (3) 131–137
- Neiss, W.F., see Angelov, D.N. (1,2) 109–121
- Nógrádi, A., G. Vrbová. Reinnervation of rat muscles via volkensin-affected and normal peripheral nerve conduits (1,2) 37– 45
- Nonaka, M., see Kohmura, E. (3) 169–175
- Okura, Y., R. Tanaka, K. Ono, S. Yoshida, N. Tanuma, Y. Matsumoto. Immunohistochemical analysis on the rejection of xenogeneic brain grafts (4) 177–187
- Onifer, S.M., J.F. Rodríguez, D.I. Santiago, J.C. Benitez, D.T. Kim, J.-P.R. Brunschwig, J.T. Pacheco, J.V. Perrone, O. Llorente, D.H. Hesse, A. Martinez-Arizala. Cervical Spinal Cord Injury in the Adult Rat: Assessment of Forelimb Dysfunction (4) 211–223
- Ono, K., see Okura, Y. (4) 177–187
- Pacheco, J.T., see Onifer, S.M. (4) 211–223
- Papaloizos, M., see Terada, N. (1,2) 65– 69

- Papaloizos, M.Y., B. Holmquist, G. Lundborg. An experimental study of nerve grafting combined with silicone tubes in the rat model: Functional outcome and specificity of muscle reinnervation (3) 161–168
- Perrone, J.V., see Onifer, S.M. (4) 211–223
- Plone, M.A., see Lindner, M.D. (1,2) 21– 35
- Raad, C., see Hoane, M.R. (1,2) 71– 82
- Rich, K.M., J.X. Tong. Flunarizine enhances survival and regeneration of sensory and motor neurons after peripheral nerve injury (4) 203–209
- Rodríguez, J.F., see Onifer, S.M. (4) 211–223
- Roger, M., see Létang, J. (3) 139–151
- Roy, A., A.K. Agrawal, R. Husain, P.K. Seth. Restoration of trimethyltin induced hippocampal degeneration by single and multiple transplantation (4) 195–201
- Sabel, B.A. *Editorial: New editorial office and publisher* (3) 127–130
- Sakaki, T., see Kohmura, E. (3) 169–175
- Santiago, D.I., see Onifer, S.M. (4) 211–223
- Seth, P.K., see Roy, A. (4) 195–201
- Sherman, S.S., see Lindner, M.D. (1,2) 21– 35
- Stackman, R.W., A.C. Bartolomeo, T.J. Walsh. Vitamin E attenuates the effects of both reversible and irreversible inhibitors of high-affinity choline transport in vivo (1,2) 83– 89
- Stein, D.G., see Hoffman, S.W. (1,2) 1– 12
- Stein, D.G. *Editorial: A turning point for Restorative Neurology and Neuroscience* (3) 123–125
- Stennert, E., see Angelov, D.N. (1,2) 109–121
- Streppel, M., see Angelov, D.N. (1,2) 109–121
- Taleb, M., see Bertelli, J.A. (4) 189–194
- Tanaka, R., see Okura, Y. (4) 177–187
- Tanuma, N., see Okura, Y. (4) 177–187
- Terada, N., L.M. Bjursten, M. Papaloizos, G. Lundborg. Resorbable filament structures as a scaffold for matrix formation and axonal growth in bioartificial nerve grafts: long term observations (1,2) 65– 69
- Terzis, J.K., see Wu, Y. (1,2) 47– 54
- Tong, J.X., see Rich, K.M. (4) 203–209
- Vrbová, G., see Nógrádi, A. (1,2) 37– 45
- Walsh, T.J., see Stackman, H.W. (1,2) 83– 89
- White, F.J., see Johnston R.E. (1,2) 13– 20
- Winn, S.R., see Lindner, M.D. (1,2) 21– 35
- Wu, Y., K. Han, W. Wu, J.K. Terzis. Expression of choline acetyltransferase within spinal motoneurons following brachial plexus avulsion (1,2) 47– 54
- Wu, W., see Wu, Y. (1,2) 47– 54
- Yamada, K., see Katanoo, H. (3) 153–160
- Yamashita, T., see Kohmura, E. (3) 169–175
- Yoshida, S., see Okura, Y. (4) 177–187
- Yuguchi, T., see Kohmura, E. (3) 169–175