

Author Index Volume 3 (2005)

The issue number is given in front of the page numbers.

- Bakke, J., see Ramstad, T. (2–4) 199–204
Botvina, L.R., see Tyutin, M.R. (2–4) 73– 80
Buehler, M.J. and H. Gao, A mother–daughter mechanism for mode I dominated cracks: Super-sonic crack motion along interfaces of dissimilar materials (2–4) 105–115
Bunger, A.P., R.G. Jeffrey and E. Detournay, Experimental investigation of crack opening asymptotics for fluid-driven fracture (2–4) 139–147
Burt, H., see Wilshire, B. (1) 1– 14
- Carpinteri, A., Special issue: Selected papers from the *11th International Conference on Fracture*, 21–25 March 2005, Torino, Italy (2–4) 49– 50
Carpinteri, A., P. Cornetti and S. Puzzi, Scale effects on strength and toughness of grained materials: An extreme value theory approach (2–4) 175–188
Carpinteri, A., G. Lacidogna and N. Pugno, Time-scale effects during damage evolution: A fractal approach based on acoustic emission (2–4) 127–135
Carpinteri, A., M. Paggi and G. Zavarise, Snap-back instability in micro-structured composites and its connection with superplasticity (2–4) 61– 72
Chudnovsky, A., see Gommerstadt, B.Y. (2–4) 117–126
Cleri, F., see Ippolito, M. (2–4) 89–102
Colombo, L., see Ippolito, M. (2–4) 89–102
Cornetti, P., see Carpinteri, A. (2–4) 175–188
- Detournay, E., see Bunger, A.P. (2–4) 139–147
Detournay, E., see Lhomme, T. (2–4) 149–162
- Elgalai, A.M., A.M.S. Hamouda, E. Mahdi and B.S. Sahari, Energy absorption capabilities of woven roving glass/epoxy composite tubes: Effect of tube length (1) 15– 24
Fugallo, G., see Ippolito, M. (2–4) 89–102
- Gao, H., see Buehler, M.J. (2–4) 105–115
Gardoni, P., see Nemati, K.M. (2–4) 191–197
Gommerstadt, B.Y. and A. Chudnovsky, Modeling of dynamic fragmentation in brittle solids (2–4) 117–126
- Hamouda, A.M.S., see Elgalai, A.M. (1) 15– 24
Hansen, A., see Ramstad, T. (2–4) 199–204
Hattori, N., see Zhou, C. (1) 25– 35
Hudson, J.A., see Tyutin, M.R. (2–4) 73– 80

- Ippolito, M., G. Fugallo, A. Mattoni, L. Colombo and F. Cleri, Fracture in brittle materials: The atomic-scale viewpoint (2-4) 89–102
 Izumi, S., see Yamagiwa, K. (2-4) 81– 87
- Jeffrey, R.G., see Bunger, A.P. (2-4) 139–147
 Jeffrey, R.G., see Lhomme, T. (2-4) 149–162
- Kawai, G., see Yasutomi, M. (1) 37– 48
 Kolodezov, V.E., see Legan, M.A. (2-4) 217–225
 Kurozawa, T., see Yasutomi, M. (1) 37– 48
- Lacidogna, G., see Carpinteri, A. (2-4) 127–135
 Landis, E.N., Damage variables based on three-dimensional measurements of crack geometry (2-4) 163–173
 Legan, M.A., V.E. Kolodezov and A.S. Sheremet, Quasi-brittle fracture of foam-polystyrene plates with hole (2-4) 217–225
 Lhomme, T., E. Detournay and R.G. Jeffrey, Effect of fluid compressibility and borehole on the initiation and propagation of a tranverse hydraulic fracture (2-4) 149–162
 Li, J. and X.B. Zhang, A criterion study for non-singular stress concentrations with size effect (2-4) 205–215
- Mahdi, E., see Elgalai, A.M. (1) 15– 24
 Mattoni, A., see Ippolito, M. (2-4) 89–102
- Nemati, K.M. and P. Gardoni, Microstructural and statistical evaluation of interfacial zone percolation in concrete (2-4) 191–197
 Nishida, S.-i., see Zhou, C. (1) 25– 35
- Ogawa, K., see Yasutomi, M. (1) 37– 48
- Paggi, M., see Carpinteri, A. (2-4) 61– 72
 Petersen, T.B., see Tyutin, M.R. (2-4) 73– 80
 Pugno, N., see Carpinteri, A. (2-4) 127–135
 Puzzi, S., see Carpinteri, A. (2-4) 175–188
- Ramstad, T., J. Bakke and A. Hansen, Scaling properties of the three-dimensional fuse model as a model for brittle fracture (2-4) 199–204
- Sahari, B.S., see Elgalai, A.M. (1) 15– 24
 Sakai, S., see Yamagiwa, K. (2-4) 81– 87
 Sheremet, A.S., see Legan, M.A. (2-4) 217–225
 Sun, W., see Zhou, C. (1) 25– 35
- Takanashi, M., see Yamagiwa, K. (2-4) 81– 87
 Tyutin, M.R., L.R. Botvina, N.A. Zharkova, T.B. Petersen and J.A. Hudson, Evolution of damage accumulation in low-carbon steel in tension condition (2-4) 73– 80
- Wilshire, B. and H. Burt, The theta approach to creep and creep fracture of forged 1Cr-1Mo-0.25V steel (1) 1– 14
- Yamagiwa, K., M. Takanashi, S. Izumi and S. Sakai, Method for quantitative evaluation of stretched zone width using two-dimensional local Hurst exponent (2-4) 81– 87
 Yamaguchi, H., see Yasutomi, M. (1) 37– 48
 Yamamoto, Y., see Yasutomi, M. (1) 37– 48

- Yasutomi, M., K. Ogawa, H. Yamaguchi, G. Kawai, Y. Yamamoto and T. Kurozawa, Estimation of tensile strength and optimum welding condition for SUS304 stainless steel friction welded joint using neural networks (1) 37– 48
Yokobori, Jr., A.T., The effect of multiscale dominating region on brittle fracture (2–4) 53– 59
- Zavarise, G., see Carpinteri, A. (2–4) 61– 72
Zhang, X.B., see Li, J. (2–4) 205–215
Zharkova, N.A., see Tyutin, M.R. (2–4) 73– 80
Zhou, C., S.-i. Nishida, N. Hattori and W. Sun, Effects of tensile pre-strain on torsional fatigue properties of aging processed carbon steels (1) 25– 35