

# Author Index Volume 19 (2011)

The issue number is given in front of the page numbers.

Ali, F.M., R.H. El Gebaly, M.A. El Hag and A.M. Rohaim, Solid Ehrlich tumor growth treatment by magnetic waves	(6) 455–467
Aljuneidi, W., see Floerkemeier, T.	(3) 173–183
Allan, D.B., see Jack, L.P.	(1) 21– 27
Al-Mehrizi, M., see Qaddoumi, N.	(4) 261–269
Al-Nashash, H., see Qaddoumi, N.	(4) 261–269
Al-Shamsi, H., see Qaddoumi, N.	(4) 261–269
Al-Waili, N., see Lee, B.	(2) 109–114
Angrisani, N., see Floerkemeier, T.	(3) 173–183
Angrisani, N., see Lerch, M.	(1) 29– 36
Atefi, M., see Mortazavi, S.M.J.	(6) 435–443
Bagheri, Sh., see Mortazavi, S.M.J.	(6) 435–443
Bahaedini, N., see Mortazavi, S.M.J.	(6) 435–443
Bajd, T., see Munih, M.	(6) 483–495
Benveniste, S., see Boulay, M.	(4) 233–246
Besdo, S., see Floerkemeier, T.	(3) 173–183
Besharati, A., see Mortazavi, S.M.J.	(6) 435–443
Bhangoo, R.S., see Joshi, M.P.H.A.	(6) 391–400
Birkenhauer, B., see Wiebking, U.	(4) 271–282
Black, N.D., see Nugent, C.D.	(4) 295–306
Boespflug, S., see Boulay, M.	(4) 233–246
Boulay, M., S. Benveniste, S. Boespflug, P. Jouvelot and A.-S. Rigaud, A pilot usability study of MINWii, a music therapy game for demented patients	(4) 233–246
Broese, M., I. Toma, C. Haasper, A. Simon, M. Petri, S. Budde, M. Wehmeier, C. Krettek and M. Jagodzinski, Seeding a human tendon matrix with bone marrow aspirates compared to previously isolated hBMSCs – An <i>in vitro</i> study	(6) 469–479
Broese, M., see Petri, M.	(4) 223–232
Budde, S., see Broese, M.	(6) 469–479
Butler, G., see Lee, B.	(2) 109–114
Chen, L., see Poland, M.P.	(3) 137–160
Citak, M., J. Gessmann, T. Fehmer, O. Russe, T.A. Schildhauer and D. Seybold, Two-stage revision of infected total knee arthroplasty using a distraction spacer	(3) 167–171
Citak, M., see Liodakis, E.	(2) 103–108

- Clark, V.L., see Tracy, E.E. (5) 341–347
- Craig, D., see Nugent, C.D. (4) 295–306
- Crowley, R.S., see Stahl, J.E. (6) 415–421
- Daentzer, D., K. Reichwald and T. Floerkemeier, Clinical outcome and complication rate after posterior arthrodesis of the lumbar spine: Are there age-related differences? A comparative study (3) 195–202
- Davies, R., see Nugent, C.D. (4) 295–306
- Dendorfer, S., J. Hammer and A. Lenich, Characterisation and testing of biomaterials (5) 357–371
- Deshpande, A.R., see Surangsirat, D. (2) 79– 90
- Di Novi, C., see Minniti, D. (5) 331–339
- Donnelly, M., see Nugent, C.D. (4) 295–306
- Dori, F., see Miniati, R. (6) 445–454
- Drew, M.A., see Stahl, J.E. (6) 415–421
- Dumont, K., see Verdonck, P. (3) 205–215
- Ecker, J., see Tracy, E.E. (5) 341–347
- El Gebaly, R.H., see Ali, F.M. (6) 455–467
- El Hag, M.A., see Ali, F.M. (6) 455–467
- Fanghänel, J., see Floerkemeier, T. (2) 91–102
- Fehmer, T., see Citak, M. (3) 167–171
- Feng, D., see Ruan, Z. (2) 71– 77
- Fernie, G.R., see Momen, K. (5) 319–329
- Finlay, D., see Nugent, C.D. (4) 295–306
- Floerkemeier, T., K.-H. Frosch, M. Wachowski, D. Kubein-Meesenburg, R. Gezzi, J. Fanghänel, K.M. Stürmer and H. Nägerl, Physiologically shaped knee arthroplasty induces natural roll-back (2) 91–102
- Floerkemeier, T., see Daentzer, D. (3) 195–202
- Floerkemeier, T., W. Aljuneidi, J. Reifenrath, N. Angrisani, D. Rittershaus, D. Gottschalk, S. Besdo, A. Meyer-Lindenberg, H. Windhagen and F. Thorey, Telemetric *in vivo* measurement of compressive forces during consolidation in a rabbit model (3) 173–183
- Fregonara, M.M., see Miniati, R. (6) 445–454
- Frosch, K.-H., see Floerkemeier, T. (2) 91–102
- Gaulke, R., see Liodakis, E. (2) 103–108
- Gentili, G.B., see Miniati, R. (6) 445–454
- Gessmann, J., see Citak, M. (3) 167–171
- Gezzi, R., see Floerkemeier, T. (2) 91–102
- Gösling, T., see Wiebking, U. (4) 271–282
- Gottschalk, D., see Floerkemeier, T. (3) 173–183
- Haasper, C., see Broese, M. (6) 469–479
- Haasper, C., see Petri, M. (4) 223–232

Hallberg, J., see Nugent, C.D.	(4)	295–306
Hammer, J., see Dendorfer, S.	(5)	357–371
Hasart, O., see Wassilew, G.I.	(3)	185–193
Hazenberg, J.G., J. Schmid, T.C. Lee and G.J. Verkerke, Biomechanics of implants	(3)	217–222
Heller, M., see Wassilew, G.I.	(3)	185–193
Hong, X. and C. Nugent, Implementing evidential activity recognition in sensorised homes	(1)	37– 52
Hunt, K.J., see Jack, L.P.	(1)	21– 27
Hurschler, C., see Lerch, M.	(1)	29– 36
Hurschler, C., see Petri, M.	(4)	223–232
Huttin, C. and M. Liebman, Applications of an adaptive knowledge platform in translational medicine for breast cancer	(5)	349–354
Iadanza, E., see Miniati, R.	(6)	445–454
Jack, L.P., M. Purcell, D.B. Allan and K.J. Hunt, The metabolic cost of passive walking during robotics-assisted treadmill exercise	(1)	21– 27
Jagodzinski, M., see Broese, M.	(6)	469–479
Jagodzinski, M., see Petri, M.	(4)	223–232
Janz, V., see Wassilew, G.I.	(3)	185–193
Joshi, M.P.H.A., R.S. Bhangoo and K. Kumar, Quality of nutrition related information on the internet for osteoporosis patients: A critical review	(6)	391–400
Jouvelot, P., see Boulay, M.	(4)	233–246
Karali, E., S. Lambropoulou and D. Koutsouris, Elastic models: A comparative study applied to retinal images	(6)	401–413
Kenawey, M., see Liodakis, E.	(2)	103–108
Khalaf, K., see Qaddoumi, N.	(4)	261–269
Konstantinidis, L., see Liodakis, E.	(2)	103–108
Koutsouris, D., see Karali, E.	(6)	401–413
Krettek, C., see Broese, M.	(6)	469–479
Krettek, C., see Liodakis, E.	(2)	103–108
Krettek, C., see Petri, M.	(4)	223–232
Krettek, C., see Wiebking, U.	(4)	271–282
Kruppa, C., see Petri, M.	(4)	223–232
Kubein-Meesenburg, D., see Floerkemeier, T.	(2)	91–102
Kumar, K., see Joshi, M.P.H.A.	(6)	391–400
Kumar, S. and A.M. Kwong, Six sigma tools in integrating internal operations of a retail pharmacy: A case study	(2)	115–133
Kumar, S. and K.M. Thomas, Development of a hospital based menu driven clinician coding tool to implement quality reimbursement process in the U.S. – A cardiologist's diagnoses as an illustration	(6)	423–434
Kumar, S., Modeling hospital surgical delivery process design using system simulation: Optimizing patient flow and bed capacity as an illustration	(1)	1– 20
Kumar, S., Modeling patient flow operation of a US urban county hospital	(4)	247–260

- Kwong, A.M., see Kumar, S. (2) 115–133
- Lambropoulou, S., see Karali, E. (6) 401–413
- Lee, B., N. Al-Waili, G. Butler and K. Salom, Assessment of heparin anticoagulation by Sonoclot Analyzer in arterial reconstruction surgery (2) 109–114
- Lee, T.C., see Hazenberg, J.G. (3) 217–222
- Lee, T.C., see Reilly, R.B. (4) 285–293
- Leffert, L.R., see Tracy, E.E. (5) 341–347
- Lenich, A., see Dendorfer, S. (5) 357–371
- Leone, D., see Stahl, J.E. (6) 415–421
- Lerch, M., G. Olander, N. Angrisani, D. Rittershaus, A. Meyer-Lindenberg, F. Thorey, H. Windhagen and C. Hurschler, The impact of seating forces from a cementless femoral component in hip resurfacing arthroplasty on the femoral head – A cadaver study using  $\mu$ -CT analysis (1) 29– 36
- Liebman, M., see Huttin, C. (5) 349–354
- Liodaki, E., see Liodakis, E. (2) 103–108
- Liodakis, E., E. Liodaki, C. Krettek, M. Citak, R. Gaulke, L. Konstantinidis and M. Kenawey, Can the viability of a nonunion be evaluated using SPECT/CT? A preliminary retrospective study (2) 103–108
- Liodakis, E., see Petri, M. (4) 223–232
- Luo, C., see Ruan, Z. (2) 71– 77
- Luo, C., see Ruan, Z. (3) 161–166
- Mahbudi, A., see Mortazavi, S.M.J. (6) 435–443
- Mahmoud, R.A. and G. Schmalisch, Modern mechanical ventilation strategies in newborns: A review (5) 307–318
- Meyer-Lindenberg, A., see Floerkemeier, T. (3) 173–183
- Meyer-Lindenberg, A., see Lerch, M. (1) 29– 36
- Miniaty, R., F. Dori, E. Iadanza, M.M. Fregonara and G.B. Gentili, Health technology management: A database analysis as support of technology managers in hospitals (6) 445–454
- Minniti, D., S.C. Piat and C. Di Novi, Robot-assisted versus open radical prostatectomy: An evidence-based comparison (5) 331–339
- Momen, K. and G.R. Fernie, Automatic detection of the onset of nursing activities using accelerometers and adaptive segmentation (5) 319–329
- Mortazavi, S.M.J., A. Mahbudi, M. Atefi, Sh. Bagheri, N. Bahaedini and A. Besharati, An old issue and a new look: Electromagnetic hypersensitivity caused by radiations emitted by GSM mobile phones (6) 435–443
- Munih, M. and T. Bajd, Rehabilitation robotics (6) 483–495
- Nägerl, H., see Floerkemeier, T. (2) 91–102
- Niederer, P.F., Basic elements of nuclear magnetic resonance for use in medical diagnostics: Magnetic Resonance Imaging (MRI) and Magnetic Resonance Spectroscopy (MRS) (5) 373–389
- Nugent, C., see Hong, X. (1) 37– 52

- Nugent, C.D., D. Finlay, R. Davies, M. Donnelly, J. Hallberg, N.D. Black and D. Craig,  
Remote healthcare monitoring and assessment (4) 295–306
- Nugent, C.D., see Poland, M.P. (3) 137–160
- O'Brien, F.J., see Plunkett, N. (1) 55– 69
- Olander, G., see Lerch, M. (1) 29– 36
- Perka, C., see Wassilew, G.I. (3) 185–193
- Petri, M., C. Kruppa, C. Haasper, M. Broese, E. Liodakis, C. Krettek, C. Hurschler and  
M. Jagodzinski, Effects of continuous perfusion on human bone marrow stromal  
cells seeded on a decellularized bovine Achilles tendon matrix (4) 223–232
- Petri, M., see Broese, M. (6) 469–479
- Piat, S.C., see Minniti, D. (5) 331–339
- Plunkett, N. and F.J. O'Brien, Bioreactors in tissue engineering (1) 55– 69
- Poland, M.P., C.D. Nugent, H. Wang and L. Chen, Pure random search for ambient  
sensor distribution optimisation in a smart home environment (3) 137–160
- Purcell, M., see Jack, L.P. (1) 21– 27
- Qaddoumi, N., H. Al-Nashash, A.B. Sediq, H. Al-Shamsi, M. Al-Mehrizi and K.  
Khalaf, Towards an assessment of bone fracture healing using pulsed mode  
ultrasound (4) 261–269
- Reichwald, K., see Daentzer, D. (3) 195–202
- Reifenrath, J., see Floerkemeier, T. (3) 173–183
- Reilly, R.B. and T.C. Lee, Biosensors (4) 285–293
- Rigaud, A.-S., see Boulay, M. (4) 233–246
- Rittershaus, D., see Floerkemeier, T. (3) 173–183
- Rittershaus, D., see Lerch, M. (1) 29– 36
- Rohaim, A.M., see Ali, F.M. (6) 455–467
- Ruan, Z., C. Luo, D. Feng, C. Zhang and B. Zeng, Intraoperative three-dimensional  
imaging in tibial plateau fractures with complex depressions (2) 71– 77
- Ruan, Z., C. Luo, Z. Shi, B. Zhang, B. Zeng and C. Zhang, Intraoperative reduction of  
distal tibiofibular joint aided by three-dimensional fluoroscopy (3) 161–166
- Russe, O., see Citak, M. (3) 167–171
- Salom, K., see Lee, B. (2) 109–114
- Schildhauer, T.A., see Citak, M. (3) 167–171
- Schmalisch, G., see Mahmoud, R.A. (5) 307–318
- Schmid, J., see Hazenberg, J.G. (3) 217–222
- Sediq, A.B., see Qaddoumi, N. (4) 261–269
- Seybold, D., see Citak, M. (3) 167–171
- Shi, Z., see Ruan, Z. (3) 161–166
- Simon, A., see Broese, M. (6) 469–479

- Stahl, J.E., M.A. Drew, D. Leone and R.S. Crowley, Measuring process change in primary care using real-time location systems: Feasibility and the results of a natural experiment (6) 415–421
- Surangsrirat, D., A.R. Deshpande, S. Surangsrirat, M.A. Tapia and W. Zhao, A customized simulation system with computer integrated auto-evaluation function for upper endoscopy training (2) 79– 90
- Surangsrirat, S., see Surangsrirat, D. (2) 79– 90
- Stürmer, K.M., see Floerkemeier, T. (2) 91–102
- Tapia, M.A., see Surangsrirat, D. (2) 79– 90
- Thomas, K.M., see Kumar, S. (6) 423–434
- Thorey, F., see Floerkemeier, T. (3) 173–183
- Thorey, F., see Lerch, M. (1) 29– 36
- Toma, I., see Broese, M. (6) 469–479
- Tracy, E.E., L.R. Leffert, V.L. Clark and J. Ecker, Regulatory and electronic alphabet soup: Practice improvements and implications for providers (5) 341–347
- Verdonck, P. and K. Dumontj, Biofluid mechanics and the circulatory system (3) 205–215
- Verkerke, G.J., see Hazenberg, J.G. (3) 217–222
- Wachowski, M., see Floerkemeier, T. (2) 91–102
- Wang, H., see Poland, M.P. (3) 137–160
- Wassilew, G.I., V. Janz, M. Heller, M. Wenzl, C. Perka and O. Hasart, Validation of a CT image based software for three-dimensional measurement of acetabular cup orientation (3) 185–193
- Wehmeier, M., see Broese, M. (6) 469–479
- Wenzl, M., see Wassilew, G.I. (3) 185–193
- Wiebking, U., B. Birkenhauer, C. Krettek and T. Gössling, Initial stability of a new uncemented short-stem prosthesis, Spiron®, in dog bone (4) 271–282
- Windhagen, H., see Floerkemeier, T. (3) 173–183
- Windhagen, H., see Lerch, M. (1) 29– 36
- Zeng, B., see Ruan, Z. (2) 71– 77
- Zeng, B., see Ruan, Z. (3) 161–166
- Zhang, B., see Ruan, Z. (3) 161–166
- Zhang, C., see Ruan, Z. (2) 71– 77
- Zhang, C., see Ruan, Z. (3) 161–166
- Zhao, W., see Surangsrirat, D. (2) 79– 90