

Author Index Volume 24 (2013)

The issue number is given in front of the pagination

- Abbas, M., and B. Ali, Coupled fixed point results for multivalued mappings in Hausdorff fuzzy metric space (4) 871–877
- Abbasi, S.A., see Loan, S.A. (1) 5–19
- Abeynayake, C., see Lim, C.P. (2) 199–200
- Alamoud, A.R.M., see Loan, S.A. (1) 5–19
- Ali, B., see Abbas, M. (4) 871–877
- Alimi, A.M., see Baccour, L. (1) 37–49
- Aruna, M., see Srinivasan, V. (3) 555–561
- Avros, R., see Toledano-Kitai, D. (3) 417–427
- Babaei, A.R., M. Mortazavi and M.H. Moradi, Fuzzy sliding mode autopilot design for nonminimum phase and nonlinear UAV (3) 499–509
- Baccour, L., A.M. Alimi and R.I. John, Similarity measures for intuitionistic fuzzy sets: State of the art (1) 37–49
- Badie, K., see Mahmoudi, M.T. (2) 333–346
- Bagherpour, M. see Mortaji, S.T.H. (2) 323–332
- Bai, Y., see Wang, D. (4) 677–683
- Balas, V.E., see Lim, C.P. (3) 415–416
- Bandyopadhyay, P.P., see Datta, S. (2) 355–362
- Bělčík, T., J. Kidéry, J. Kukal, R. Matěj and R. Rusina, Morphological analysis of 3D SPECT images via nilpotent t-norms in diagnosis of Alzheimer's disease (2) 313–321
- Beheshti, M., see Mahmoudi, M.T. (2) 333–346
- Belhadj, B., New fuzzy indices for multidimensional poverty (3) 587–591
- Bid, S.D., and N.J. Mistry, Infection potential ranking of hospitals based on generation of biomedical waste: A fuzzy approach (3) 657–663
- Çağman, N., and S. Karataş, Intuitionistic fuzzy soft set theory and its decision making (4) 829–836
- Cao, Q., M.H. Lim, X. Shi and J.H. Li, A multi-context processor for real-time concurrent tasks fuzzy reasoning (1) 79–91
- Castillo, J.C., see Sokolova, M.V. (2) 215–228
- Cateni, S., V. Colla and G. Nastasi, A multivariate fuzzy system applied for outliers detection (4) 889–903
- Chang, Y.-Z., Z.-R. Tsai, J.-D. Hwang and J. Lee, Optimal fuzzy tracking control of uncertain nonlinear systems based on genetic algorithms and fuzzy Lyapunov function (1) 121–132
- Cheah, Y.-N., see Tan, C.J. (3) 483–495
- Colla, V., see Cateni, S. (4) 889–903
- Datta, S., D.K. Pratihar and P.P. Bandyopadhyay, Hierarchical adaptive neuro-fuzzy inference systems trained by evolutionary algorithms to model plasma spray coating process (2) 355–362
- Davvaz, B., see Jun, Y.B. (3) 619–630
- Debnath, S., see Tripathy, B.C. (3) 631–635
- Dehghani, M., see Sandidzadeh, M.A. (4) 859–869
- Deperlioglu, O., Power electronics converter control based on rule based algorithm (4) 703–711
- Derhami, V., Similarity of learned helplessness in human being and fuzzy reinforcement learning algorithms (2) 347–354
- Didaci, L., see Marcialis, G.L. (1) 51–60
- Do, Q., see Lim, C.P. (3) 415–416
- Dutta, A.J., see Tripathy, B.C. (1) 185–189
- Ebrahimnejad, A., S.H. Nasseri and S.M. Mansourzadeh, Modified bounded dual network simplex algorithm for solving minimum cost flow problem with fuzzy costs based on ranking functions (1) 191–198
- Effati, S., H.S. Yazdi and A.J. Sharahi, Fuzzy clustering algorithm for fuzzy data based on α -cuts (3) 511–519
- Ehsan, M., see Meyabadi, A.F. (3) 563–574
- El-Dardery, M., A.A. Ramadan and Y.C. Kim, *L*-fuzzy topogenous orders and *L*-fuzzy topologies (4) 685–691

- El-Dardery, M., see On L-fuzzy topogenous orders (3) 601–609
- Esi, A., and B. Hazarika, λ -ideal convergence in intuitionistic fuzzy 2-normed linear space (4) 725–732
- Fernández-Caballero, A., see Sokolova, M.V. (2) 215–228
- Ghanbari, M., see Matinfar, M. (3) 575–586
- Hadi, M., K. Morteza and S.Y. Hadi, Vector fuzzy C-means (2) 363–381
- Hadi, S.Y., see Morteza, K. (2) 363–381
- Halder, A., R. Mandal and A. Konar, A hierarchical algorithm for fuzzy template matching in emotional facial images (2) 201–214
- Han, J.S., H.S. Kim and J. Neggers, On linear fuzzifications of groupoids with special emphasis on BCK-algebras (1) 105–110
- Hanmandlu, M., see Singh, M. (1) 145–161
- Hasuike, T., and T. Ichimura, Web intelligence for tourism using railway data by a simplified fuzzy reasoning method (2) 251–259
- Hazarika, B., see Esi, A. (4) 725–732
- Hsu, Y.-C., and S.-F. Lin, Self-organization hybrid evolution learning algorithm for recurrent wavelet-based neuro-fuzzy identifier design (3) 521–533
- Huang, R., and S. Sun, Kernel regression with sparse metric learning (4) 775–787
- Hwang, J.-D., see Chang, Y.-Z. (1) 121–132
- Ichimura, T., see Hasuike, T. (2) 251–259
- Jafarian, E., and M.A. Rezvani, A valuation-based method for ranking the intuitionistic fuzzy numbers (1) 133–144
- Jain, L.C. see Kilingaru, K. (3) 457–466
- Jain, L.C., see Lim, C.P. (2) 199–200
- Jain, L.C., see Loutchkina I. (2) 281–296
- Jee, T.L., K.M. Tay and C.K. Ng, A new fuzzy criterion-referenced assessment with a fuzzy rule selection technique and a monotonicity-preserving similarity reasoning scheme (2) 261–279
- Ji, R., Y. Yang and W. Zhang, TS-fuzzy modeling based on ε -insensitive smooth support vector regression (4) 805–817
- John, R.I., see Baccour, L. (1) 37–49
- Jolai, F., see Mousavi, S.M. (4) 819–827
- Jun, Y.B., B. Davvaz and A. Khan, Filters of ordered semigroups based on the fuzzy points (3) 619–630
- Jun, Y.B., see Zhan, J. (3) 611–618
- Kalyanaraman, R., N. Thillaigovindan and G. Kannadasan, A fuzzy bulk queue with modified Bernoulli vacation and restricted admissible customers (4) 837–845
- Kamali, H.R., P. Shahnazari-Shahrezaei and H. Kazemipoor, Two new time-variant methods for fuzzy time series forecasting (4) 733–741
- Kannadasan, G., see Kalyanaraman, R. (4) 837–845
- Karasfi, B. see Nakhaenia, D. (2) 299–311
- Karataş, S., see Çağman, N. (4) 829–836
- Kartsiotis, G., see Kehagias, Ath. (1) 111–120
- Kazemipoor, H., see Kamali, H.R. (4) 733–741
- Kehagias, Ath., and G. Kartsiotis, On the use of fuzzy logic and learning automata optimization to resolve the Liar and related paradoxes (1) 111–120
- Khan, A., see Jun, Y.B. (3) 619–630
- Khayat, O., J. Razjouyan, F.N. Rahatabad and H.C. Nejad, A fast learnt fuzzy neural network for huge scale discrete data function approximation and prediction (4) 693–701
- Khooban, M.H., and M.R. Soltanpour, Swarm optimization tuned fuzzy sliding mode control design for a class of nonlinear systems in presence of uncertainties (2) 383–394
- Kidéry, J., see Bělček, T. (2) 313–321
- Kilingaru, K., J.W. Tweedale, S. Thatcher and L.C. Jain, Monitoring pilot “Situation Awareness” (3) 457–466
- Kim, H.S., see Han, J.S. (1) 105–110
- Kim, Y.C., see El-Dardery, M. (4) 685–691
- Konar, A., see Halder, A. (2) 201–214
- Kukal, J., see Bělček, T. (2) 313–321
- Kumar, A., see Verma, M. (4) 765–773
- Kung, J.-Y., see Wu, W.-Y. 175–183
- Kuzhali, J.V., see Srinivasan, V. (3) 555–561
- Lee, J., see Chang, Y.-Z. (1) 121–132
- Lee, W.-C., and J.-W. Wu, Reply to “open problem of fuzzy confidence interval for fuzzy process capability index” (1) 1–3
- Leoreanu, L., see Leoreanu-Fotea, V. (3) 647–655
- Leoreanu-Fotea, V., J. Zhan and L. Leoreanu, Fuzzy Γ -hyperrings and fuzzy Γ -hypermodules (3) 647–655
- Li, D.-F., see Wan, S.-P. (4) 743–754
- Li, D.-F., see Wan, S.-P. (4) 847–858
- Li, D.-F., see Wang, L.-L. (4) 755–763

- Li, J.H., see Cao, Q. (1) 79–91
- Li, X., see Li, X. (3) 665–675
- Li, X., W. Yu and X. Li, On-line modeling via fuzzy support vector machines and neural networks (3) 665–675
- Liang, J., see Song, Q. (1) 21–30
- Lim, C.P., C. Abeynayake, M. Sato-Ilic and L.C. Jain, Special issue: Computational intelligence models for image processing and information reasoning (2) 199–200
- Lim, C.P., see Ooi, W.S. (2) 239–249
- Lim, C.P., see Tan, C.J. (3) 483–495
- Lim, C.P., V.E. Balas and Q. Do, Special issue recent advances in soft computing: Theories and applications (3) 415–416
- Lim, M.H., see Cao, Q. (1) 79–91
- Lin, C.-M., see Mon, Y.-J. (4) 905–913
- Lin, C.-T., see Wu, W.-Y. 175–183
- Lin, R., X. Zhao and G. Wei, Fuzzy number intuitionistic fuzzy prioritized operators and their application to multiple attribute decision making (4) 879–888
- Lin, S.-F., see Hsu, Y.-C. (3) 521–533
- Liu, P., The multi-attribute group decision making method based on the interval grey linguistic variables weighted aggregation operator (2) 405–414
- Loan, S.A., A.M. Murshid, S.A. Abbasi and A.R.M. Alamoud, A novel VLSI architecture for a fuzzy inference processor using Gaussian-shaped membership function (1) 5–19
- Loutchkina I., L.C. Jain, T. Nguyen and S. Nesterov, The Systems Integration Technical Risk assessment fusing of Bayesian Belief Networks and Parametric Models (2) 281–296
- Lucas, C., see Mahmoudi, M.T. (2) 333–346
- Ma, X., and J. Zhan, Characterizations of three kinds of hemirings by fuzzy soft h -ideals (3) 535–548
- Madasu, V.K., see Singh, M. (1) 145–161
- Mahmoudi, M.T., M. Beheshti, F. Taghiyareh, K. Badie and C. Lucas, Content-based image retrieval using OWA fuzzy linking histogram (2) 333–346
- Majumdar, P., and S.K. Samanta, Decision making based on similarity measure of vague soft sets (3) 637–646
- Mandal, R., see Halder, A. (2) 201–214
- Mansourzadeh, S.M., see Ebrahimnejad, A. (1) 191–198
- Marcialis, G.L., F. Roli and L. Didaci, Multimodal fingerprint verification by score-level fusion: An experimental investigation (1) 51–60
- Matěj, R., see Bělčík, T. (2) 313–321
- Mathew, S., and M.S. Sunitha, Cycle connectivity in fuzzy graphs (3) 549–554
- Matinfar, M., M. Ghanbari and R. Nuraei, Numerical solution of linear fuzzy Volterra integro-differential equations by variational iteration method (3) 575–586
- Meyabadi, A.F. and M. Ehsan, A heuristic fuzzy decision-based solving of redispatching problem for congestion management in restructured power systems (3) 563–574
- Miao, D.-Q., see Wang, R.-Z. (2) 395–404
- Min, H., see Perçin, S. (1) 163–174
- Mistry, N.J., see Bid, S.D. (3) 657–663
- Mon, Y.-J., C.-M. Lin and R.-G. Yeh, Intelligent control for long-term ecological systems (4) 905–913
- Moradi, M.H., see Babaei, A.R. (3) 499–509
- Mortaji, S.T.H., M. Bagherpour and S. Noori, Fuzzy earned value management using L-R fuzzy numbers (2) 323–332
- Mortazavi, M., see Babaei, A.R. (3) 499–509
- Morteza, K., see Hadi, M. (2) 363–381
- Mousavi, S.M., F. Jolai, R. Tavakkoli-Moghaddam and B. Vahdani, A fuzzy grey model based on the compromise ranking for multi-criteria group decision making problems in manufacturing systems (4) 819–827
- Murshid, A.M., see Loan, S.A. (1) 5–19
- Nakhaeinia, D. and B. Karasfi, A behavior-based approach for collision avoidance of mobile robots in unknown and dynamic environments (2) 299–311
- Nasseri, S.H., see Ebrahimnejad, A. (1) 191–198
- Nastasi, G., see Cateni, S. (4) 889–903
- Neggers, J., see Han, J.S. (1) 105–110
- Nejad, H.C., see Khayat, O. (4) 693–701
- Nesterov, S., see Loutchkina I. (2) 281–296
- Ng, C.K., see Jee, T.L. (2) 261–279
- Nguyen, T., see Loutchkina I. (2) 281–296
- Noori, S., see Mortaji, S.T.H. (2) 323–332
- Nuraei, R., see Matinfar, M. (3) 575–586
- Nurwaha, D., and X. Wang, Optimization of electrospinning process using intelligent control systems (3) 593–600
- Ooi, W.S., and C.P. Lim, Multi-objective image segmentation with an interactive evolutionary computation approach (2) 239–249
- Pei, D., see Zhan, J. (3) 611–618
- Pei, Z., see Zou, L. (3) 447–456

- Peng, H., J. Wang, M.J. Pérez-Jiménez and P. Shi, A novel image thresholding method based on membrane computing and fuzzy entropy (2) 229–237
- Perçin, S., and H. Min, Optimal machine tools selection using quality function deployment and fuzzy multiple objective decision making approach (1) 163–174
- Pérez-Jiménez, M.J., see Peng, H. (2) 229–237
- Pratihar, D.K., see Datta, S. (2) 355–362
- Pratihar, D.K., see Roy, S.S. (3) 467–482
- Rahatabad, F.N., see Khayat, O. (4) 693–701
- Rajenderan, G., see Srinivasan, V. (3) 555–561
- Ramadan, A.A., see El-Dardery, M. (4) 685–691
- Razjouyan, J., see Khayat, O. (4) 693–701
- Rezvani, M.A., see Jafarian, E. (1) 133–144
- Roli, F., see Marcialis, G.L. (1) 51–60
- Roy, S.S. and D.K. Pratihar, Adaptive neuro-fuzzy expert systems for predicting specific energy consumption and energy stability margin in crab walking of six-legged robots (3) 467–482
- Rui, Z.-F., see Wan, S.-P. (4) 847–858
- Rusina, R., see Bělíček, T. (2) 313–321
- Samanta, S.K., see Majumdar, P. (3) 637–646
- Sandidzadeh, M.A., and M. Dehghani, Intelligent condition monitoring of railway signaling in train detection subsystems (4) 859–869
- Sato-Ilic, M., see Lim, C.P. (2) 199–200
- Serrano-Cuerda, J., see Sokolova, M.V. (2) 215–228
- Shahnazari-Shahrezaei, P., see Kamali, H.R. (4) 733–741
- Sharahi, A.J., see Effati, S. (3) 511–519
- Shi, P., see Peng, H. (2) 229–237
- Shi, P., see Zou, L. (3) 447–456
- Shi, X., see Cao, Q. (1) 79–91
- Singh, M., V.K. Madasu, S. Srivastava and M. Hanmandlu, Choquet fuzzy integral based verification of handwritten signatures (1) 145–161
- Singh, P., see see Verma, M. (4) 765–773
- Singh, Y., see see Verma, M. (4) 765–773
- Sokolova, M.V., J. Serrano-Cuerda, J.C. Castillo and A. Fernández-Caballero, A fuzzy model for human fall detection in infrared video (2) 215–228
- Soltanpour, M.R., see Khooban, M.H. (2) 383–394
- Song, Q., Z. Wang and J. Liang, Analysis on passivity and passification of T-S fuzzy systems with time-varying delays (1) 21–30
- Srinivasan, V., G. Rajenderan, J.V. Kuzhali and M. Aruna, Fuzzy fast classification algorithm with hybrid of ID3 and SVM (3) 555–561
- Srivastava, S., see Singh, M. (1) 145–161
- Stańczyk, U., Decision rule length as a basis for evaluation of attribute relevance (3) 429–445
- Sun, S., see Huang, R. (4) 775–787
- Sunitha, M.S., see Mathew, S. (3) 549–554
- Taghiyareh, F., see Mahmoudi, M.T. (2) 333–346
- Tan, C.J., C.P. Lim and Y.-N. Cheah, A Modified micro Genetic Algorithm for undertaking Multi-Objective Optimization Problems (3) 483–495
- Tavakkoli-Moghaddam, R., see Mousavi, S.M. (4) 819–827
- Tay, K.M., see Jee, T.L. (2) 261–279
- Thatcher, S., see Kilingaru, K. (3) 457–466
- Thillaigovindan, N., see Kalyanaraman, R. (4) 837–845
- Toledano-Kitai, D., R. Avros, Z. Volkovich, G.-W. Weber and O. Yahalom, A binomial noised model for cluster validation (3) 417–427
- Tripathy, B.C., and S. Debnath, γ -Open sets and γ -continuous mappings in fuzzy bitopological spaces (3) 631–635
- Tripathy, B.C., and A.J. Dutta, Lacunary bounded variation sequence of fuzzy real numbers (1) 185–189
- Tsai, Z.-R., see Chang, Y.-Z. (1) 121–132
- Tweedale, J.W., see Kilingaru, K. (3) 457–466
- Vahdani, B., see see Mousavi, S.M. (4) 819–827
- Verma, M., A. Kumar, P. Singh and Y. Singh, Risk analysis of combustion system using vague ranking method (4) 765–773
- Vlachos, A., Ant Colony System algorithm solving a Thermal Generator Maintenance Scheduling Problem (4) 713–723
- Volkovich, Z., see Toledano-Kitai, D. (3) 417–427
- Wan, S.-P., and D.-F. Li, Possibility mean and variance based method for multi-attribute decision making with triangular intuitionistic fuzzy numbers (4) 743–754
- Wan, S.-P., D.-F. Li and Z.-F. Rui, Possibility mean, variance and covariance of triangular intuitionistic fuzzy numbers (4) 847–858
- Wang, D., and Y. Bai, Fuzzy logic control implementation considerations and complexity analyses (4) 677–683
- Wang, J., see Peng, H. (2) 229–237
- Wang, L.-L., D.-F. Li and S.-S. Zhang, Mathematical programming methodology for multiattribute decision making using interval-valued intuitionistic fuzzy sets (4) 755–763

- Wang, R.-Z., D.-Q. Miao, F.-F. Xu and H.-Y. Zhang, Information interpretation of knowledge granularity (2) 395–404
- Wang, X., see Nurwaha, D. (3) 593–600
- Wang, Z., see Song, Q. (1) 21–30
- Warsing Jr, D.P., see Wu, X. (1) 93–104
- Weber, G.-W., see Toledano-Kitai, D. (3) 417–427
- Wei, G., and X. Zhao, Induced hesitant interval-valued fuzzy Einstein aggregation operators and their application to multiple attribute decision making (4) 789–803
- Wei, G., see Lin, R. (4) 879–888
- Wu, J.-W., see Lee, W.-C. (1) 1–3
- Wu, W.-Y., C.-T. Lin and J.-Y. Kung, Supplier selection in supply chain management by using fuzzy multiple-attribute decision-making method (1) 175–183
- Wu, X., and D.P. Warsing Jr., Comparing traditional and fuzzy-set solutions to (Q, r) inventory systems with discrete lead-time distributions (1) 93–104
- Xu, F.-F., see Wang, R.-Z. (2) 395–404
- Xu, Y., see Zou, L. (3) 447–456
- Yahalom, O., see Toledano-Kitai, D. (3) 417–427
- Yang, Y., see Ji, R. (4) 805–817
- Yazdi, H.S., see Effati, S. (3) 511–519
- Yeh, R.-G., see Mon, Y.-J. (4) 905–913
- Yu, W., see Li, X. (3) 665–675
- Yuen, K.K.F., A Fuzzy Qualitative Evaluation System: A multi-granular aggregation approach using fuzzy compound linguistic variable (1) 61–78
- Zhan, J., D. Pei and Y.B. Jun, Falling fuzzy (implicative) filters of R_0 -algebras and its applications (3) 611–618
- Zhan, J., see Leoreanu-Fotea, V. (3) 647–655
- Zhan, J., see Ma, X. (3) 535–548
- Zhang, H.-Y., see Wang, R.-Z. (2) 395–404
- Zhang, S.-S., see Wang, L.-L. (4) 755–763
- Zhang, W., see Ji, R. (4) 805–817
- Zhao, X., see Lin, R. (4) 879–888
- Zhao, X., see Wei, G. (4) 789–803
- Zhu, Y., An intelligent algorithm: MACO for continuous optimization models (1) 31–36
- Zou, L., P. Shi, Z. Pei and Y. Xu, On an algebra of linguistic truth-valued intuitionistic lattice-valued logic (3) 447–456